

900 North Every Rd., Mason, MI 48854

cultural guide

wildflowers

1 of 7

SCIENTIFIC	COMMON	FLOWERS		SUN			SIZE	MOISTURE			NOTES
		color	time	full	part	shade	height	dry	avg	wet	
Achillea millefolium	Yarrow	White	Jul-Aug	x			2'-3'	x	x		
Actaea rubra	Red Baneberry	White	May		x	x	1'-2'		x		
Agastache nepetoides	Yellow Giant Hyssop	Yellow	Jul-Sep		x		2'-4'		x	x	
Ageratina altissima	White Snakeroot	White	Jul-Sep		x	x	2'-4'		x		
Allium cernuum	Nodding Wild Onion	Pink	Jul-Aug	x	x		1'-2'		x		
Anemone canadensis	Canada Anemone	White	May-Jul	x	x		1'-2'		x	x	O
Anemone multifida	Red Anemone	Red	June	x	x		1'	x	x		
Anemone virginiana	Thimbleweed	White	Jul-Aug	x	x		1'-3'	x	x	x	
Aquilegia canadensis	Columbine	Red/Yellow	May-Jul	x	x		1'-3'		x		LH, B
Aralia racemosa	Spikenard	White	Jun-Aug	x	x	x	3'-6'		x		
Arisaema triphyllum	Jack-in-the-Pulpit	Green	May-Jun		x	x	1'-3'		x		D
Arnoglossum atriplicifolium	Pale Indian Plantain	White	Jul-Sep	x	x		3'-6'	x	x		
Arnoglossum plantagineum	Tuberous Indian Plantain	White	Jul-Sep	x	x		1'-3'		x	x	
Asarum canadense	Wild Ginger	Brown	May		x	x	1'		x		GC
Asclepias exaltata	Poke Milkweed	White	Jun-Jul		x	x	3'-4'	x	x		
Asclepias incarnata	Swamp Milkweed	Pink	Jul-Aug	x	x		3'-4'		x	x	LH, N
Asclepias syriaca	Common Milkweed	Pink	Jun-Aug	x			3'-4'	x	x		LH, N, S
Asclepias tuberosa	Butterfly Weed	Orange	Jun-Jul	x			1'-3'	x	x		LH, N
Astragalus canadensis	Canada Milk Vetch	White	Jun-Aug	x	x		2'-3'				
Baptisia australis	Blue Wild Indigo	Blue	May-Jul	x	x		3'-4'	x	x		nearly native
Baptisia lactea	Cream Wild Indigo	White	Jun-Jul	x	x		3'-5'	x	x		
Brickellia eupatorioides	False Boneset	White	Aug-Sep	x	x		3'	x	x		
Caltha palustris	Marsh Marigold	Yellow	Apr-May	x	x		1'-2'			x	NC
Campanula rotundifolia	Harebell	Blue	Jun-Aug	x			1'-2'	x	x		NC
Caulophyllum thalictroides	Blue Cohosh	White	Apr-May		x	x			x		SA
Chelone glabra	Turtlehead	White	Aug-Sep	x	x		3'-5'		x	x	
Collinsonia canadensis	Richweed	Yellow	Aug-Sep		x	x	3'-5'		x		
Coreopsis lanceolata	Sand Coreopsis	Yellow	Jun-Aug	x			1'-2'	x	x		RR, B, LB
Coreopsis tripteris	Tall Tickseed	Yellow	Jul-Sep	x	x		4'-7'		x		RR, B
Dalea purpurea	Purple Prairie Clover	Purple	Jul-Aug	x			1'-2'	x			not MI genotype
Doellingeria umbellata	Flat-Top White Aster	White	Aug-Sep	x	x		2'-4'		x	x	LH
Echinacea pallida	Pale Purple Coneflower	Purple	Jun-Aug	x			3'-4'	x	x		nearly native
Echinacea purpurea	Purple Coneflower	Purple	Jun-Aug	x			3'-4'	x	x		not MI genotype
Erigeron pulchellus	Robin's Plantain	White	May-Jun	x	x		1'	x	x		
Eryngium yuccifolium	Rattlesnake-Master	White	Sep-Oct	x			2'-4'		x		
Eupatorium perfoliatum	Boneset	White	Jul-Sep	x	x		3'-5'		x	x	N, RR
Euphorbia corollata	Flowering Spurge	White	Jul-Sep	x			2'-4'	x			
Eurybia macrophylla	Big Leaf Aster	Violet	Jul-Aug		x	x	1'-3'	x	x		FC
Eutrochium maculatum	Joe-Pye Weed	Pink	Jul-Aug	x	x		4'-5'		x	x	N
Eutrochium purpureum	Joe-Pye Weed	Pink	Jul-Sep	x	x		4'-6'		x	x	N
Fragaria virginiana	Wild Strawberry	White	Apr-May	x	x	x	.5'-1'		x		GC, EF
Gentiana andrewsii	Bottle Gentian	Blue	Aug-Sep	x	x		1'-2'			x	CM
Geranium maculatum	Wild Geranium	Pink	May-Jun	x	x	x	1'-2'		x		

wildflowers continued

2 of 7

SCIENTIFIC	COMMON	FLOWERS		SUN			SIZE	MOISTURE			NOTES
		color	time	full	part	shade	height	dry	avg	wet	
Geum fragarioides	Barren Strawberry	Yellow	Apr-May	x	x		0.5'	x	x		GC
Geum triflorum	Prairie Smoke	Pink	May-Jun	x	x		.5'-1'		x		NC
Helenium autumnale	Sneezeweed	Yellow	Aug-Oct	x			3'-5'		x	x	
Helianthus giganteus	Tall Sunflower	Yellow	Aug-Oct	x	x		5'-8'		x	x	B
Helianthus strumosus	Pale-Leaved Sunflower	Yellow	Jul-Aug	x	x		4'-6'		x		O,B
Heliopsis helianthoides	False Sunflower	Yellow	Jul-Sep	x	x		4'-6'		x		RR
Heuchera americana	Alum Root	Green	May-Jun		x	x	1'-2'		x		
Hibiscus moscheutos	Rose Mallow	Pink	Aug-Sep	x			4'-6'		x	x	
Hydrophyllum virginianum	Virginia Waterleaf	White	May-Jun		x	x	1'-3'		x	x	PP, GC
Hypericum ascyron	Giant St. John's Wort	Yellow	Jul-Aug	x	x		3'-5'		x	x	
Iris virginica	Southern Blue Flag	Blue	May-Jul	x	x		2'-3'		x	x	EW
Lespedeza capitata	Rnd. Headed Bush-Clover	White	Aug-Sep	x			2'-4'	x			LH
Liatris aspera	Rough Blazing Star	Pink	Jul-Sep	x			3'-4'	x	x		N
Liatris scariosa	Northern Blazing Star	Pink	Jul-Sep	x			3'-4'	x	x		N
Liatris spicata	Marsh Blazing Star	Pink	Jul-Aug	x			3'-4'		x	x	N
Lilium michiganense	Michigan Lily	Orange	Jun-Aug	x	x		4'-5'		x		
Lobelia cardinalis	Cardinal Flower	Red	Jul-Aug	x	x		2'-4'		x	x	CM, B
Lobelia siphilitica	Blue Lobelia	Blue	Jul-Sep	x	x		1'-3'		x	x	PP
Lupinus perennis	Lupine	Blue	May-Jun	x			1'-2'	x			LH, SA
Maianthemum racemosum	False Solomon Seal	White	May-Jun		x	x	1'-2'		x		
Maianthemum stellatum	Starry Solomon Seal	White	May-Jul	x	x		1'-2'	x	x	x	
Mertensia virginica	Virginia Bluebells	Blue	Apr-May		x	x	1'-2'		x		not MI genotype, SA
Mimulus ringens	Monkey-Flower	Blue	Jun-Aug	x	x		1'-2'		x	x	
Mitella diphylla	Bishop's Cap	White	May		x	x	1'		x		
Monarda fistulosa	Bee-Balm	Lavender	Jul-Aug	x			2'-4'	x	x		N
Monarda punctata	Horsemint	Yellow	Jul-Sep	x			1'-3'	x			N
Opuntia cespitosa	Prickly Pear	Yellow	July	x			1'	x			TH
Packera aurea	Golden Ragwort	Yellow	May-Jun	x	x		2'-3'		x	x	CM
Penstemon digitalis	Beardtongue	White	Jun-Jul	x	x		3'-4'		x	x	B
Penstemon hirsutus	Penstemon	Blue	May-Jul	x			1'-2'	x	x		B
Phlox divaricata	Woodland Phlox	Blue	May		x	x	1'		x		
Phlox pilosa	Prairie Phlox	Pink	May-Jul	x	x		2'	x	x		N
Physostegia virginiana	Obedient Plant	Pink	Jul-Sep	x	x		2'-4'		x	x	not MI genotype
Polemonium reptans	Jacob's Ladder	Blue	May	x	x	x	1'		x		not MI genotype
Polygonatum biflorum	True Solomon Seal	Green	May-Jun		x		1'-3'		x		
Pontederia cordata	Pickerel Weed	Blue	Jul-Aug	x			2'			x	EW
Potentilla anserina	Silverweed	Yellow	Jun-Aug	x			1'	x	x		
Potentilla simplex	Common Cinquefoil	Yellow	May-Jun	x	x	x	1'	x	x		GC, O
Pycnanthemum virginianum	Mountain-Mint	White	Jul-Sep	x	x		2'-4'		x	x	
Ratibida pinnata	Yellow Coneflower	Yellow	Jul-Sep	x			3'-5'		x		N
Rudbeckia fulgida	Black-Eyed Susan	Yellow	Aug-Oct	x	x		2'-3'		x	x	
Rudbeckia hirta	Black-Eyed Susan	Yellow	Jun-Sep	x	x		1'-3'	x	x		LH, N, RR, LB
Rudbeckia laciniata	Grn.-headed Coneflower	Yellow	Jul-Sep	x	x		3'-6'		x	x	O
Ruellia humilis	Wild Petunia	Lavender	Jun-Aug	x			1'-2'	x	x		not MI genotype
Sagittaria latifolia	Common Arrowhead	White	Jul-Aug	x			2'-3'			x	EW
Saururus cernuus	Lizard's Tail	White	Jul		x	x	1'-2'			x	CM, EW
Scutellaria lateriflora	Mad-Dog Skullcap	Blue	Jun-Sep	x	x		2'-3'		x	x	

wildflowers continued

3 of 7

SCIENTIFIC	COMMON	FLOWERS		SUN			SIZE	MOISTURE			NOTES
		color	time	full	part	shade	height	dry	avg	wet	
Senna hebecarpa	Wild Senna	Yellow	Jul-Aug	x	x		3'-5'		x	x	LH
Silene regia	Royal Catchfly	Red	Jul-Aug	x	x		3'-4'		x		nearly native
Silphium integrifolium	Rosin Weed	Yellow	Jul-Aug	x			4'-5'		x		not MI genotype
Silphium laciniatum	Compass Plant	Yellow	Jul-Aug	x			4'-9'		x		not MI genotype
Silphium perfoliatum	Cup Plant	Yellow	Jul-Sep	x	x		4'-7'		x	x	O, PP, B, RR
Silphium terebinthinaceum	Prairie-Dock	Yellow	Aug-Oct	x			4'-10'	x	x	x	N, B
Sisyrinchium angustifolium	Blue-eyed Grass	Blue	May-Jun	x	x		1'		x		NC
Solidago caesia	Bluestem Goldenrod	Yellow	Aug-Oct	x	x	x	2'-3'	x	x		RR
Solidago flexicaulis	Zigzag Goldenrod	Yellow	Aug-Oct		x	x	1'-2'		x		RR
Solidago nemoralis	Old-Field Goldenrod	Yellow	Aug-Oct	x			2'-3'	x	x		
Solidago ohioensis	Ohio Goldenrod	Yellow	Aug-Sep	x			2'-4'		x	x	
Solidago patula	Swamp Goldenrod	Yellow	Aug-Oct	x	x		3'-5'		x	x	
Solidago riddellii	Riddell's Goldenrod	Yellow	Aug-Sep	x			2'-4'		x	x	PP
Solidago rigida	Stiff Goldenrod	Yellow	Aug-Oct	x			3'-5'		x		N
Solidago speciosa	Showy Goldenrod	Yellow	Aug-Oct	x			2'-5'	x	x		N, PP
Stylophorum diphyllum	Wood Poppy	Yellow	May-Jun		x	x	2'-3'		x		
Symphotrichum cordifolium	Heart-Leaved Aster	Blue-Violet	Aug-Sep		x	x	1'-3'	x	x		RR
Symphotrichum laeve	Smooth Aster	Lavender	Aug-Oct	x			2'-4'	x	x		
Symphotrichum novae-angliae	New England Aster	Purple	Sep-Oct	x			3'-6'		x	x	RR
Symphotrichum oolentangiense	Prairie Heart-Leaved Aster	Blue	Aug-Sep	x	x		2'-3'	x	x		N
Tephrosia virginiana	Goat's Rue	White-Pink	Jul	x	x		1'-2'	x			WD
Thalictrum dasycarpum	Tall Meadow Rue	White	May-Jul	x	x		3'-7'		x	x	
Thalictrum dioicum	Early Meadow Rue	White	Apr-May		x	x	2'-3'		x		
Tiarella cordifolia	Foamflower	White	Apr-Jun		x	x	1'		x		
Tradescantia ohiensis	Spiderwort	Blue	May-Jul	x	x		2'-3'	x	x		LB
Verbena hastata	Blue Vervain	Blue	Jul-Sep	x	x		3'-5'		x	x	N
Verbena stricta	Hoary Vervain	Purple-Blue	Jul-Sep	x	x		2'-4'	x	x		
Vernonia missurica	Ironweed	Purple	Aug-Sep	x	x		4'-6'		x	x	
Veronicastrum virginicum	Culver's-Root	White	Jul-Sep	x	x		3'-5'		x	x	N, PP
Zizia aurea	Golden Alexanders	Yellow	May-Jun	x	x		2'-3'		x	x	

grasses, sedges, rushes

SCIENTIFIC	COMMON	FLOWERS		SUN			SIZE	MOISTURE			NOTES
		color	time	full	part	shade	height	dry	avg	wet	
Acorus americanus	Sweet Flag	Green	Jun-Jul	x	x		2'-4'			x	LH, EW
Andropogon gerardii	Big Bluestem	Green	Jul-Aug	x			5'-7'	x	x	x	
Bouteloua curtipendula	Side Oats Grama	Green	Jun-Jul	x			1'-3'	x	x		not MI genotype
Calamagrostis canadensis	Blue-Joint Grass	Green	Jun	x	x		3'-4'		x	x	
Carex bicknellii	Bicknell's Sedge	Green	May-Jun	x	x		2'-3'		x	x	
Carex brevior	Sedge	Green	May-Jun	x			2'-3'	x			
Carex comosa	Sedge	Green	May-Jun	x			2'-3'			x	EW
Carex crinita	Fringed Sedge	Green	May	x	x	x	2'-4'			x	
Carex eburnea	Ivory Sedge	Green	May	x	x		1'	x	x		GC
Carex grayi	Gray's Sedge	Green	May-Jun		x	x	1'-2'		x	x	
Carex hystericina	Porcupine Sedge	Green	May-Jun	x	x		2'-3'			x	LH
Carex muskingumensis	Muskingum Sedge	Green	May-Jun	x	x	x	2'-3'		x	x	
Carex pensylvanica	Penn Sedge	Green	Apr-May		x		.5'-1'	x	x		GC

grasses, sedges, rushes continued

4 of 7

SCIENTIFIC	COMMON	FLOWERS		SUN			SIZE	MOISTURE			
		color	time	full	part	shade	height	dry	avg	wet	
Carex stipata	Awl-Fruited Sedge	Green	May	x	x		2'-3'		x	x	
Carex stricta	Tussock Sedge	Green	May-Jun	x			2'-4'			x	EW
Carex vulpinoidea	Fox Sedge	Green	May-Jun	x	x		2'-3'		x	x	
Elymus canadensis	Canada Wild Rye	Green	Jun-Aug	x			3'-5'	x	x		
Elymus hystrix	Bottlebrush Grass	Green	Jun-Jul		x	x	3'-5'	x	x		
Elymus virginicus	Virginia Wild Rye	Green	Jun	x	x		2'-4'		x	x	
Eragrostis spectabilis	Purple Love Grass	Green	Jun-Jul	x			1'-2'	x			FC
Glyceria striata	Graceful Grass	Green	May-Jun	x	x		1'-3'		x	x	
Juncus effusus	Soft-stemmed Rush	Green	Jun	x			1'-3'			x	EW
Juncus torreyi	Torrey's Rush	Green	Jun-Jul	x			1'-2'		x	x	
Koeleria macrantha	June Grass	Green	May-Jun	x			1'-2'	x	x		
Panicum virgatum	Switch Grass	Green	Jul-Aug	x	x		3'-5'	x	x	x	
Schizachyrium scoparium	Little Bluestem	Green	Aug	x			2'-4'	x	x		FC, LH
Schoenoplectus acutus	Hardstem Bulrush	Green	Apr-Jun	x			4'-6'			x	EW
Schoenoplectus pungens	Three-Square	Green	May-Jul	x			3'-5'			x	EW
Schoe. tabernaemontani	Softstem Bulrush	Green	May-Jul	x			4'-6'			x	EW
Scirpus atrovirens	Bulrush	Green	Jun-Jul	x			3'-5'			x	
Scirpus cyperinus	Wool Grass	Green	Jun-Aug	x			3'-6'			x	
Sorghastrum nutans	Indian Grass	Green	Aug	x			4'-6'		x		FC
Sparganium eurycarpum	Common Bur-Reed	Green	May-Jul	x			2'-5'			x	EW
Spartina pectinata	Prairie Cordgrass	Green	Jul-Aug	x			4'-6'		x	x	
Sporobolus heterolepis	Prairie Dropseed	Green	Aug-Sep	x			1'-3'		x		FC

ferns

SCIENTIFIC	COMMON	FLOWERS		SUN			SIZE	MOISTURE			NOTES
		color	time	full	part	shade	height	dry	avg	wet	
Adiantum pedatum	Maidenhair Fern				x	x	2'		x	x	not MI genotype
Athyrium angustum	Lady Fern				x	x	2'-3'		x	x	not MI genotype
Claytosmunda claytoniana	Interrupted Fern				x	x	2'-4'		x		not MI genotype
Dryopteris goldiana	Goldie's Fern				x	x	3'-4'		x	x	not MI genotype
Dryopteris marginalis	Marginal Wood Fern				x	x	1'-3'	x	x		not MI genotype
Matteuccia struthiopteris	Ostrich Fern				x	x	3'-5'		x	x	not MI genotype
Onoclea sensibilis	Sensitive Fern			x	x		2'-3'			x	not MI genotype
Osmunda regalis	Royal Fern				x	x	3'-4'			x	not MI genotype
Osmundastrum cinnamomeum	Cinnamon Fern				x	x	3'-5'		x	x	not MI genotype
Polystichum acrostichoides	Christmas Fern				x	x	1'-2'	x	x		not MI genotype

trees, shrubs & vines

SCIENTIFIC	COMMON	FLOWERS		SUN			SIZE	MOISTURE			NOTES
		color	time	full	part	shade	height	dry	avg	wet	
Alnus incana	Speckled Alder	Brown	Mar-May	x	x		6'-25'		x	x	S
Amelanchier sp.	Serviceberry	White	Apr-May	x	x		12'-25'	x	x		LH, EF
Amorpha canescens	Leadplant	Purple	Jun-Aug	x			2'-3'	x	x		LH
Arctostaphylos uva-ursi	Bearberry	White	May-Jun	x	x		up to 1'	x	x		LH, GC
Aronia prunifolia	Black Chokeberry	White	Jun	x	x		2'-6'		x	x	B
Asimina triloba	Paw Paw	Purple	Apr-May	x	x	x	15'-30'		x	x	LH, EF
Betula alleghaniensis	Yellow Birch	Yellow	Apr-May	x	x		40'-70'		x	x	LH

trees, shrubs & vines continued continued

5 of 7

SCIENTIFIC	COMMON	FLOWERS		SUN			SIZE	MOISTURE			NOTES
		color	time	full	part	shade	height	dry	avg	wet	
Betula papyrifera	Paper Birch	Brown	Apr-May	x	x		30'-60'		x		LH
Betula pumila	Bog Birch	Brown	May-Jun	x	x		5'-12'		x	x	LH
Carpinus caroliniana	Musclewood	Green	Apr-May	x	x	x	15'-30'		x	x	FC
Carya cordiformis	Bitternut Hickory	Green	May	x			50'-80'		x		
Ceanothus americanus	New Jersey Tea	White	Jun-Jul	x	x		1'-3'	x	x		LH, N
Celtis occidentalis	Hackberry	Green	May	x	x		40'-60'		x		LH, B
Celtis tenuifolia	Dwarf Hackberry	White	Apr-May	x	x	x	10'-25'	x	x		LH
Cephalanthus occidentalis	Buttonbush	White	Jun-Aug	x	x		6'-15'		x	x	N
Cercis canadensis	Redbud	Pink	May	x	x		12'-25'		x		LH, N
Clematis virginiana	Virgin's Bower	White	Aug-Sep	x	x				x	x	V, D
Cornus alternifolia	Alt. Leaf Dogwood	White	May-Jun	x	x		12'-25'		x		LH, B
Cornus amomum	Silky Dogwood	White	Jun-Jul	x	x	x	3'-9'		x	x	LH, S, B
Cornus florida	Flowering Dogwood	White	May	x	x		15'-30'	x	x		
Cornus foemina	Gray Dogwood	White	May-Jun	x	x		3'-10'	x	x		LH, S, B
Cornus sericea	Red-osier Dogwood	White	Jun-Aug	x	x	x	3'-9'	x	x	x	LH, S, B
Corylus americana	American Hazelnut	Yellow	Mar-Apr	x	x		5'-9'	x	x		EF
Dasiphora fruticosa	Shrubby Cinquefoil	Yellow	Jun-Sep	x	x		2'-3'	x	x	x	LB
Decodon verticillatus	Swamp Loosestrife	Pink	Jul-Aug	x			2'-4'			x	EW
Diervilla lonicera	Bush Honeysuckle	Yellow	Jun	x	x		1'-3'	x	x		
Diospyros virginiana	American Persimmon	White	May-Jun	x			35'-60'	x	x		nearly native, EF
Dirca palustris	Leatherwood	Yellow	Apr-May		x	x	3'-5'		x	x	
Gaylussacia baccata	Huckleberry	White	May-Jun	x	x	x	2'-4'	x	x		AS, EF
Gymnocladus dioicus	Kentucky Coffee Tree	White	Jun	x	x		60'-85'	x	x	x	D
Hamamelis virginiana	Witch-Hazel	Yellow	Oct	x	x		10'-30'	x	x		
Hypericum kalmianum	Kalm's St. John's Wort	Yellow	Jun-Aug	x	x		1'-2'		x	x	
Hypericum prolificum	Shrubby St. Johnswort	Yellow	Jul	x	x		3'-6'	x	x		
Ilex verticillata	Michigan Holly	White	Jun	x	x		6'-12'		x	x	AS, B, D
Juniperus communis	Common Juniper			x			2'-4'	x			
Juniperus horizontalis	Creeping Juniper			x			1'-2'	x			GC
Juniperus virginiana	Eastern Red Cedar			x			20'-40'	x	x		B
Larix laricina	Tamarack			x	x		40'-75'		x	x	FC
Lindera benzoin	Spicebush	Yellow	Apr-May		x	x	5'-10'		x	x	LH, D
Liriodendron tulipifera	Tulip Poplar	White	May-Jun	x	x		60'-110'		x	x	LH
Lonicera dioica	Red Honeysuckle	Red	May-Jun		x	x			x		V
Myrica gale	Sweet Gale	Green-Brown	Jun	x	x		3'-5'			x	
Myrica pensylvanica	Bayberry	Green-Brown	May	x			6'-8'	x	x	x	not MI genotype, D
Nyssa sylvatica	Blackgum	Green	May-Jun	x	x		30'-60'	x	x	x	FC, D, B
Ostrya virginiana	Ironwood	Green	Apr-May	x	x		30'-60'		x		LH
Parthenocissus quinquefolia	Virginia Creeper	Green	Jul-Aug	x	x	x		x	x	x	FC, GC, V
Physocarpus opulifolius	Common Ninebark	White	May-Jun	x	x		3'-9'		x	x	N
Platanus occidentalis	Sycamore	Green	May	x	x		65'-100'	x	x	x	
Populus tremuloides	Quaking Aspen	Green	Mar-Apr	x	x		40'-70'		x	x	S (clonal)
Prunus americana	Wild Plum	White	Apr-May	x	x		10'-25'		x	x	LH, S, EF
Prunus pumila	Sand Cherry	White	Jun	x			4'-8'	x	x		EF
Prunus virginiana	Choke Cherry	White	May-Jun	x	x		10'-30'	x	x		LH, S, N
Ptelea trifoliata	Hop Tree	Green	Jun	x	x		6'-15'	x	x		LH
Quercus alba	White Oak	Green	May-Jun	x			70'-90'	x	x		LH
Quercus bicolor	Swamp White Oak	Green	May-Jun	x			50'-80'		x	x	LH

trees, shrubs & vines continued

6 of 7

SCIENTIFIC	COMMON	FLOWERS		SUN			SIZE	MOISTURE			NOTES
		color	time	full	part	shade	height	dry	avg	wet	
Quercus imbricaria	Shingle Oak	Green	May-Jun	x			50'-60'	x	x		LH
Quercus macrocarpa	Bur Oak	Green	May-Jun	x			60'-85'	x	x	x	LH
Quercus muehlenbergii	Chinquapin Oak	Green	May-Jun	x			50'-80'	x	x	x	LH
Quercus palustris	Pin Oak	Green	May-Jun	x			40'-65'		x	x	LH
Quercus rubra	Red Oak	Green	May-Jun	x			65'-90'		x		LH
Quercus velutina	Black Oak	Green	May-Jun	x			60'-80'	x	x		LH
Rhus aromatica	Fragrant Sumac	Yellow	May-Jun	x			4'-5'	x	x		FC, LH, D
Rhus copallina	Winged Sumac	Yellow	Jun	x			6'-12'	x	x		D, N, S
Rhus typhina	Staghorn Sumac	Red	Jun	x			10'-30'	x	x		LH, D, S
Ribes americanum	Wild Black Currant	White	Apr-May	x	x		2'-4'		x	x	LH, EF, B
Rosa carolina	Pasture Rose	Pink	Jun-Jul	x	x		1'-3'	x	x		S, TH
Rosa palustris	Swamp Rose	Pink	Jun-Jul	x	x		3'-6'		x	x	S, TH
Rosa setigera	Michigan Rose	Pink	Jul-Aug	x	x		4'-6'		x	x	TH
Salix discolor	Pussy Willow	Green	Mar-Apr	x			6'-20'			x	
Salix exigua	Sandbar Willow	Green	Apr	x			5'-15'			x	S
Salix humilis	Prairie Willow	Green	Apr	x			4'-5'	x	x		S
Salix nigra	Black Willow	Green	Apr	x	x		40'-65'		x	x	
Sambucus canadensis	American Elder	White	Jun-Jul	x	x		5'-12'		x	x	EF, B
Sambucus racemosa	Red-Berried Elder	White	May-Jun	x	x		5'-12'	x	x		B
Spiraea alba	Meadowsweet	White	Jun-Aug	x	x		3'-6'		x	x	N
Spiraea tomentosa	Steeplebush	Pink	Jul-Aug	x	x		2'-4'		x	x	
Staphylea trifolia	American Bladdernut	White	Apr-May		x	x	8'-18'		x		
Thuja occidentalis	Northern White Cedar			x	x		30'-50'		x	x	
Tilia americana	Basswood	Yellow	Jun-Jul	x	x		60'-80'		x	x	N
Vaccinium angustifolium	Lowbush Blueberry	White	May-Jun	x	x	x	1'-2'	x	x	x	AS, LH, EF
Viburnum acerifolium	Maple Leaf Viburnum	White	May-Jun		x	x	4'-6'	x	x		LH
Viburnum lentago	Nannyberry	White	May-Jun	x	x		15'-30'		x	x	LH, FC, B, N
Viburnum trilobum	Highbush Cranberry	White	May-Jun	x	x		8'-12'		x	x	LH, FC, B, N
Zanthoxylum americanum	Prickly Ash	Green	Apr-May	x	x		5'-9'		x		LH, S, TH, N, D

key to letter codes

AS = **acidic soils** required

B = provides seed, fruit or nectar for **birds**

BI = **biennial**

CM = **consistent moisture** means that the soil should never dry out completely

D = **dioecious**

EF = **edible fruit**

EW = **emergent wetland** plant

FC = **fall color**

GC = **groundcover**

LB = **long bloom** period

LH = **larval host** for butterflies (see our list of larval host plants)

N = plant that provides **nectar** for butterflies and bees

NC = the plants are **not competitive** when combined with other plants - easily out-competed without regular disturbance or thinning of other plants

nearly native = not native to Michigan but found in adjoining states

not a MI genotype = seed not of Michigan origin

O = **opportunistic** native plants colonize aggressively without competition. We reserve the term invasive for non-native species that uncouple the ecological process of the ecosystems they invade.

PP = these plants attract **pollinators** and/or **predatory** (beneficial) insects. (see nativeplants.msu.edu)

RR = **readily re-seeds**

S = spreads by underground **suckers**

SA = **spring availability** only

TH = **thorny**

V = **vine**

WD = need **well drained** soils