

TEST REPORT

Report No.: SZNS2230508-24448E

Date: May 26, 2023

Page 1 of 12

Seed Technology Co., Ltd

9F, G3 Building, TCL International E City, Zhongshanyuan Road, Nanshan District, Shenzhen, Guangdong Province, P.R.C

Report on the submitted samples said to be:

Sample Description: reComputer

Style/Item No.: reComputer J3010

Additional Style/ Item No.: reComputer J4011, reComputer J4011(w/o power adapter), reComputer J3011, reComputer J3011(w/o power adapter), reComputer J3010(w/o power adapter)

Remark: As claimed by the material declaration submitted by the client, the material of Additional Style/ Item No. are the same as the tested Style/ Item No. . But the results only for the tested sample. And the applicant will undertake all differences and risk.

Sample Receiving Date: May 09,2023

Testing Period: May 09,2023 - May 19,2023

Result: **Please refer to next page(s).**

Signed for and on behalf of

BACL

Queenie Lee

Checked by: _____
Queenie Lee

Len Xie

Approved by: _____
Len Xie



TEST REPORT

Report No.: **SZNS2230508-24448E**

Date: May 26, 2023

Page 2 of 12

Summary of Test Result:

TEST REQUEST

CONCLUSION

A RoHS Directive 2011/65/EU and amendment directives (EU) 2015/863 on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs & PBDEs, Phthalates (DBP, BBP, DEHP, DIBP) content

A.1 XRF screening test

Pass

A.2 Wet Chemical Testing

A.2.1 Total Lead content

Pass

A.2.2 PBBs & PBDEs content

Pass

A.3 Phthalates (DBP, BBP, DEHP, DIBP) content

Pass

TEST REPORT

Report No.: SZNS2230508-24448E

Date: May 26, 2023

Page 3 of 12

A RoHS Directive 2011/65/EU and amendment directives (EU) 2015/863 on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs & PBDEs, Phthalates (DBP, BBP, DEHP, DIBP) content

A.1 XRF screening test

Test method: IEC 62321-3-1:2013

Seq No.	Tested Part(s)	Result				
		Pb	Cd	Hg	Cr	Br
(1)	Black plastic(cover, reComputer)	BL	BL	BL	BL	BL
(2)	Gunmetal metal(small screw, frame, reComputer)	BL	BL	BL	BL	---
(3)	Silvery metal(small screw, frame, reComputer)	BL	BL	BL	BL	---
(4)	Silvery metal(medium screw, frame, reComputer)	BL	BL	BL	BL	---
(5)	Black/white printed silvery metal(frame, reComputer)	BL	BL	BL	BL	BL
(6)	Black soft plastic(round/small pad, frame, reComputer)	BL	BL	BL	BL	BL
(7)	Silvery magnet(frame, reComputer)	BL	BL	BL	BL	BL
(8)	Silvery metal(fixed rod, frame, reComputer)	BL	BL	BL	BL	---
(9)	Silvery metal(gasket, fixed rod, frame, reComputer)	BL	BL	BL	BL	---
(10)*1	Golden metal(hex-screw bolt, base, reComputer)	OL (11397)	BL	BL	BL	---
(11)*/*1	Golden metal(built-in nut, frame, reComputer)	X	BL	BL	BL	---
(12)	Gunmetal metal(flat screw, main-PCB, reComputer)	BL	BL	BL	BL	---
(13)	Black printed white/grey plastic with adhesive(label, foresee-PCB, reComputer)	BL	BL	BL	BL	BL
(14)*	White printed black coated beige plastic with coppery metal(foressee-PCB, reComputer)	BL	BL	BL	BL	X
(15)	Black body(IC, foresee-PCB, reComputer)	BL	BL	BL	BL	BL
(16)	Brown body(SMD capacitor, foresee-PCB, reComputer)	BL	BL	BL	BL	BL
(17)	Black body(SMD resistor, foresee-PCB, reComputer)	BL	BL	BL	BL	BL
(18)	Silvery/golden body(crystal, foresee-PCB, reComputer)	BL	BL	BL	BL	BL
(19)	Black body(SMD triode, foresee-PCB, reComputer)	BL	BL	BL	BL	BL
(20)	Black printed silvery metal(base, fan, reComputer)	BL	BL	BL	BL	BL
(21)	Silvery metal(small screw, base, fan, reComputer)	BL	BL	BL	BL	---
(22)	Silvery metal(big screw, base, fan, reComputer)	BL	BL	BL	BL	---
(23)	Silvery metal(fixed piece, base, fan, reComputer)	BL	BL	BL	BL	---
(24)	White printed black plastic(sleeve, fan cable, reComputer)	BL	BL	BL	BL	BL
(25)	White plastic(plug, fan cable, reComputer)	BL	BL	BL	BL	BL
(26)	Silvery metal(clip, plug, fan cable, reComputer)	BL	BL	BL	BL	---

TEST REPORT

Report No.: SZNS2230508-24448E

Date: May 26, 2023

Page 4 of 12

Seq No.	Tested Part(s)	Result				
		Pb	Cd	Hg	Cr	Br
(27)	Black PVC(wire jacket, fan cable, reComputer)	BL	BL	BL	BL	BL
(28)	Red PVC(wire jacket, fan cable, reComputer)	BL	BL	BL	BL	BL
(29)	Yellow PVC(wire jacket, fan cable, reComputer)	BL	BL	BL	BL	BL
(30)	Blue PVC(wire jacket, fan cable, reComputer)	BL	BL	BL	BL	BL
(31)	Silvery metal(wire, fan cable, reComputer)	BL	BL	BL	BL	---
(32)	Black printed white plastic with adhesive(label, fan, reComputer)	BL	BL	BL	BL	BL
(33)	Black plastic(shell/frame, fan, reComputer)	BL	BL	BL	BL	BL
(34)*	White printed green coated beige plastic with coppery metal(fan-PCB, fan, reComputer)	BL	BL	BL	BL	X
(35)	Black body(SMD resistor, fan-PCB, fan, reComputer)	BL	BL	BL	BL	BL
(36)	Black body(IC, fan-PCB, fan, reComputer)	BL	BL	BL	BL	BL
(37)	Silvery solder(fan-PCB, fan, reComputer)	BL	BL	BL	BL	---
(38)	Silvery metal(magnet shell, fan, reComputer)	BL	BL	BL	BL	---
(39)	Grey magnet(fan, reComputer)	BL	BL	BL	BL	BL
(40)	Coppery metal(coil, fan, reComputer)	BL	BL	BL	BL	---
(41)	Silvery metal(axis, fan, reComputer)	BL	BL	BL	BL	---
(42)	Silvery metal(blade, fan, reComputer)	BL	BL	BL	BL	---
(43)*	Green coated brown plastic with coppery metal(CPU-PCB, reComputer)	BL	BL	BL	BL	X
(44)	Grey glue(silica gel, CPU-PCB, reComputer)	BL	BL	BL	BL	BL
(45)	Silvery body(CPU, CPU-PCB, reComputer)	BL	BL	BL	BL	BL
(46)	Brown body(SMD capacitor, CPU-PCB, reComputer)	BL	BL	BL	BL	BL
(47)*	White printed black coated beige plastic with coppery metal(HF-PCB, reComputer)	BL	BL	BL	BL	X
(48)	Silvery body(inductor, HF-PCB, reComputer)	BL	BL	BL	BL	BL
(49)	Black body(IC, HF-PCB, reComputer)	BL	BL	BL	BL	BL
(50)	Brown body(SMD capacitor, HF-PCB, reComputer)	BL	BL	BL	BL	BL
(51)	Black body(SMD triode, HF-PCB, reComputer)	BL	BL	BL	BL	BL
(52)	Silvery/coppery body(crystal, HF-PCB, reComputer)	BL	BL	BL	BL	BL
(53)	Silvery solder(HF-PCB, reComputer)	BL	BL	BL	BL	---
(54)*	White printed black coated beige plastic with coppery metal(main-PCB, reComputer)	BL	BL	BL	BL	X
(55)*/*1	Silvery metal(terminal, main-PCB, reComputer)	X	BL	BL	BL	---

TEST REPORT

Report No.: SZNS2230508-24448E

Date: May 26, 2023

Page 5 of 12

Seq No.	Tested Part(s)	Result				
		Pb	Cd	Hg	Cr	Br
(56)	Black plastic(base, contact pin, main-PCB, reComputer)	BL	BL	BL	BL	BL
(57)	Coppery metal(contact pin, main-PCB, reComputer)	BL	BL	BL	BL	---
(58)	Black plastic(camera socket, main-PCB, reComputer)	BL	BL	BL	BL	BL
(59)	White plastic(camera socket, main-PCB, reComputer)	BL	BL	BL	BL	BL
(60)	Silvery metal(pin, FCC socket, main-PCB, reComputer)	BL	BL	BL	BL	---
(61)	Black plastic(DC socket, main-PCB, reComputer)	BL	BL	BL	BL	BL
(62)	Silvery metal(pin, DC socket, main-PCB, reComputer)	BL	BL	BL	BL	---
(63)	Silvery metal(contact piece, DC socket, main-PCB, reComputer)	BL	BL	BL	BL	---
(64)	Silvery metal(shell, HDMI socket, main-PCB, reComputer)	BL	BL	BL	BL	---
(65)	Black plastic(inner, HDMI socket, main-PCB, reComputer)	BL	BL	BL	BL	BL
(66)	Silvery metal(pin, HDMI socket, main-PCB, reComputer)	BL	BL	BL	BL	---
(67)	Silvery metal(shell, USB socket, main-PCB, reComputer)	BL	BL	BL	BL	---
(68)	Blue plastic(inner, USB socket, main-PCB, reComputer)	BL	BL	BL	BL	BL
(69)	Coppery metal(contact pin, USB socket, main-PCB, reComputer)	BL	BL	BL	BL	---
(70)	Silvery metal(shell, ETH socket, main-PCB, reComputer)	BL	BL	BL	BL	---
(71)	Black plastic(base, ETH socket, main-PCB, reComputer)	BL	BL	BL	BL	BL
(72)	Silvery metal(shell, type-c socket, main-PCB, reComputer)	BL	BL	BL	BL	---
(73)	Black plastic(inner, type-c socket, main-PCB, reComputer)	BL	BL	BL	BL	BL
(74)	Golden metal(pin, type-c socket, main-PCB, reComputer)	BL	BL	BL	BL	---
(75)	Silvery metal(clip, slot, main-PCB, reComputer)	BL	BL	BL	BL	---
(76)	Black plastic(base, slot, main-PCB, reComputer)	BL	BL	BL	BL	BL
(77)	Silvery/golden metal(contact pin, slot, main-PCB, reComputer)	BL	BL	BL	BL	---
(78)	Grey body(inductor, main-PCB, reComputer)	BL	BL	BL	BL	BL
(79)	Black body(IC, main-PCB, reComputer)	BL	BL	BL	BL	BL
(80)	Black body(SMD diode, main-PCB, reComputer)	BL	BL	BL	BL	BL
(81)	Red brown plastic(battery base, main-PCB, reComputer)	BL	BL	BL	BL	BL
(82)	Golden metal(contact piece, battery base, main-PCB, reComputer)	BL	BL	BL	BL	---
(83)	Black body(SMD resistor, main-PCB, reComputer)	BL	BL	BL	BL	BL
(84)	Brown body(SMD capacitor, main-PCB, reComputer)	BL	BL	BL	BL	BL
(85)	Grey body(SMD inductor, main-PCB, reComputer)	BL	BL	BL	BL	BL
(86)	Silvery/golden body(crystal, main-PCB, reComputer)	BL	BL	BL	BL	BL

TEST REPORT

Report No.: SZNS2230508-24448E

Date: May 26, 2023

Page 6 of 12

Seq No.	Tested Part(s)	Result				
		Pb	Cd	Hg	Cr	Br
(87)	Black body(SMD triode, main-PCB, reComputer)	BL	BL	BL	BL	BL
(88)	Yellow body(SMD LED, main-PCB, reComputer)	BL	BL	BL	BL	BL
(89)	Off-white plastic(RTC socket, main-PCB, reComputer)	BL	BL	BL	BL	BL
(90)	Silvery metal(pin, RTC socket, main-PCB, reComputer)	BL	BL	BL	BL	---
(91)	Silvery solder(main-PCB, reComputer)	BL	BL	BL	BL	---
(92)	Black plastic(shell, antenna, reComputer)	BL	BL	BL	BL	BL
(93)*	Green coated white plastic with coppery metal(antenna-PCB, antenna, reComputer)	BL	BL	BL	BL	X
(94)	Black EVA(pad, antenna-PCB, antenna, reComputer)	BL	BL	BL	BL	BL
(95)	Silvery solder(antenna-PCB, antenna, reComputer)	BL	BL	BL	BL	---
(96)	Light pink plastic(sleeve, wire, antenna, reComputer)	BL	BL	BL	BL	BL
(97)	Silvery metal(sleeve, wire, antenna, reComputer)	BL	BL	BL	BL	---
(98)	Transparent plastic(wire jacket, wire, antenna, reComputer)	BL	BL	BL	BL	BL
(99)	Silvery metal(terminal lug, antenna, reComputer)	BL	BL	BL	BL	---
(100)	Golden metal(gasket, terminal lug, antenna, reComputer)	BL	BL	BL	BL	---
(101)	Black soft plastic(gasket, terminal lug, antenna, reComputer)	BL	BL	BL	BL	BL
(102)	Silvery metal(nut, terminal lug, antenna, reComputer)	BL	BL	BL	BL	---
(103)	Golden metal(hex-screw bolt, antenna, reComputer)	BL	BL	BL	BL	---
(104)	White plastic(inner, hex-screw bolt, antenna, reComputer)	BL	BL	BL	BL	BL
(105)	Black plastic(sleeve, antenna cable, reComputer)	BL	BL	BL	BL	BL
(106)	Golden/silvery metal(antenna socket, antenna cable, reComputer)	BL	BL	BL	BL	---
(107)	Black plastic(tube, antenna cable, reComputer)	BL	BL	BL	BL	BL
(108)	Silvery metal(sleeve, antenna cable, reComputer)	BL	BL	BL	BL	---
(109)	Silvery metal(wire, antenna cable, reComputer)	BL	BL	BL	BL	---
(110)	Golden metal(nut, parts, reComputer)	BL	BL	BL	BL	---
(111)	Golden metal(big gasket, parts, reComputer)	BL	BL	BL	BL	---
(112)	Golden metal(small gasket, parts, reComputer)	BL	BL	BL	BL	---

Note:

--- = Not Applicable.

* = Screening by XRF and detected by chemical method. The test result of chemical method please refer to next pages.

*1 = As claimed by the material declaration submitted by the client, the materials of the sample No. 10,11,55 are copper alloy. And according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.

TEST REPORT

Report No.: SZNS2230508-24448E

Date: May 26, 2023

Page 7 of 12

Remark:

i Result were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC62321-3-1:2013.

Element	Unit	Polymers	Metal	Composite Material
Cd	mg/kg	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 50 - 3\sigma < X < 150 + 3\sigma \leq OL$
Pb	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Hg	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Cr	mg/kg	$BL \leq 700 - 3\sigma < X$	$BL \leq 700 - 3\sigma < X$	$BL \leq 500 - 3\sigma < X$
Br	mg/kg	$BL \leq 300 - 3\sigma < X$	--	$BL \leq 250 - 3\sigma < X$

Note:

BL = Below Limit

OL = Over Limit

IN / X = Inconclusive (questionable, need further chemical analysis)

ii The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.

iii The maximum permissible limit is quoted from the RoHS directive 2011/65/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenylethers (PBDEs)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

TEST REPORT

Report No.: SZNS2230508-24448E

Date: May 26, 2023

Page 8 of 12

A.2 Wet Chemical Testing

A.2.1 Total Lead content

Test method: IEC 62321-5:2013

Item	Unit	MDL	Result		Limit
			(11)	(55)	
Lead(Pb)	mg/kg	10	23058*1	23237*1	1000
Conclusion	/	/	Pass	Pass	/

A.2.2 PBBs & PBDEs content

Test method: IEC 62321-6:2015

Item	Unit	MDL	Result						Limit
			(14)	(34)	(43)	(47)	(54)	(93)	
Monobromobiphenyl (MonoBB)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Dibromobiphenyl(DiBB)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Tribromobiphenyl(TriBB)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Tetrabromobiphenyl(TetraBB)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Pentabromobiphenyl(PentaBB)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Hexabromobiphenyl(HexaBB)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Heptabromobiphenyl (HeptaBB)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Octabromobiphenyl(OctaBB)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Nonabromobiphenyl(NonaBB)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Decabromobiphenyl(DecaBB)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Monobromodiphenyl ether (MonoBDE)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Dibromodiphenyl ether (DiBDE)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Tribromodiphenyl ether (TriBDE)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Tetrabromodiphenyl ether (TetraBDE)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Pentabromodiphenyl ether (PentaBDE)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Hexabromodiphenyl ether (HexaBDE)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Heptabromodiphenyl ether (HeptaBDE)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-

TEST REPORT

Report No.: SZNS2230508-24448E

Date: May 26, 2023

Page 9 of 12

Item	Unit	MDL	Result						Limit
			(14)	(34)	(43)	(47)	(54)	(93)	
Octabromodiphenyl ether (OctaBDE)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Nonabromodiphenyl ether (NonaBDE)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
Decabromodiphenyl ether (DecaBDE)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	-
sum of MonoBB, DiBB, TriBB, TetraBB, PentaBB, HexaBB, HeptaBB, OctaBB, NonaBB, DecaBB	mg/kg	-	/	/	/	/	/	/	1000
sum of MonoBDE, DiBDE, TriBDE, TetraBDE, PentaBDE, HexaBDE, HeptaBDE, OctaBDE, NonaBDE, DecaBDE	mg/kg	-	/	/	/	/	/	/	1000
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	Pass	/

A.3 Phthalates(DBP, BBP, DEHP, DIBP)content

Test method: IEC 62321-8:2017

Item	Unit	MDL	Result						Limit
			(1)+(6)+(13)	(14)+(34)+(43)	(15)+(18)+(19)	(24)+(25)+(32)	(27)+(28)+(29)	(30)+(33)+(44)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	Pass	/

Item	Unit	MDL	Result						Limit
			(36)+(39)+(45)	(47)+(93)+(107)	(48)+(49)+(51)	(52)+(78)+(79)	(54)	(56)+(58)+(59)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Conclusion	/	/	Pass	Pass	Pass	Pass	Pass	Pass	/

TEST REPORT

Report No.: SZNS2230508-24448E

Date: May 26, 2023

Page 10 of 12

Item	Unit	MDL	Result				Limit
			(61)+(65)+(68)	(71)+(73)+(76)	(80)+(85)+(87)	(81)+(89)+(92)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	N.D.	1000
Conclusion	/	/	Pass	Pass	Pass	Pass	/

Item	Unit	MDL	Result			Limit
			(86)+(88)	(94)+(96)+(98)	(101)+(104)+(105)	
Dibutyl Phthalate(DBP)	mg/kg	30	N.D.	N.D.	N.D.	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	30	N.D.	N.D.	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP)	mg/kg	30	N.D.	N.D.	N.D.	1000
Conclusion	/	/	Pass	Pass	Pass	/

Note:

- N.D.= Not Detected or less than MDL
- MDL = Method Detection Limit
- "+" = Composite testing.
- The Result less than MDL are not taken into account while calculating the sum contents.



TEST REPORT

Report No.: SZNS2230508-24448E

Date: May 26, 2023

Page 11 of 12

Photograph of Sample



BACL authenticate the photo on original report only

TEST REPORT

Report No.: SZNS2230508-24448E

Date: May 26, 2023

Page 12 of 12

Statement:

- 1.This report cannot be reproduced except in full, without prior written approval of the Company.
- 2.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
- 3.This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
- 4.Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
- 5.The information which provided by the applicant, such as sample description, sample name, material component, style/item No. , P.O. No. , manufacturer, age phase, the laboratory is not responsible for its authenticity and this information can affect the validity of the result in the test report.
- 6.The test samples were in good condition before testing.

*** End of Report ***