

seed studio

INDUSTRIAL PRODUCT DATASHEET

reComputer J3010B - Edge AI Computer with NVIDIA® Jetson™ Orin™ Nano 4GB

reComputer J3010B: The most powerful embedded AI platform for edge, featuring NVIDIA Jetson Orin Nano, 67 TOPS, and long-life supply.

SKU

114993486

UPDATED

2026-06-10 12:29:28

PRICE

\$505.00(Excl. VAT)



Overview



The reComputer J3010B is an edge AI computer powered by NVIDIA Jetson Orin Nano, delivering up to 67 TOPS and 25W super mode for powerful embedded AI. With a rich I/O set, wireless connectivity, pre-installed JetPack, and long-life supply until 2032, it is ideal for smart city applications such as smart lampposts, EV battery swapping systems, and smart recycling centers.

Key Features

Price Increase Announcement

Date: February 28, 2026

Due to surging demand for modules and SSDs, prices for reComputer and reServer Jetson devices will increase by approximately \$50 to \$400 in the coming weeks. Please confirm your requirements and place your orders promptly to secure your stock.

- **Build the Most Powerful Embedded AI Platform**

Compatible with the Jetson Orin Nano module, offering up to 67 TOPS - requires OS **upgrade by yourself**. Power consumption is 25W in super mode.

- **Design for Both Development and Production**

Equip with rich set of I/Os: 2x USB3.2, HDMI, Ethernet, M.2 Key M, M.2 Key E, mini-PCIe, 40-pin GPIO, etc

Support multiple wired and wireless communication including Wi-Fi and LTE

- **Immediately Go-to-Market**

Pre-installed JetPack5.1.3, Linux OS BSP ready, support JetPack 6.2

Certification includes ROHS, CE, FCC, KC, UKCA, REACH


- **Long Life Time Supply**

Production Lifetime: until at least 2032

Product Gallery



Note: LTE module is not included.






Specification

Parameter	Description
Hardware Spec	
Product Series	reComputer J3010B
Module	Jetson Orin Nano 4GB
AI performance	20 TOPS 34 TOPS under super mode
GPU	512-core NVIDIA Ampere architecture GPU with 16 Tensor Cores

GPU Max Frequency	625 MHz
CPU	6-core Arm® Cortex®-A78AE v8.2 64-bit CPU 1.5MB L2 + 4MB L3
CPU Max Frequency	1.5 GHz
Memory	4GB 64-bit LPDDR5 34 GB/s
Storage	pre-installed 128GB NVMe SSD
Video Encoder	1080p30 supported by 1-2 CPU cores
Video Decoder	1x 4K60 (H.265) 2x 4K30 (H.265) 5x 1080p60 (H.265) 11x 1080p30 (H.265)
Interfaces	
Display	1x HDMI 2.1
CSI	2x CSI (2-lane 15pin)
Networking	1x Gigabit Ethernet (10/100/1000M)
USB	2x USB 3.2 Type-A (10Gbps); 1x USB2.0 Type-C (Device Mode)
M.2 Key M	1x M.2 Key M for SSD
M.2 Key E	1x M.2 Key E for Wi-Fi module*
mini-PCle	1x mini-PCle for LTE module*
Fan	1x JST 4pin Fan Connector(5V PWM)
CAN	1x CAN
Multifunctional Port	1x 40-Pin Expansion header; 1x 12-Pin Control and UART header
RTC	RTC 2-pin, RTC socket (supports CR1220*)
Power Supply	DC 9-19V via 5525 DC jack
Standards	
Certification	CE, FCC, KC,TELEC
	UKCA, REACH,RoHS
Ambient Conditions	
Operating Temperature	-10~60 °C
Others	
Dimension	130mm x120mm x 58.5mm
Weight	451.9g
Warranty	2 years
Production Lifetime	Until 2032
Statement	Options marked with * require additional purchase

Hardware Overview



Applications

- **Smart Lamppost:** Smart lampposts monitor traffic with sensors and transmit data for better traffic control. They integrate solar power, store energy for night use, and may feed excess power to the grid.
- **EV Battery Swapping/Charging System:** Battery swapping eases EV range anxiety. Charging stations, connected to the smart grid, optimize charging times. Some EVs can also supply power to the grid.
- **Smart Recycling Center:** Sensors in recycling bins reduce waste collection trips. Energy - efficient equipment runs during off - peak hours, and recycled materials are used for smart grid and EV components.

Part List

NVIDIA Jetson Orin™ module	x1
Seeed carrier board (reComputer J401B)	x1
128GB NVMe SSD	x1
Aluminum heatsink with fan	x1
Aluminum case (black)	x1
Power Adapter (12V/5A)	x1

Compliance & Logistics



HSCODE	8471504090
USHSCODE	8517180050
UPC	
EUHSCODE	8471707000
COO	CHINA

FCC Requirement

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

15.21

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses, and can radiate radio frequency energy.

If not installed and used in accordance with the instructions, it may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Resource Links

- <https://www.seeedstudio.com/reComputer-J3010B-p-6404.html>
- [Datasheet](#)
- [Carrier Board Schematic](#)
- [LTE board Schematics](#)
- [Seeed NVIDIA Jetson Product Catalog](#)
- [NVIDIA Jetson Product Comparison](#)
- [Seeed NVIDIA Jetson Success Cases](#)
- [Seeed Jetson One Pager](#)

Seeed Technology Co.,Ltd.

9F, Building G3, International E City,
Zhongshanyuan Road, Nanshan, Shenzhen, China

Tel: +86 0755-80695676

Web: www.seeed.cc

Shop: www.seeedstudio.com