

Verification of Compliance

No.: LPE-F16111021

Applicant : SHENZHEN PENGSHENGYE ELECTRONIC CO., LTD.

3RD FL, NO.1 WORKSHOP, SHENHUAYE INDUSTRIAL PARK,

: WEST DEVELOPMENT ZONE, XIXIANG, BAO'AN DISTRICT, Address

SHENZHEN, GUANGDONG, 518102 CHINA

Product : SWITCHING POWER SUPPLY

> PSYxxxyyyyzz, PSYxxxyyyy, PSYAxxxyyyyWW,PSYAxxxyyyv. SAPxxxyyyyzz, SAPxxxyyyy, ("xxx" are 3 digit numbers 036 to 360 which represent the output voltage from 3.6-36.0VDC; "yyyy"

Model No. are 4 digit numbers 0010 to 5000 which represent theoutput

current from 0.01A to 5.0A; "zz"=US, "US" means America

plug.Refer to model list in next page)

100-240V~, 50/60Hz, 1.3A Rated Input

Rated Output Refer to model list in next page

Test Standard : FCC Part 15 Subpart B:2016

We hereby certify that the above product has been tested by us and complied with the FCC official limits. These products might be marketed at the US accordance to FCC Rule based on the standard 47 CFR Part 2 and Part 15 Class B Equipment Regulations. The test was performed accordance to the procedures from ANSI C63.4-2014.

Manager: Frank S Date: December 8, 2016

Dongguan Lepont Testing Service Co., Ltd.

TEL:86-769-83086888 Fax:86-769-83096886 No.117 Ting Shan Industrial Zone, Houjie Town, Dongguan, Guangdong, P.R. China

The statement is based on a single evaluation of one sample of above mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test lab's logo.



Verification of Compliance

No.: LPE-F16111021

Model list:

PSYAxxxyyyyzz, PSYAxxxyyyy, SAPxxxyyyyzz, SAPxxxyyyy, PSYxxxyyyyzz, PSYxxxyyyy

- 1. "xxx" = 036-360 which represent the rated output voltage from 3.6Vdc to 36.0Vdc;
- 2. "yyyy" = 0010-5000 which represent the rated output current from 0.01A to 5.0A;
- 3 "zz"= US, "US" means America plug
- 4. Model PSYxxxyyyy, PSYAxxxyyyy, SAPxxxyyyy are desktop type, model PSYxxxyyyyzz, PSYAxxxyyyyzz, SAPxxxyyyyzz are direct plug-in type

		Output			Transformer
Model List	Input	Output voltage (Vdc)	Output current (mA)	Maximum output power(W)	
SESTING LEF	ON ALE	3.6-6.9	100-5000	25.0	TR360-T01
PSYAxxxyyyyzz, PSYAxxxyyyy, SAPxxxyyyyzz,	100 0101	7.0-9.0	100-4500	TESTIN 30.0 PONT	
	100-240V	10.0-12.0 = ST	100-3000	ESTING36.0 PONT T	TD260 T02
	~, 50/60Hz,	11.1-12.6	100-3000	37.80	TR360-T02
SAPxxxyyyy	1.3A	12.8-18.0	100-2500	37.5	
	1.5A	18.1-20.0	100-2250	39.9	TR360-T03
	AE (WINL	21.0-36.0	100-1700	40.0	

PSYxxxyyyyzz, PSYxxxyyyy

NT 1	ING LEPO			
		OUTPUT		Transformer
Model List	Output voltage (Vdc)	Output current (mA)	Maximum utput power(W)	
PSY0360100zz, PSY0360100	3.6	100	0.36	TR360-T01
PSY0360200zz, PSY0360200	3.6	200	0.72	
PSY0360300zz, PSY0360300	3.6	300	1.08	
PSY0360400zz, PSY0360400	3.6	400	1.44	
PSY0360500zz, PSY0360500	3.6	500	1.8	
PSY0360600zz, PSY0360600	3.6	600	2.16	
PSY0360700zz, PSY0360700	3.6	700	2.52	
PSY0360800zz, PSY0360800	3.6	800	2.88	

3.6	900	3.24
3.6	1000	3.6
3.6	1500	5.4
3.6	2000	7.2
3.6	2500	9.0
3.6	3000	10.8
3.6	3500	12.6
3.6	4000	14.4
3.6	4500	16.2
3.6	5000	18
4.2	100	TES 0.5
4.2	200	0.9
4.2	300	1.26
4.2	400	1.68
4.2	500	2.1
ESTIN 4.2	600	2.52
4.2	700	2.94
4.2	800	3.36
4.2	900	3.78
4.2	1000	4.2
4.2	1500	6.3
4.2	2000	8.4
4.2	2500	10.5
4.2	3000	12.6
4.2	3500	14.7
	3.6 3.6 3.6 3.6 3.6 3.6 3.6 3.6 3.6 4.2 4.2 4.2 4.2 4.2 4.2 4.2 4.2 4.2 4.2	3.6 1000 3.6 1500 3.6 2000 3.6 2500 3.6 3000 3.6 3500 3.6 4500 3.6 5000 4.2 100 4.2 200 4.2 400 4.2 500 4.2 500 4.2 700 4.2 800 4.2 1000 4.2 1500 4.2 2000 4.2 2500 4.2 2500 4.2 3000

PSY0424000zz,			
PSY0424000	4.2	4000	16.8
PSY0424500zz, PSY0424500	4.2	4500	18.9
PSY0425000zz, PSY0425000	4.2	5000	21
PSY0500100zz, PSY0500100	5	100	0.5
PSY0500200zz,	5	200	1
PSY0500200 PSY0500300zz,	5	300	1.5
PSY0500300 PSY0500400zz,	5	400	2
PSY0500400 PSY0500500zz,	TESTING 5	500	2.5
PSY0500500 PSY0500600zz,	STING LES	4	A A MARKET
PSY0500600 PSY0500700zz,	ESTIN5	600	NT TESTING LEF
PSY0500700 PSY0500800zz,	5	TOTAL STATE OF LEPON	TTES3.5
PSY0500800	5	800	TESTIA G LEP
PSY0500900zz, PSY0500900	5	TEST 900 LEPON	A.5 LEP
PSY0501000zz, PSY0501000	5	1000	5
PSY0501200zz, PSY0501200	5	1200	6
PSY0501500zz, PSY0501500	ES 5	1500	7.5
PSY0501750zz, PSY0501750	ESTIN 5	1750	8.75
PSY0502000zz, PSY0502000	5	2000	10
PSY0502100zz, PSY0502100	5	2100	10.5
PSY0502500zz,	5	2500	12.5
PSY0502500 PSY0503000zz,	5	3000	15
PSY0503000 PSY0503500zz,	5	3500	17.5
PSY0503500 PSY0504000zz,	5	4000	20
PSY0504000 PSY0504500zz,			
PSY0504500 PSY0505000zz,	5	4500	22.5
PSY0505000	5	5000	25
PSY0600100zz, PSY0600100	6	100	0.6

1	1	1	1	1
PSY0600200zz, PSY0600200	6	200	1.2	
PSY0600300zz, PSY0600300	6	300	1.8	
PSY0600400zz, PSY0600400	6	400	2.4	
PSY0600500zz, PSY0600500	6	500	3	
PSY0600600zz, PSY0600600	6	600	3.6	
PSY0600700zz, PSY0600700	6	700	4.2	
PSY0600800zz, PSY0600800	6	800	4.8	
PSY0600900zz, PSY0600900	6	900	5.4	ONT TESTING TEST
PSY0601000zz, PSY0601000	6	1000	NT TE 6 NG LE	PONT TESTING LEP
PSY0601500zz, PSY0601500	6	1500	9	ONT TESTING LEDGE
PSY0602000zz, PSY0602000	6	2000	TEST12S LEP	DNT TESTING
PSY0602500zz, PSY0602500	6	2500	TES 15 G LEF	ONT TE
PSY0603000zz, PSY0603000	6 PON	3000	18	POR
PSY0603500zz, PSY0603500	6	3500	21	
PSY0604000zz, PSY0604000	6	4000	24	To an Kindley
PSY0604500zz, PSY0604500	ESTIN 6	4500	27	ING LEPO
PSY0720100zz, PSY0720100	7.2	100	0.72	Dia Africa
PSY0720200zz, PSY0720200	7.2	200	1.44	
PSY0720300zz, PSY0720300	7.2	300	2.16	
PSY0720400zz, PSY0720400	7.2	400	2.88	
PSY0720500zz, PSY0720500	7.2	500	3.6	TR360-T02
PSY0720600zz, PSY0720600	7.2	600	4.32	
PSY0720700zz, PSY0720700	7.2	700	5.04	
PSY0720800zz, PSY0720800	7.2	800	5.76	
PSY0720900zz, PSY0720900	7.2	900	6.48	

	1	1	1
PSY0721000zz, PSY0721000	7.2	1000	7.2
PSY0721500zz, PSY0721500	7.2	1500	10.8
PSY0722000zz, PSY0722000	7.2	2000	14.4
PSY0722500zz, PSY0722500	7.2	2500	18
PSY0723000zz, PSY0723000	7.2	3000	21.6
PSY0723500zz, PSY0723500	7.2	3500	25.2
PSY0750500zz, PSY0750500	7.5	500	3.75
PSY0750600zz, PSY0750600	7.5	600	4.5
PSY0750700zz, PSY0750700	STI 7.5	700	5.25 G LI
PSY0750800zz, PSY0750800	7.5	800	6 6
PSY0750900zz, PSY0750900	7.5	900	6.75 EP
PSY0751000zz, PSY0751000	7.5	1000	7.5
PSY0751500zz, PSY0751500	7.5	1500	11.25
PSY0752000zz, PSY0752000	7.5	2000	15
PSY0752500zz, PSY0752500	7.5	2500	18.75
PSY0753000zz, PSY0753000	ESTIN 7.5	3000	22.5
PSY0753500zz, PSY0753500	7.5	3500	26.25
PSY0840100zz, PSY0840100	8.4	100	0.9
PSY0840200zz, PSY0840200	8.4	200	1.7
PSY0840300zz, PSY0840300	8.4	300	2.52
PSY0840400zz, PSY0840400	8.4	400	3.36
PSY0840500zz, PSY0840500	8.4	500	4.2
PSY0840600zz, PSY0840600	8.4	600	5.04
PSY0840700zz, PSY0840700	8.4	700	5.88
PSY0840800zz, PSY0840800	8.4	800	6.72

PSY0840900zz, PSY0840900	8.4	900	7.56
PSY0841000zz, PSY0841000	8.4	1000	8.4
PSY0841200zz, PSY0841200	8.4	1200	10.08
PSY0841500zz, PSY0841500	8.4	1500	12.6
PSY0842000zz, PSY0842000	8.4	2000	16.8
PSY0842500zz, PSY0842500	8.4	2500	21
PSY0843000zz, PSY0843000	8.4	3000	25.2
PSY0843500zz, PSY0843500	8.4	3500	29.4
PSY0844000zz, PSY0844000	8.4	4000	33.6
PSY0900300zz, PSY0900300	9	300	2.7
PSY0900400zz, PSY0900400	9	400	TES 3.6° LEP
PSY0900500zz, PSY0900500	9	TEST 500 BPON	4.5
PSY0900600zz, PSY0900600	9	600	5.4
PSY0900700zz, PSY0900700	9	3 700 LE	6.3
PSY0900800zz, PSY0900800	9	800	7.2
PSY0900900zz, PSY0900900	TESTIN 9	900	8.1
PSY0901000zz, PSY0901000	9	1000	9
PSY0901200zz, PSY0901200	9	1200	10.8
PSY0901500zz, PSY0901500	9	1500	13.5
PSY0901750zz, PSY0901750	9	1750	15.75
PSY0902000zz, PSY0902000	9	2000	18
PSY0902500zz, PSY0902500	9	2500	22.5
PSY0903000zz, PSY0903000	9	3000	27
PSY0903500zz, PSY0903500	9	3500	31.5
PSY0904000zz, PSY0904000	9	4000	36



PSY1000100zz, PSY1000100	10	100	1
PSY1000200zz, PSY1000200	10	200	2
PSY1000300zz, PSY1000300	10	300	3
PSY1000400zz, PSY1000400	10	400	4
PSY1000500zz, PSY1000500	10	500	5
PSY1000600zz, PSY1000600	10	600	6
PSY1000700zz, PSY1000700	10	700	7
PSY1000800zz, PSY1000800	10	800	8
PSY1000900zz, PSY1000900	10	900	NT TE 9 NG LE
PSY1001000zz, PSY1001000	10	1000	10
PSY1001500zz, PSY1001500	10	1500	TEST15
PSY1002000zz, PSY1002000	10 MT	7ES 2000 SON	ALES 20 G LEP
PSY1002500zz, PSY1002500	10	2500	25
PSY1003000zz, PSY1003000	10	3000	30
PSY1003500zz, PSY1003500	10	3500	35
PSY1100100zz, PSY1100100	ESTIN 11	100	1.1
PSY1100200zz, PSY1100200	11	200	2.2
PSY1100300zz, PSY1100300	11	300	3.3
PSY1100400zz, PSY1100400	11	400	4.4
PSY1100500zz, PSY1100500	11	500	5.5
PSY1100600zz, PSY1100600	11	600	6.6
PSY1100700zz, PSY1100700	11	700	7.7
PSY1100800zz, PSY1100800	11	800	8.8
PSY1100900zz, PSY1100900	11	900	9.9
PSY1101000zz, PSY1101000	11	1000	11

3
Ş

11	1500	16.5
11	2000	22
11	2500	27.5
11	3000	33
12	100	1.2
12	200	2.4
12	300	3.6
12	400	4.8
STI 12 20	500	NT TE 6 ING LE
12	600	7.2
12	TES 1700 MON	8.4° LEP
12	TEST 800 EPON	9.6
12	900	10.8
12	1000	12
12	1200	14.4
TESTIN 12	1250	15
12	1500	18
12	1750	21
12	2000	24
12	2500	30
12	3000	36
12.6	100	1.3
12.6	200	2.5
12.6	300	3.78
	11 11 11 11 12 12 12 12 12 12 12 12 12 1	11 2000 11 2500 11 3000 12 100 12 200 12 300 12 400 12 500 12 600 12 700 12 800 12 900 12 1000 12 1200 12 1500 12 1500 12 1750 12 2000 12 2500 12 3000 12.6 100 12.6 200

14	1
	10
	"/
$\overline{}$	
	A
	- 12
4	
-	
1	
Sec.	di
soto of	
	5
	-/-
1	5
	4
4	7
	~
)
	-4
	-
	-
	000
	1
1	

PSY1260500zz, PSY1260500	12.6	500	6.3
PSY1260600zz, PSY1260600	12.6	600	7.56
PSY1260700zz, PSY1260700	12.6	700	8.82
PSY1260800zz, PSY1260800	12.6	800	10.08
PSY1260900zz, PSY1260900	12.6	900	11.34
PSY1261000zz, PSY1261000	12.6	1000	12.6
PSY1261200zz, PSY1261200	12.6	1200	15.12
PSY1261500zz, PSY1261500	12.6	1500	18.9
PSY1261800zz, PSY1261800	12.6	1800	22.68
PSY1262000zz, PSY1262000	12.6	2000	25.2
PSY1262500zz, PSY1262500	12.6	2500	TES 31.5 LEP
PSY1263000zz, PSY1263000	12.6	7ES 3000 FON	37.8
PSY1300100zz, PSY1300100	13	100	1.3
PSY1300200zz, PSY1300200	13	200	2.6
PSY1300300zz, PSY1300300	13	300	3.9
PSY1300400zz, PSY1300400	ESTIN 13	400	5.2
PSY1300500zz, PSY1300500	13	500	6.5
PSY1300600zz, PSY1300600	13	600	7.8
PSY1300700zz, PSY1300700	13	700	9.1
PSY1300800zz, PSY1300800	13	800	10.4
PSY1300900zz, PSY1300900	13	900	11.7
PSY1301000zz, PSY1301000	13	1000	13
PSY1301500zz, PSY1301500	13	1500	19.5
PSY1302000zz, PSY1302000	13	2000	26
PSY1302500zz, PSY1302500	13	2500	32.5

PSY1350100zz, PSY1350100	13.5	100	1.4
PSY1350200zz, PSY1350200	13.5	200	2.7
PSY1350300zz, PSY1350300	13.5	300	4.05
PSY1350400zz, PSY1350400	13.5	400	5.4
PSY1350500zz, PSY1350500	13.5	500	6.75
PSY1350600zz, PSY1350600	13.5	600	8.1
PSY1350700zz, PSY1350700	13.5	700	9.45
PSY1350800zz, PSY1350800	13.5	800	10.8
PSY1350900zz, PSY1350900	13.5	900	12.15 L
PSY1351000zz, PSY1351000	13.5	1000	13.5
PSY1351500zz, PSY1351500	13.5	1500	20.25
PSY1352000zz, PSY1352000	13.5	TEST 2000 FOR	ZES 27 G LEP
PSY1352500zz, PSY1352500	13.5	2500	33.75
PSY1400100zz, PSY1400100	14	S 100 LE	1.4
PSY1400200zz, PSY1400200	TESTIN 14	200	2.8
PSY1400300zz, PSY1400300	ESTIN 14	300	4.2
PSY1400400zz, PSY1400400	14	400	5.6
PSY1400500zz, PSY1400500	14	500	7
PSY1400600zz, PSY1400600	14	600	8.4
PSY1400700zz, PSY1400700	14	700	9.8
PSY1400800zz, PSY1400800	14	800	11.2
PSY1400900zz, PSY1400900	14	900	12.6
PSY1401000zz, PSY1401000	14	1000	14
PSY1401500zz, PSY1401500	14	1500	21
PSY1402000zz, PSY1402000	14	2000	28

PSY1402500zz, PSY1402500	14	2500	35
PSY1460100zz, PSY1460100	14.6	100	1.46
PSY1460200zz, PSY1460200	14.6	200	2.92
PSY1460300zz, PSY1460300	14.6	300	4.38
PSY1460400zz, PSY1460400	14.6	400	5.84
PSY1460500zz, PSY1460500	14.6	500	7.3
PSY1460600zz, PSY1460600	14.6	600	8.76
PSY1460700zz, PSY1460700	14.6	700	10.22
PSY1460800zz, PSY1460800	14.6	800	11.68
PSY1460900zz, PSY1460900	14.6	900	13.14
PSY1461000zz, PSY1461000	14.6	1000	14.6 LEP
PSY1461500zz, PSY1461500	14.6	TEST 1500 RPO	21.9
PSY1462000zz, PSY1462000	14.6	2000	29.2
PSY1462500zz, PSY1462500	14.6	2500	36.5
PSY1500100zz, PSY1500100	15	100	1.5
PSY1500200zz, PSY1500200	TESTIN 15	200	3
PSY1500300zz, PSY1500300	15	300	4.5
PSY1500400zz, PSY1500400	15	400	6
PSY1500500zz, PSY1500500	15	500	7.5
PSY1500600zz, PSY1500600	15	600	9
PSY1500700zz, PSY1500700	15	700	10.5
PSY1500800zz, PSY1500800	15	800	12
PSY1500900zz, PSY1500900	15	900	13.5
PSY1501000zz, PSY1501000	15	1000	15
PSY1501500zz, PSY1501500	15	1500	22.5

PSY1502000zz, PSY1502000	15	2000	30	
PSY1502500zz, PSY1502500	15	2500	37.5	
PSY1600100zz, PSY1600100	16	100	1.6	
PSY1600200zz, PSY1600200	16	200	3.2	
PSY1600300zz, PSY1600300	16	300	4.8	
PSY1600400zz, PSY1600400	16	400	6.4	
PSY1600500zz, PSY1600500	16	500	8	
PSY1600600zz, PSY1600600	16	600	9.6	وداف
PSY1600700zz, PSY1600700	16	700	11.2	PONT
PSY1600800zz, PSY1600800	16	800	12.8	ONT TO
PSY1600900zz, PSY1600900	16	900 TON	14.4	ONT TE
PSY1601000zz, PSY1601000	16	TEST 1000 SPON	16 _{G LEF}	PONT T ONT TI
PSY1601500zz, PSY1601500	16	1500	24	POR
PSY1602000zz, PSY1602000	16	2000	32	1
PSY1680100zz, PSY1680100	16.8	100	1.68	1
PSY1680200zz, PSY1680200	ESTIN 16.8	200	3.36	
PSY1680300zz, PSY1680300	16.8	300	5.04	
PSY1680400zz, PSY1680400	16.8	400	6.72	
PSY1680500zz, PSY1680500	16.8	500	8.4	
PSY1680600zz, PSY1680600	16.8	600	10.08	
PSY1680700zz, PSY1680700	16.8	700	11.76	
PSY1680800zz, PSY1680800	16.8	800	13.44	
PSY1680900zz, PSY1680900	16.8	900	15.12	
PSY1681000zz, PSY1681000	16.8	1000	16.8	
PSY1681200zz, PSY1681200	16.8	1200	20.16	

	M
	rmity
	onto
(
	o
	cate (
;	
(<u></u>

PSY1681500zz, PSY1681500	16.8	1500	25.2	
PSY1681800zz, PSY1681800	16.8	1800	30.24	
PSY1682000zz, PSY1682000	16.8	2000	33.6	
PSY1700100zz, PSY1700100	17	100	1.7	
PSY1700200zz, PSY1700200	17	200	3.4	
PSY1700300zz, PSY1700300	17	300	5.1	
PSY1700400zz, PSY1700400	17	400	6.8	
PSY1700500zz, PSY1700500	17	500	8.5	olympias
PSY1700600zz, PSY1700600	ESTI 17	600	NT 10.2 G L	EPONT TE
PSY1700700zz, PSY1700700	17	700	11.9	PONT TES
PSY1700800zz, PSY1700800	17	800	TES 13.6 LEF	ONTIES
PSY1700900zz, PSY1700900	17	16ST 900 EPON	15.3 E	ONT TE
PSY1701000zz, PSY1701000	17	1000	17	
PSY1701500zz, PSY1701500	17	\$1500 LE	25.5	1
PSY1702000zz, PSY1702000	TESTIN 17	2000	34	4:
PSY1800100zz, PSY1800100	ESTIN 18	100	1.8	
PSY1800200zz, PSY1800200	18	200	3.6	
PSY1800300zz, PSY1800300	18	300	5.4	
PSY1800400zz, PSY1800400	18	400	7.2	
PSY1800500zz, PSY1800500	18	500	9	
PSY1800600zz, PSY1800600	18	600	10.8	
PSY1800700zz, PSY1800700	18	700	12.6	
PSY1800800zz, PSY1800800	18	800	14.4	
PSY1800900zz, PSY1800900	18	900	16.2	
PSY1801000zz, PSY1801000	18	1000	18	

PSY1801200zz,	18	1200	21.6	
PSY1801200				
PSY1801500zz, PSY1801500	18	1500	27	
PSY1801750zz, PSY1801750	18	1750	31.5	
PSY1802000zz, PSY1802000	18	2000	36	
PSY1830100zz, PSY1830100	18.3	100	1.83	
PSY1830200zz, PSY1830200	18.3	200	3.66	
PSY1830300zz, PSY1830300	18.3	300	5.49	
PSY1830400zz, PSY1830400	18.3	400	7.32	ONT TESTING LEAD
PSY1830500zz, PSY1830500	18.3	500	9.15	PONT TESTING LEP
PSY1830600zz, PSY1830600	18.3	600	10.98	ONT TESTING LEDG
PSY1830700zz, PSY1830700	18.3	700	TE 12.81	ONT TESTINE
PSY1830800zz, PSY1830800	18.3	EST 800 EP	14.64	ONT TE
PSY1830900zz, PSY1830900	18.3	900	16.47	POT
PSY1831000zz, PSY1831000	18.3	1000	18.3	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
PSY1831200zz, PSY1831200	18.3	1200	21.96	TR360-T03
PSY1831500zz, PSY1831500	ESTIN 18.3	1500	27.45	ING LEPO
PSY1831750zz, PSY1831750	18.3	1750	32.025	IIIvs /Éb
PSY1832000zz, PSY1832000	18.3	2000	36.6	
PSY1900100zz, PSY1900100	19	100	1.9	
PSY1900200zz, PSY1900200	19	200	3.8	
PSY1900300zz, PSY1900300	19	300	5.7	
PSY1900400zz, PSY1900400	19	400	7.6	
PSY1900500zz, PSY1900500	19	500	9.5	
PSY1900600zz, PSY1900600	19	600	11.4	
PSY1900700zz, PSY1900700	19	700	13.3	

e Li
LEF
LEP
) LE
LEF

PSY2100700zz, PSY2100700	21	700	14.7
PSY2100800zz, PSY2100800	21	800	16.8
PSY2100900zz, PSY2100900	21	900	18.9
PSY2101000zz, PSY2101000	21	1000	21
PSY2101200zz, PSY2101200	21	1200	25.2
PSY2101500zz, PSY2101500	21	1500	31.5
PSY2101700zz, PSY2101700	21	1700	35.7
PSY2200100zz, PSY2200100	22	100	2.2
PSY2200200zz, PSY2200200	22 22 22 22 22 22 22 22 22 22 22 22 22	200	NT T-4.4 NG L
PSY2200300zz, PSY2200300	22	300 EPON	6.6
PSY2200400zz, PSY2200400	22	400	TEST8.83 LEP
PSY2200500zz, PSY2200500	22	TEST 500 EPON	TES 11 G LEF
PSY2200600zz, PSY2200600	22	600	13.2
PSY2200700zz, PSY2200700	22	S 700 LE	15.4
PSY2200800zz, PSY2200800	ES TESTIN	800	17.6
PSY2200900zz, PSY2200900	ESTIN 22	900	19.8
PSY2201000zz, PSY2201000	22	1000	22
PSY2201200zz, PSY2201200	22	1200	26.4
PSY2201500zz, PSY2201500	22	1500	33
PSY2201700zz, PSY2201700	22	1700	37.4
PSY2250100zz, PSY2250100	22.5	100	2.25
PSY2250200zz, PSY2250200	22.5	200	4.5
PSY2250300zz, PSY2250300	22.5	300	6.75
PSY2250400zz, PSY2250400	22.5	400	9
PSY2250500zz, PSY2250500	22.5	500	11.25

PSY2250600zz, PSY2250600	22.5	600	13.5
PSY2250700zz, PSY2250700	22.5	700	15.75
PSY2250800zz, PSY2250800	22.5	800	18
PSY2250900zz, PSY2250900	22.5	900	20.25
PSY2251000zz, PSY2251000	22.5	1000	22.5
PSY2251250zz, PSY2251250	22.5	1250	28.125
PSY2251500zz, PSY2251500	22.5	1500	33.75
PSY2400100zz, PSY2400100	24	100	2.4
PSY2400200zz, PSY2400200	ESTI 24 - E	200	NT TE4.8 NG LE
PSY2400300zz, PSY2400300	24	300	7.2
PSY2400400zz, PSY2400400	24	400	7ES 9.6
PSY2400500zz, PSY2400500	24	TEST 500 EPON	IZES 12 G LEF
PSY2400600zz, PSY2400600	24	600	14.4
PSY2400700zz, PSY2400700	24	3 700 LE	16.8
PSY2400800zz, PSY2400800	24	800	19.2
PSY2400900zz, PSY2400900	ESTIN 24	900	21.6
PSY2401000zz, PSY2401000	24	1000	24
PSY2401200zz, PSY2401200	24	1200	28.8
PSY2401500zz, PSY2401500	24	1500	36
PSY2520100zz, PSY2520100	25.2	100	2.52
PSY2520200zz, PSY2520200	25.2	200	5.04
PSY2520300zz, PSY2520300	25.2	300	7.56
PSY2520400zz, PSY2520400	25.2	400	10.08
PSY2520500zz, PSY2520500	25.2	500	12.6
PSY2520600zz, PSY2520600	25.2	600	15.12

25.2	700	17.64
25.2	800	20.16
25.2	900	22.68
25.2	1000	25.2
25.2	1250	31.5
25.2	1500	37.8
25.5	100	2.55
25.5	200	5.1
25.5	300	7.65
25.5	400	10.2
25.5	500	12.75 EP
25.5	TEST 600 EPO	15.3
25.5	700	17.85
25.5	800	20.4
25.5	900	22.95
ESTIN 25.5	1000	25.5
25.5	1250	31.875
25.5	1500	38.25
27	100	2.7
27	200	5.4
27	300	8.1
27	400	10.8
27	500	13.5
27	600	16.2
27	700	18.9
	25.2 25.2 25.2 25.2 25.2 25.5 25.5 25.5 25.5 25.5 25.5 25.5 25.5 25.5 25.5 25.5 25.5 27 27 27 27 27	25.2 800 25.2 900 25.2 1000 25.2 1250 25.2 1500 25.5 100 25.5 200 25.5 300 25.5 400 25.5 500 25.5 600 25.5 700 25.5 800 25.5 900 25.5 1000 25.5 1250 25.5 1500 27 100 27 200 27 300 27 400 27 500 27 500 27 500

	ı	1	1
PSY2700800zz, PSY2700800	27	800	21.6
PSY2700900zz, PSY2700900	27	900	24.3
PSY2701000zz, PSY2701000	27	1000	27
PSY2800100zz, PSY2800100	28	100	2.8
PSY2800200zz, PSY2800200	28	200	5.6
PSY2800300zz, PSY2800300	28	300	8.4
PSY2800400zz, PSY2800400	28	400	11.2
PSY2800500zz, PSY2800500	28	500	14
PSY2800600zz, PSY2800600	ESTI 28	600	16.8
PSY2800700zz, PSY2800700	28	700	19.6
PSY2800800zz, PSY2800800	28	800 800	TES 22.4 LEP
PSY2800900zz, PSY2800900	28	900 500	25.2
PSY2801000zz, PSY2801000	28	1000	28
PSY2900100zz, PSY2900300	29	100	2.9
PSY2900200zz, PSY2900200	29	200	5.8
PSY2900300zz, PSY2900300	ESTIM 29	300	8.7
PSY2900400zz, PSY2900400	29	400	11.6
PSY2900500zz, PSY2900500	29	500	14.5
PSY2900600zz, PSY2900600	29	600	17.4
PSY2900700zz, PSY2900700	29	700	20.3
PSY2900800zz, PSY2900800	29	800	23.2
PSY2900900zz, PSY2900900	29	900	26.1
PSY2901000zz, PSY2901000	29	1000	29
PSY2920100zz, PSY2920100	29.2	100	2.92
PSY2920200zz, PSY2920200	29.2	200	5.84

PSY2920300zz, PSY2920300	29.2	300	8.76
PSY2920400zz, PSY2920400	29.2	400	11.68
PSY2920500zz, PSY2920500	29.2	500	14.6
PSY2920600zz, PSY2920600	29.2	600	17.52
PSY2920700zz, PSY2920700	29.2	700	20.44
PSY2920800zz, PSY2920800	29.2	800	23.36
PSY2920900zz, PSY2920900	29.2	900	26.28
PSY2921000zz, PSY2921000	29.2	1000	29.2
PSY2921250zz, PSY2921250	29.2	1250	36.5
PSY2940100zz, PSY2940100	29.4	100 LEPON	2.94
PSY2940200zz, PSY2940200	29.4	200	5.88 LEP
PSY2940300zz, PSY2940300	29.4	TEST 300 BPON	8.82
PSY2940400zz, PSY2940400	29.4	400	11.76
PSY2940500zz, PSY2940500	29.4	500 LE	14.7
PSY2940600zz, PSY2940600	29.4	600	17.64
PSY2940700zz, PSY2940700	ESTIN 29.4	700	20.58
PSY2940800zz, PSY2940800	29.4	800	23.52
PSY2940900zz, PSY2940900	29.4	900	26.46
PSY2941000zz, PSY2941000	29.4	1000	29.4
PSY2941250zz, PSY2941250	29.4	1250	36.75
PSY3000100zz, PSY3000100	30	100	3
PSY3000200zz, PSY3000200	30	200	6
PSY3000300zz, PSY3000300	30	300	9
PSY3000400zz, PSY3000400	30	400	12
PSY3000500zz, PSY3000500	30	500	15

PSY3000600zz,

PSY3000600 PSY3000700zz,

Certificate of Conformity

PSY3300800zz,

PSY3300800

PSY300070022,	30	700	21
PSY3000800zz, PSY3000800	30	800	24
PSY3000900zz, PSY3000900	30	900	27
PSY3001000zz, PSY3001000	30	1000	30
PSY3001250zz, PSY3001250	30	1250	37.5
PSY3002000zz, PSY3002000	30	2000	60
PSY3200100zz, PSY3200100	32	100	3.2
PSY3200200zz, PSY3200200	32	200	NT TE6.4 NG LE
PSY3200300zz, PSY3200300	32	300	9.6 LE
PSY3200400zz, PSY3200400	32	400	TES 12.8 LEP
PSY3200500zz, PSY3200500	32	TEST 500 EPON	SIES 16 G LEP
PSY3200600zz, PSY3200600	32	600	19.2
PSY3200700zz, PSY3200700	32	700 LE	22.4
PSY3200800zz, PSY3200800	32	800	25.6
PSY3200900zz, PSY3200900	ESTIM 32	900	28.8
PSY3201000zz, PSY3201000	32	1000	32
PSY3300100zz, PSY3300100	33	100	3.3
PSY3300200zz, PSY3300200	33	200	6.6
PSY3300300zz, PSY3300300	33	300	9.9
PSY3300400zz, PSY3300400	33	400	13.2
PSY3300500zz, PSY3300500	33	500	16.5
PSY3300600zz, PSY3300600	33	600	19.8
PSY3300700zz, PSY3300700	33	700	23.1
DO\(000000	1	1	

33

800

26.4

30

600

18

		PS
		PS
		P:
		PS
	ì	P\$
	P	ON P
		TONPS
		PS PS
		PS
,		PS
5		PS
		PS
)		PS
h		PS
		P:
J		P!
ጎ		PS PS
		PS
		PS
		P:
		PS PS
		PS
		PS
		PS
		P
		PS PS
		PS
		PS
		P
		P
		P
		P: P: P:

		I	1	
PSY3300900zz, PSY3300900	33	900	29.7	
PSY3301000zz, PSY3301000	33	1000	33	
PSY3360100zz, PSY3360100	33.6	100	3.36	
PSY3360200zz, PSY3360200	33.6	200	6.72	
PSY3360300zz, PSY3360300	33.6	300	10.08	
PSY3360400zz, PSY3360400	33.6	400	13.44	
PSY3360500zz,	33.6	500	16.8	
PSY3360500 PSY3360600zz,	33.6	600	20.16	
PSY3360600 PSY3360700zz,	33.6	700	23.52	
PSY3360700 PSY3360800zz,	33.6	800	26.88	
PSY3360800 PSY3360900zz,	33.6	TESTU900 MON	30.24	
PSY3360900 PSY3361000zz,	33.6	1000	33.6	
PSY3361000 PSY3400100zz,	34	100	3.4	
PSY3400100 PSY3400200zz,	1011	TESTING HERON	7	
PSY3400200 PSY3400300zz,	34	S 200 LE	6.8	
PSY3400300 PSY3400400zz,	34	300	10.2	
PSY3400400	34	400	13.6	
PSY3400500zz, PSY3400500	34	500	17	
PSY3400600zz, PSY3400600	34	600	20.4	
PSY3400700zz, PSY3400700	34	700	23.8	
PSY3400800zz, PSY3400800	34	800	27.2	
PSY3400900zz, PSY3400900	34	900	30.6	
PSY3401000zz, PSY3401000	34	1000	34	
PSY3500100zz, PSY3500100	35	100	3.5	
PSY3500200zz, PSY3500200	35	200	7	
PSY3500300zz, PSY3500300	35	300	10.5	
1 0 1 000000		<u> </u>		

PSY3500400zz, PSY3500400	35	400	14	
PSY3500500zz, PSY3500500	35	500	17.5	
PSY3500600zz, PSY3500600	35	600	21	
PSY3500700zz, PSY3500700	35	700	24.5	
PSY3500800zz, PSY3500800	35	800	28	
PSY3500900zz, PSY3500900	35	900	31.5	
PSY3600100zz, PSY3600100	36	100	3.6	
PSY3600200zz, PSY3600200	36	200	7.2	ONT TESTING TEST
PSY3600300zz, PSY3600300	36	300	10.8	EPONT TESTING LE
PSY3600400zz, PSY3600400	36	400	14.4	FONT TESTING LED
PSY3600500zz, PSY3600500	36	500 TON	CTEST18 ³ LEF	PONT TESTING
PSY3600600zz, PSY3600600	36	TEST 600 SPON	21.6	ONT TIE
PSY3600700zz, PSY3600700	36	700	25.2	
PSY3600800zz, PSY3600800	36	800 LE	28.8	The state of the s
PSY3600900zz, PSY3600900	36 TESTIN	900	32.4	TO THE STATE OF TH
PSY3601000zz, PSY3601000	ESTIN 36	1000	36	ING LEP
PSY3601110zz, PSY3601110	36	1110	39.96	Do