

10TH MATHS GEOMETRY

SIMILAR TRIANGLE

Note : Construction No Need Important


1. Construct a triangle similar to a given triangle PQR with its sides equal to $\frac{2}{3}$ of the corresponding sides of the triangle PQR (Scale Factor $\frac{2}{3} < 1$).

Solution:


Given
(Scale Factor $\frac{2}{3} < 1$)

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Rough Diagram



Fair Diagram



Construction:


- ❖ Construct a ΔPQR with any measurement.
- ❖ Draw a ray QX making acute angle with QR on the side opposite to vertex P .
- ❖ Locate 3 (greater of 2 and 3 in $\frac{2}{3}$) points. Q_1, Q_2, Q_3 , on QX . $QQ_1 = Q_1Q_2 = Q_2Q_3$.
- ❖ Join Q_3R and draw a line through Q_2 (2 being smaller and 3 in $\frac{2}{3}$) parallel to Q_3R to intersect QR at R' .
- ❖ Draw line through R' parallel to the line RP to intersect QP at P' .
- ❖ $\Delta P'QR'$ is the required triangle of $\frac{2}{3}$ of the corresponding sides of ΔPQR .

2. Construct a triangle similar to a given triangle LMN with its sides equal to $\frac{4}{5}$ of the corresponding sides of the triangle LMN (Scale Factor $\frac{4}{5} < 1$).


Solution:

Given
(Scale Factor $\frac{4}{5} < 1$)

Rough Diagram



Fair Diagram



Construction:

- ❖ Construct a $\triangle LMN$ with any measurement.
- ❖ Draw a ray QX making acute angle with MN on the side opposite to vertex L .
- ❖ Locate 5 (greater of 4 and 3 in $\frac{4}{5}$) points. M_1, M_2, M_3 , on MX . So $MM_1 = M_1M_2 = M_2M_3 = M_3M_4 = M_4M_5$.
- ❖ Join M_5N and draw a line through M_4 (4 being smaller of 4 and 5 in $\frac{4}{5}$) parallel to M_5N to intersect MN at N' .
- ❖ Draw line through N' parallel to the line NL to intersect ML at L' .
- ❖ $\triangle L'M'N'$ is the required triangle of $\frac{4}{5}$ of the corresponding sides of $\triangle LMN$.


Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

3. Construct a triangle similar to a given triangle ABC with its sides equal to $\frac{6}{5}$ of the corresponding sides of the triangle ABC (Scale Factor $\frac{6}{5} > 1$).

Solution:


Given
(Scale Factor $\frac{6}{5} > 1$)

Fair Diagram



Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Rough Diagram





Construction:

- ❖ Construct a ΔABC with any measurement.
- ❖ Draw a ray BX making acute angle with BC on the side opposite to vertex A .
- ❖ Locate 6 (greater of 6 and 5 in $\frac{6}{5}$) points. B_1, B_2, B_3 , on BX . So $BB_1 = B_1B_2 = B_2B_3 = B_3B_4 = B_4B_5 = B_5B_6$.
- ❖ Join B_5C and draw a line through B_6 parallel to B_5C to intersecting the extended line segment BC at C' .
- ❖ Draw line through C' parallel to the line CA to intersecting the extended line segment BA at A' .
- ❖ $\Delta A'BC'$ is the required triangle of $\frac{6}{5}$ of the corresponding sides of ΔABC .

4. Construct a triangle similar to a given triangle PQR with its sides equal to $\frac{7}{3}$ of the corresponding sides of the triangle PQR (Scale Factor $\frac{7}{3} > 1$).

Solution:

Given
(Scale Factor $\frac{7}{3} > 1$)

Rough Diagram**Fair Diagram****Construction:**



- ❖ Construct a ΔPQR with any measurement.
- ❖ Draw a ray QX making acute angle with QR on the side opposite to vertex P .
- ❖ Locate 7 (greater of 7 and 3 in $\frac{7}{3}$) points. $Q_1, Q_2, Q_3, Q_4, Q_5, Q_6, Q_7$, on QX . So $QQ_1 = Q_1Q_2 = Q_2Q_3 = Q_3Q_4 = Q_4Q_5 = Q_5Q_6 = Q_6Q_7$.
- ❖ Join Q_3R and draw a line through Q_3 (3 being smaller of 3 and 7 in $\frac{7}{3}$) parallel to Q_3R to intersecting the extended line segment QR at R' .
- ❖ Draw line through R' parallel to the line RP to intersecting the extended line segment QP at P' .
- ❖ $\Delta P'QR'$ is the required triangle of $\frac{7}{3}$ of the corresponding sides of ΔPQR .

Example : 4.10.

Construct a triangle similar to a given triangle **PQR** with its sides equal to $\frac{3}{5}$ of the corresponding sides of the triangle **PQR** (Scale Factor $\frac{3}{5} < 1$).

Solution:

Given
(Scale Factor $\frac{3}{5} < 1$)

Fair Diagram**Rough Diagram****Fair diagram**

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Construction:



- ❖ Construct a ΔPQR with any measurement.
- ❖ Draw a ray QX making acute angle with QR on the side opposite to vertex P .
- ❖ Locate 5 (greater of 3 and 5 in $\frac{3}{5}$) points. Q_1, Q_2, Q_3, Q_4, Q_5 , on QX . So $Q Q_1 = Q_1 Q_2 = Q_2 Q_3 = Q_3 Q_4 = Q_4 Q_5$.
- ❖ Join Q_5R and draw a line through Q_3 (3 being smaller and 5 in $\frac{3}{5}$) parallel to Q_5R to intersect QR at R' .
- ❖ Draw line through R' parallel to the line RP to intersect QP at P' .
- ❖ $\Delta P'QR'$ is the required triangle of $\frac{3}{5}$ of the corresponding sides of ΔPQR .

Example : 4.11.

Construct a triangle similar to a given triangle **PQR** with its sides equal to $\frac{7}{4}$ of the corresponding sides of the triangle **PQR** (Scale Factor $\frac{7}{4} > 1$).

Solution:

Given
(Scale Factor $\frac{7}{4} > 1$)

Rough Diagram**Fair Diagram****Construction:**

- ❖ Construct a ΔPQR with any measurement.
- ❖ Draw a ray QX making acute angle with QR on the side opposite to vertex P .
- ❖ Locate 7 (greater of 7 and 4 in $\frac{7}{4}$) points. $Q_1, Q_2, Q_3, Q_4, Q_5, Q_6, Q_7$, on QX . So $Q_1Q_2 = Q_2Q_3 = Q_3Q_4 = Q_4Q_5 = Q_5Q_6 = Q_6Q_7$.
- ❖ Join Q_4R and draw a line through Q_4 (4 being smaller of 4 and 7 in $\frac{7}{4}$) parallel to QR to intersecting the extended line segment QR at R' .
- ❖ Draw line through R' parallel to the line RP to intersecting the extended line segment QP at P' .
- ❖ $\Delta P'QR'$ is the required triangle of $\frac{7}{4}$ of the corresponding sides of ΔPQR .

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

10TH MATHS GEOMETRY

TWO TANGENT AND TANGENT


Example 4.29

Draw a circle of radius 3 cm. Take a point P on this circle and draw a tangent at P.


Solution:

Given
Radius $r = 3 \text{ cm}$

Rough Diagram



Fair Diagram



Construction:

- ❖ Draw a circle with centre at O of radius 3 cm.
- ❖ Take a point P on the circle. Join OP.
- ❖ Draw perpendicular line to OP which passes through P.
- ❖ TT' is the required tangent.

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502


Example 4.30

Draw a circle of radius 4 cm. At a point L on it draw a **tangent** to the circle using the **alternate segment**.


Solution:

Given
Radius $r = 4 \text{ cm}$

Rough Diagram



Fair Diagram



Construction:

- ❖ With O as the centre, draw a circle of radius 4 cm.
- ❖ Take a point L on the circle. Through L draw any chord LM.
- ❖ Take a point N distinct from L and M on the circle, so that L, M and N are in anti-clockwise direction. Join LN and NM.
- ❖ Through L draw a tangent TT' such that $\angle TLM = \angle MNL$.
- ❖ TT' is the required tangent.

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Example 4.31

Draw a circle of **diameter 6 cm** from a point P, which is **8 cm** away from its centre. Draw the **two tangents PA** and **PB** to the circle and measure their lengths.



Solution:

Given, $d = 6 \text{ cm}$

Radius, $R = \frac{d}{2}$

$= \frac{6}{2}$

Radius $r = 3 \text{ cm}$

Rough Diagram**Fair Diagram****Construction:**

- ❖ With centre at O, draw a circle of radius 3 cm.
- ❖ Draw a line OP of length 8 cm.
- ❖ Draw a perpendicular bisector of OP, which cuts OP at M.
- ❖ With M as centre and MO as radius, draw a circle which cuts previous circle at A and B.
- ❖ Join AP and BP. AP and BP are the required tangents. Thus length of the tangents are $PA = PB = 7.4 \text{ cm}$.

Verification:

In the Right Angle triangle OAP,

$$PA^2 = OP^2 - OA^2$$

$$= 8^2 - 3^2$$

$$= 64 - 9$$

$$= 55$$

$$PA = \sqrt{55} = 7.4 \text{ cm (approximately)}$$

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502


1. Draw a tangent at any point R on the circle of radius 3.4 cm and centre at P?

Solution:


Given
Radius $r = 3.4 \text{ cm}$

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Rough Diagram



Fair Diagram



Construction:

- ❖ Draw a circle with centre at O of radius 3.4 cm.
- ❖ Take a point P on the circle. Join OP.
- ❖ Draw perpendicular line to OP which passes through P.
- ❖ TT' is the required tangent.

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502


2. Draw a circle of radius 4.5 cm. Take a point on the circle. Draw the tangent at that point using the **Alternate Segment Theorem**.

Solution:


Given
Radius $r = 4.5 \text{ cm}$

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Rough Diagram



Fair Diagram



Construction:

- ❖ With O as the centre, draw a circle of radius 4.5 cm.
- ❖ Take a point L on the circle. Through L draw any chord LM.
- ❖ Take a point N distinct from L and M on the circle, so that L, M and N are in anti-clockwise direction. Join LN and NM.
- ❖ Through L draw a tangent TT' such that $\angle TLM = \angle MNL$.
- ❖ TT' is the required tangent.

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502


3. Draw the **two tangents** from a point which is **10 cm** away from the centre of a circle of **radius 5 cm**. Also, measure the **lengths of the tangents**.

Solution:


Given,
Radius $r = 5 \text{ cm}$

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Rough Diagram



Fair Diagram



Construction:

- ❖ With centre at O, draw a circle of radius 5 cm.
- ❖ Draw a line OP of length 10 cm.
- ❖ Draw a perpendicular bisector of OP, which cuts OP at M.
- ❖ With M as centre and MO as radius, draw a circle which cuts previous circle at A and B.
- ❖ Join AP and BP. AP and BP are the required tangents. Thus length of the tangents are $PA = PB = 8.7 \text{ cm}$.

Verification:

In the Right Angle triangle OAP,

$$PA^2 = OP^2 - OA^2$$

$$= 10^2 - 5^2$$

$$= 100 - 25$$

$$= 75$$

$$PA = \sqrt{75} = 8.7 \text{ cm (approximately)}$$



Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

4. Take a point which is **11 cm** away from the centre of a circle of **radius 4 cm** and draw the **two tangents** to the circle from that point.

Solution:

Given,
Radius $r = 4 \text{ cm}$

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Rough Diagram**Fair Diagram****Construction:**

- ❖ With centre at O, draw a circle of radius 4 cm.
- ❖ Draw a line OP of length 11 cm.
- ❖ Draw a perpendicular bisector of OP, which cuts OP at M.
- ❖ With M as centre and MO as radius, draw a circle which cuts previous circle at A and B.
- ❖ Join AP and BP. AP and BP are the required tangents. Thus length of the tangents are $PA = PB = 10.2 \text{ cm}$.

Verification:

In the Right Angle triangle OAP,

$$\begin{aligned} PA^2 &= OP^2 - OA^2 \\ &= 11^2 - 4^2 \\ &= 121 - 16 \\ &= 105 \end{aligned}$$

$$PA = \sqrt{105} = 10.2 \text{ cm (approximately)}$$

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

5. Draw the **two tangents** from a point which is **5 cm** away from the centre of a circle of **diameter 6 cm**. Also , measure the **lengths of the tangents**.



Solution:

Given, $d = 6 \text{ cm}$

Radius, $R = \frac{d}{2}$

$= \frac{6}{2}$

Radius $r = 3 \text{ cm}$

Rough Diagram**Fair Diagram****Fair Diagram****Construction:**

- ❖ With centre at O, draw a circle of radius 3 cm.
- ❖ Draw a line OP of length 5 cm.
- ❖ Draw a perpendicular bisector of OP, which cuts OP at M.
- ❖ With M as centre and MO as radius, draw a circle which cuts previous circle at A and B.
- ❖ Join AP and BP. AP and BP are the required tangents. Thus length of the tangents are $PA = PB = 4 \text{ cm}$.

Verification:

In the Right Angle triangle OAP,

$$PA^2 = OP^2 - OA^2$$

$$= 5^2 - 3^2$$

$$= 25 - 9$$

$$= 16$$

$$PA = \sqrt{16} = 4 \text{ cm (approximately)}$$

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

6. Draw a **tangent** to the circle from the point P having **radius 3.6 cm.** and centre O point P is at a **distance 7.2 cm** from the centre.



Solution:

Given,
Radius $r = 3.6 \text{ cm}$

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Fair Diagram

Rough Diagram



Construction:

- ❖ With centre at O, draw a circle of radius 3.6 cm.
- ❖ Draw a line OP of length 7.2 cm.
- ❖ Draw a perpendicular bisector of OP, which cuts OP at M.
- ❖ With M as centre and MO as radius, draw a circle which cuts previous circle at A and B.
- ❖ Join AP and BP. AP and BP are the required tangents. Thus length of the tangents are $PA = PB = 6.2 \text{ cm}$.

Verification:

In the Right Angle triangle OAP,

$$\begin{aligned}
 PA^2 &= OP^2 - OA^2 \\
 &= 7.2^2 - 3.6^2 \\
 &= 51.84 - 12.96 \\
 &= 38.88 \\
 PA &= \sqrt{38.88} = 6.2 \text{ cm (approximately)}
 \end{aligned}$$

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502



Construction of a Triangle

Example : 4.17

Construct a ΔPQR in which $PQ = 8$ cm, $\angle R = 60^\circ$ and the Median RG from R to PQ is 5.8 cm. Find the length of the altitude from R to PQ .

Solution:

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Rough Diagram**Fair Diagram****Construction:**

- ❖ Draw a line segment $PQ = 8$ cm. At P , draw PE such that $\angle QPE = 60^\circ$. At P , draw PF such that $\angle EPF = 90^\circ$.
- ❖ Draw the perpendicular bisector to PQ , which intersects PF at O and PQ at G .
- ❖ With O as centre and OP as radius draw a circle.
- ❖ From G mark arcs of radius 5.8 cm on the circle. Mark them as R and S .
- ❖ Join PR and RQ . Then ΔPQR is the required triangle.
- ❖ From R draw a line RN perpendicular to LQ . LQ meets RN at M .
- ❖ The length of the altitude is $RM = 3.8$ cm.

Example : 4.18



Construct a ΔPQR in which such that $QR = 5$ cm, $\angle P = 30^\circ$ and the Altitude from P to QR is of length 4.2 cm.

Solution:

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Fair Diagram

Rough Diagram



Construction:

- ❖ Draw a line segment $QR = 8$ cm. At Q draw QE such that $\angle RQE = 30^\circ$. At Q draw QF such that $\angle EQF = 90^\circ$.
- ❖ Draw the perpendicular bisector XY to QR which intersects QF at O and QR at G .
- ❖ With O as centre and OQ as radius draw a circle.
- ❖ From G mark arcs in the line XY at M Such that $GM = 4.2$ cm.
- ❖ Draw AB through M which is parallel to QR .
- ❖ AB meets the circle at P and S .
- ❖ Join QP and RP . Then ΔPQR is the required triangle.



Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Example : 4.19

Draw a triangle ΔABC of base $BC = 8$ cm, $\angle A = 60^\circ$ and the Bisector of $\angle A$ meets BC at D such that $BD = 6$ cm.

Solution:

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Fair Diagram**Rough Diagram****Construction:**

❖ Draw a line segment $BC = 8$ cm. At B draw BE such that $\angle CBE = 60^\circ$. At B draw BF such that $\angle EBF = 90^\circ$.

❖ Draw the perpendicular bisector XY to BC which intersects BF at O and BC at G.

❖ With O as centre and OB as radius draw a circle.

❖ From B mark arc of 6 cm on BC at D.

❖ The perpendicular bisector intersects the circle at I. Join ID.


❖ ID produced meets the circle at A. Now join AB and AC. Then ΔABC is the required triangle.

1. Construct a ΔPQR in which base $PQ = 4.5$ cm, $\angle R = 35^\circ$ and the Median RG from R to PQ is 6 cm.

Solution:


Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Fair Diagram



Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Rough Diagram



Construction:

- ❖ Draw a line segment $PQ = 4.5$ cm. At P , draw PE such that $\angle QPE = 35^\circ$. At P , draw PF such that $\angle EPF = 90^\circ$.
- ❖ Draw the perpendicular bisector to PQ , which intersects PF at O and PQ at G .
- ❖ With O as centre and OP as radius draw a circle.
- ❖ From G mark arcs of radius 6 cm on the circle. Mark them as R and S .
- ❖ Join PR and RQ . Then ΔPQR is the required triangle.



2. Construct a ΔPQR in which $QR = 5$ cm, $\angle P = 40^\circ$ and the Median PG from P to QR is 4.4 cm. Find the length of the Altitude from P to QR .

Solution:

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Fair Diagram

Rough Diagram



Construction:

- ❖ Draw a line segment $QR = 5$ cm. At P , draw PE such that $\angle QPE = 40^\circ$. At P , draw PF such that $\angle EPF = 90^\circ$.
- ❖ Draw the perpendicular bisector to PQ , which intersects PF at O and PQ at G .
- ❖ With O as centre and OP as radius draw a circle.
- ❖ From G mark arcs of radius **4.4 cm** on the circle. Mark them as R and S .
- ❖ Join PR and RQ . Then ΔPQR is the required triangle.
- ❖ From P draw a line PN perpendicular to LQ . LQ meets PN at M .
- ❖ The length of the altitude is **$PM = 2.2$ cm.**


Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

3. Construct a ΔPQR in which such that $QR = 6.5$ cm, $\angle P = 60^\circ$ and the Altitude from P to QR is of length 4.5 cm.


Solution:

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Rough Diagram



Fair Diagram



Construction:


- ❖ Draw a line segment $QR = 6.5$ cm. At Q draw QE such that $\angle RQE = 60^\circ$. At Q draw QF such that $\angle EQF = 90^\circ$.
- ❖ Draw the perpendicular bisector XY to QR which intersects QF at O and QR at G .
- ❖ With O as centre and OQ as radius draw a circle.
- ❖ From G mark arcs in the line XY at M Such that $GM = 4.5$ cm.
- ❖ Draw AB through M which is parallel to QR .
- ❖ AB meets the circle at P and S .
- ❖ Join QP and PR . Then ΔPQR is the required triangle.

4. Construct a ΔPQR in which such that $QR = 5.5 \text{ cm}$, $\angle P = 25^\circ$ and the Altitude from P to QR is of length 4 cm.


Solution:

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Rough Diagram



Fair Diagram



Construction:

- ❖ Draw a line segment $AB = 5.5 \text{ cm}$. At A draw AE such that $\angle BAE = 25^\circ$. At B draw BF such that $\angle EBF = 90^\circ$.
- ❖ Draw the perpendicular bisector XY to AB which intersects BF at O and AE at G.
- ❖ With O as centre and OQ as radius draw a circle.
- ❖ From G mark arcs in the line XY at M Such that $GM = 4 \text{ cm}$.
- ❖ Draw PR through M which is parallel to BC .
- ❖ AB meets the circle at P and S.
- ❖ Join AC and CB . Then ΔABC is the required triangle.

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502



5. Draw a triangle ΔABC of base $BC = 5.6$ cm, $\angle A = 40^\circ$ and the Bisector of $\angle A$ meets BC at D such that $BD = 4$ cm.

Solution:

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Fair Diagram

Rough Diagram



Construction:

- ❖ Draw a line segment $BC = 5.6$ cm. At B draw BE such that $\angle CBE = 40^\circ$. At B draw BF such that $\angle EBF = 90^\circ$.
- ❖ Draw the perpendicular bisector XY to BC which intersects BF at O and BC at G .
- ❖ With O as centre and OB as radius draw a circle.
- ❖ From C mark arc of 4 cm on CD at B .
- ❖ The perpendicular bisector intersects the circle at I . Joint ID .
- ❖ ID produced meets the circle at A . Now join AB and AC . Then ΔABC is the required triangle.


Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

6. Draw a triangle ΔPQR such that $PQ = 6.8$ cm, vertical angle is 50° and the Bisector of vertical angle meets the base at D where $PD = 5.8$ cm.


Solution:

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502

Rough Diagram



Fair Diagram



Construction:

- ❖ Draw a line segment $PQ = 6.8$ cm. At P draw PE such that $\angle QPE = 50^\circ$. At Q draw QF such that $\angle EPF = 90^\circ$.
- ❖ Draw the perpendicular bisector XY to PQ which intersects PE at O and PQ at G .
- ❖ With O as centre and OP as radius draw a circle.
- ❖ From P mark arc of 5.2 cm on PE at D .
- ❖ The perpendicular bisector intersects the circle at I . Join ID .
- ❖ ID produced meets the circle at A . Now join PQ and QR . Then ΔPQR is the required triangle.

Y. SEENIVASAN. M.Sc, B.Ed
PG – TEACHER (MATHS)
SINGAMPUNARI SVG DT - 630502