Elton's Inventory 1.0.   OA

Reboot

Terms of service

Elton - Website
Send email to Elton

Apache 2.0

Authorize 🔓

root ⌃

GET   **/ping** Ping   ⌃

Parameters	Try it out

No parameters

Responses

Code	Description	Links
200		*No links*

stock ⌃

GET   **/stock** Get stock   ⌃

This endpoint gets a list of all inventory item for a user, it uses the auth token to get user details

Parameters		Try it out

No parameters

Responses

Code	Description	Links
200	Successful operation	No links

Media type

application/json

Controls `Accept` header.

Example Value   Schema

```
[
  {
    "_id": "fd3df093-9909-4f0c-b966-e62eecb58cdc",
    "name": "Chef name",
    "image": "base64"
  }
]
```

401	Unauthorized	No links
500	Internal server error	No links

Media type

application/json

Example Value   Schema

```
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

PUT   **/stock** Add stock item   ∧

This endpoint adds an inventory item into our system

Parameters

<div style="text-align: right;">

Try it out

</div>

No parameters

Request body ^{required}   application/json

stock item

Example Value   Schema

```
{
  "name": "Chef name",
  "image": "base64",
  "initialQuantity": 10
}
```

Responses

Code	Description	Links
200	Successful operation	*No links*

Media type

application/json

Controls `Accept` header.

Example Value   Schema

```
{
  "_id": "fd3df093-9909-4f0c-b966-e62eecb58cdc",
  "name": "Chef name",
  "image": "base64"
}
```

401	Unauthorized	*No links*
500	Internal server error	*No links*

Media type

application/json

Example Value   Schema

```
{
  "message": "Any message to the UI",
```

Code	Description	Links

```
      "type": "warning"
  }
```

POST   **/stock/{id}**   Update stock item   ⌃

This endpoint updates an existing inventory item

Parameters   [**Try it out**]

Name	Description

id * required
string
(path)

stock item id

[id]

Request body ^{required}   [application/json]

stock item

Example Value   Schema

```
{
  "name": "Chef name",
  "image": "base64"
}
```

Responses

Code	Description	Links

200   *No links*

Successful operation

Media type

[**application/json**]

Controls `Accept` header.

Example Value   Schema

Code	Description	Links

```json
[
  {
    "_id": "fd3df093-9909-4f0c-b966-e62eecb58cdc",
    "name": "Chef name",
    "image": "base64"
  }
]
```

401		No links

Unauthorized

500		No links

Internal server error

Media type

application/json

Example Value   Schema

```json
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

DELETE   **/stock/{id}**   Remove stock item   ∧

This endpoints remove an inventory item

Parameters   [Try it out]

Name	Description
id * required `string` *(path)*	Id of item to remove [id]

Responses

Code	Description	Links
200		No links

Successful operation

Code	Description	Links

Media type

application/json

Controls `Accept` header.

Example Value   Schema

```
[
  {
    "_id": "fd3df093-9909-4f0c-b966-e62eecb58cdc",
    "name": "Chef name",
    "image": "base64"
  }
]
```

401		*No links*
	Unauthorized	

500		*No links*
	Internal server error	

Media type

application/json

Example Value   Schema

```
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

stock quantity   ⌃

GET	**/stock-quantity/{stockItemId}** Get stock captured quantity	⌃

This endpoint add returns captured stock quantities of an item

Parameters   Try it out

Name	Description
stockItemId * required string *(path)*	stock item id stockItemId

Responses

Code	Description	Links
200	Successful operation	*No links*

Media type

application/json

Controls `Accept` header.

Example Value   Schema

```
[
  {
    "_id": "fd3df093-9909-4f0c-b966-e62eecb58cdc",
    "name": "Chef name",
    "image": "base64"
  }
]
```

401	Unauthorized	*No links*
500	Internal server error	*No links*

Media type

application/json

Example Value   Schema

```
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

PUT   **/stock-quantity/{stockItemId}**   Add stock item quantity   ⌃

This endpoint add an adjustments to be made over a inventory item quantity

Parameters   [Try it out]

Name	Description

stockItemId * required
string
(path)

stock item id

> stockItemId

Request body required | application/json

stock item quantity

Example Value   Schema

```
{
  "quantity": 10,
  "date": "10/01/2023"
}
```

Responses

Code	Description	Links
200	Successful operation	No links

Media type

application/json

Controls `Accept` header.

Example Value   Schema

```
{
  "_id": "fd3df093-9909-4f0c-b966-e62eecb58cdc",
  "name": "Chef name",
  "image": "base64"
}
```

| 401 | Unauthorized | No links |

| 500 | Internal server error | No links |

Media type

application/json

Code	Description	Links

Example Value   Schema

```
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

POST   **/stock-quantity/{id}**   Update stock item   ∧

Parameters   Try it out

Name	Description

id * required
string
(path)

quantity id

```
id
```

Request body required   application/json

stock item

Example Value   Schema

```
{
  "quantity": 10,
  "date": "10/01/2023"
}
```

Responses

Code	Description	Links
200	Successful operation	*No links*

Media type

application/json

Controls `Accept` header.

Example Value   Schema

Code	Description	Links

```
[
  {
    "_id": "fd3df093-9909-4f0c-b966-e62eecb58cdc",
    "stockId": "fd3df093-9909-4f0c-b966-e62eecb58cdc",
    "quantity": 10,
    "date": "01/01/01"
  }
]
```

401		No links
	Unauthorized	

500		No links
	Internal server error	

Media type

application/json

Example Value   Schema

```
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

DELETE   **/stock-quantity/{id}**   Remove stock item quantity   ∧

Parameters   **Try it out**

Name	Description
id * required string *(path)*	id of item to remove id

Responses

Code	Description	Links
200		No links
	Successful operation	

Media type

Code	Description	Links

application/json

Controls `Accept` header.

Example Value   Schema

```
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

401   *No links*

Unauthorized

500   *No links*

Internal server error

Media type

application/json

Example Value   Schema

```
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

auth   ︿

POST   **/auth/login** Login   ︿

This endpoint authenticates a user into our inventory api

Parameters   Try it out

No parameters

Request body required   application/json

Example Value   Schema

```
{
  "email": "chef@chef.com",
  "password": "password123"
}
```

Responses

Code	Description	Links
200	Successful operation	No links

Media type

application/json

Controls Accept header.

Example Value   Schema

```
{
  "name": "pride",
  "jwt": "1ccfd5d1-dbe6-4871-9953-d9a7845cd9ea1ccfd5d1-dbe6-4871-9953-d9a7845cd9ea"
}
```

Code	Description	Links
500	Internal server error	No links

Media type

application/json

Example Value   Schema

```
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

POST   **/auth/register**   Register a new chef   ⌃

Ths endpoint registers a new user into our system

Parameters   Try it out

No parameters

Request body **required**   application/json

Example Value   Schema

```
{
  "email": "chef@chef.com",
  "password": "password123",
  "name": "Chef"
}
```

Responses

Code	Description	Links
200		*No links*

Successful operation

Media type

application/json

Controls `Accept` header.

Example Value   Schema

```
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

| 201 | | *No links* |

Successful operation

Media type

application/json

Example Value   Schema

```
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

| 500 | | *No links* |

Internal server error

Media type

application/json

Example Value   Schema

```
{
  "message": "Any message to the UI",
  "type": "warning"
}
```

Schemas ⌃

StockResponse

ToastrResponse

InsertStockRequest

UpdateStockRequest

InsertStockQuantityRequest

StockQuantity

LoginRequest

LoginResponse

RegisterRequest