```
SefaB@Sefa MINGW64 ~/desktop/dockerGönder

$ git init
Initialized empty Git repository in C:/Users/SefaB/Desktop/dockerGönder/.git/

SefaB@Sefa MINGW64 ~/desktop/dockerGönder (master)

$ git add .

SefaB@Sefa MINGW64 ~/desktop/dockerGönder (master)

$ git commit -m "Pdf Yüklendi"

[master (root-commit) 17936c1] Pdf Yüklendi

1 file changed, 0 insertions(+), 0 deletions(-)

create mode 100644 Docker.pdf

SefaB@Sefa MINGW64 ~/desktop/dockerGönder (master)

$ git log

commit 17936c11c2c84fb19fd0f33f59e996a600e18668 (HEAD -> master)

Author: SefaBolukbasii <sefabolukbasii@hotmail.com>

Date: Thu Jul 25 00:28:43 2024 +0300

Pdf Yüklendi
```

```
Sefa8@Sefa MINGW64 ~/desktop/dockerGönder (master)
$ git push https://github.com/SefaBolukbasii/dockerGonderme.git
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream https://github.com/SefaBolukbasii/dockerGonderme.git master

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.

Sefa8@Sefa MINGW64 ~/desktop/dockerGönder (master)
$ git push --set-upstream https://github.com/SefaBolukbasii/dockerGonderme.git master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 236.89 KiB | 23.69 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/SefaBolukbasii/dockerGonderme.git
    * [new branch] master -> master
branch 'master' set up to track 'https://github.com/SefaBolukbasii/dockerGonderme.git/master'.
```