Requirements Specification Document

Test Project: UniShare

Printed by TestLink on 26/10/2026

2026 Group UniShare

Table Of Contents

1. SRS-R-SHR : UC-S4-001 Course Sharing & Permissions

REQ-SHR-01 : Only the course owner can invite collaborators

REQ-SHR-02 : Invalid invitations are rejected

REQ-SHR-03 : Invitation carries a permission level

REQ-SHR-04 : Invitee accepts or declines a pending invitation

REQ-SHR-05 : VIEWER has read-only access

REQ-SHR-06 : CONTRIBUTOR can add but not delete

REQ-SHR-07 : Owner manages collaborators

REQ-SHR-08 : Faculty-restricted sharing

1. Requirements Spec.: SRS-R-SHR : UC-S4-001 Course Sharing & Permissions

revision	1
Author	admin
Type	User Requirement Specification
Total count of requirements (Coverage)	N/A (8/0)

Course owner shares a course with other students as VIEWER or CONTRIBUTOR. Source: UniShare_Iteration_4.md Use Case Diagram 1 + Use Case 1; src/server/api/routers/course.ts (inviteCollaborator, acceptInvitation, rejectInvitation, getPendingInvitations); resource.ts.

Requirement: REQ-SHR-01 : Only the course owner can invite collaborators

Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)

The system shall allow only the student who created a course to invite collaborators. Any other user shall receive 'Only the owner can invite collaborators'. Inviting to a non-existent course shall return 'Course not found'.

Related Test Cases	US-3 : Non-owner cannot invite collaborators [Version :1]US-6 : Invite to a course that does not exist [Version :1]

Requirement: REQ-SHR-02 : Invalid invitations are rejected

Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)

The system shall reject an invitation to the owner himself ('You can't invite yourself') and a second invitation to a user already invited to the same course ('User already invited').

Related Test Cases	US-4 : Owner cannot invite himself [Version :1]US-5 : Duplicate invitation to the same student is rejected [Version :1]

Requirement: REQ-SHR-03 : Invitation carries a permission level

Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)

The owner shall choose exactly one permission level, VIEWER or CONTRIBUTOR. A new invitation is stored with status PENDING and the invitee receives a COURSE_INVITATION notification '<owner> invited you to collaborate on <course>'.

Related Test Cases	US-1 : Owner invites same-faculty student as VIEWER [Version :1]US-2 : Owner invites same-faculty student as CONTRIBUTOR [Version :1]

Requirement: REQ-SHR-04 : Invitee accepts or declines a pending invitation

Version :	1
revision:	1

Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
The invitee shall see pending invitations under Settings > Pending Invitations and can Accept or Decline. Accept sets status ACCEPTED and joinedAt and the course appears in the invitee's course list; Decline sets REJECTED. The owner receives 'Invitation accepted' / 'Invitation declined'. Only PENDING invitations can be answered.	
Related Test Cases	US-9 : Invitee accepts a pending course invitation [Version :1]US-10 : Invitee declines a pending course invitation [Version :1]US-11 : Answered invitation cannot be accepted or declined again [Version :1]US-15 : Non-collaborator and declined user cannot open a private course [Version :1]US-35 : Click invitation notification marks read and opens Pending Invitations [Version :1]

Requirement: **REQ-SHR-05 : VIEWER has read-only access**	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A VIEWER collaborator can open the shared course, view all resource cards and download files but cannot add, edit or delete resources or upload files.	
Related Test Cases	US-12 : VIEWER can view and download but cannot modify [Version :1]US-15 : Non-collaborator and declined user cannot open a private course [Version :1]

Requirement: **REQ-SHR-06 : CONTRIBUTOR can add but not delete**	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A CONTRIBUTOR can add/update resources and upload files to cards that allow uploads, but cannot delete resources ('Only the course owner can delete resources') or delete the course.	
Related Test Cases	US-13 : CONTRIBUTOR can add resources and upload files [Version :1]US-14 : CONTRIBUTOR cannot delete resources or the course [Version :1]

Requirement: **REQ-SHR-07 : Owner manages collaborators**	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
On Courses > <course> > Collaborators the owner can invite by email, change a collaborator's permission (VIEWER <-> CONTRIBUTOR) and remove a collaborator.	
Related Test Cases	US-1 : Owner invites same-faculty student as VIEWER [Version :1]US-2 : Owner invites same-faculty student as CONTRIBUTOR [Version :1]US-8 : Owner changes collaborator permission and removes collaborator [Version :1]

Requirement: **REQ-SHR-08 : Faculty-restricted sharing**	
Version :	1

revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
The system shall validate that the invited student belongs to the same faculty as the owner (Iteration 4: 'System validates student is in same faculty').	
Related Test Cases	US-7 : Invitation to a student from a different faculty is blocked [Version :1]

Requirements Specification Document

Test Project: UniShare

Printed by TestLink on 26/10/2026

Table Of Contents

1. SRS-R-ART : UC-S4-003 Public Articles

REQ-ART-01 : Article input validation

REQ-ART-02 : New article starts as DRAFT

REQ-ART-03 : Unique URL slug

REQ-ART-04 : Publish workflow

REQ-ART-05 : Archive and delete own article

REQ-ART-06 : Edit own article

REQ-ART-07 : Public article listing

REQ-ART-08 : Article access control

REQ-ART-09 : View counter

REQ-ART-10 : My Articles

1. Requirements Spec.: SRS-R-ART : UC-S4-003 Public Articles

revision	1
Author	admin
Type	User Requirement Specification
Total count of requirements (Coverage)	N/A (10/0)

Students write articles that move DRAFT -> PUBLISHED -> ARCHIVED and are readable publicly. Source: UniShare_Iteration_4.md Use Case Diagram 3 + Use Case 3; src/server/api/routers/article.ts; src/app/(student)/my-articles, src/app/articles.

Requirement: REQ-ART-01 : Article input validation

Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)

Title is mandatory, 1 to 200 characters; Excerpt optional, max 500 characters; Cover image optional and must be a valid URL; Tags optional, comma-separated. Empty title shows 'Please enter a title for your article'.

Related Test Cases	US-17 : Title length boundaries (0, 1, 200, 201 characters) [Version :1]US-18 : Excerpt length boundaries (500 / 501 characters) [Version :1]US-19 : Cover image URL validation [Version :1]

Requirement: REQ-ART-02 : New article starts as DRAFT

Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)

Saving a new article stores it with status DRAFT, the author as current user, an estimated read time (words/200, rounded up) and shows 'Article saved as draft'.

Related Test Cases	US-16 : Create article saved as draft (valid data) [Version :1]

Requirement: REQ-ART-03 : Unique URL slug

Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)

The slug is generated from the title (lower-case, punctuation removed, spaces -> '-'). If the slug exists the system appends -1, -2, ... On title change the slug is regenerated.

Related Test Cases	US-20 : Duplicate titles get unique slugs [Version :1]US-21 : Author edits own article; tags are replaced [Version :1]

Requirement: REQ-ART-04 : Publish workflow

Version :	1
revision:	1
Author:	admin

Status	Valid
Type	Use Case
Coverage	100% (1/1)
Only the author can publish, and only a DRAFT article can be published ('Only draft articles can be published'). Publishing sets PUBLISHED and publishedAt and shows 'Article published!'.	
Related Test Cases	US-23 : Publish a draft article [Version :1]US-24 : Only DRAFT articles can be published [Version :1]US-27 : Non-author cannot publish, archive or delete [Version :1]

Requirement: **REQ-ART-05 : Archive and delete own article**	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Only the author can archive ('Article archived') or delete ('Article deleted successfully') an article; other users get 'You can only archive/delete your own articles'.	
Related Test Cases	US-25 : Archive own published article [Version :1]US-26 : Delete own article [Version :1]US-27 : Non-author cannot publish, archive or delete [Version :1]

Requirement: **REQ-ART-06 : Edit own article**	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Only the author can edit an article ('You can only edit your own articles'). Saving shows 'Changes saved'. Tags supplied on edit replace the previous tags.	
Related Test Cases	US-21 : Author edits own article; tags are replaced [Version :1]US-22 : User cannot edit another user's article [Version :1]

Requirement: **REQ-ART-07 : Public article listing**	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
The /articles page lists only PUBLISHED articles, newest publishedAt first, 12 per page by default (page size 1-50). Search matches title or excerpt case-insensitively; filter by tag; the tag list shows only tags having at least one published article.	
Related Test Cases	US-25 : Archive own published article [Version :1]US-29 : Listing shows only published, newest first, with pagination [Version :1]US-30 : Search and tag filter [Version :1]

Requirement: **REQ-ART-08 : Article access control**	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case

Coverage	100% (1/1)
A PUBLISHED article is readable by anyone, including visitors not logged in. DRAFT and ARCHIVED articles are readable only by the author; others get 'This article is not published'. Unknown slug gives 'Article not found'.	
Related Test Cases	US-28 : Access control by status and viewer [Version :1]

Requirement: REQ-ART-09 : View counter	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Opening a PUBLISHED article increments its view count by 1; DRAFT/ARCHIVED articles are not counted.	
Related Test Cases	US-31 : View counter increments only for published articles [Version :1]

Requirement: REQ-ART-10 : My Articles	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
My Articles lists all of the author's articles (any status), most recently updated first, filterable by DRAFT / PUBLISHED / ARCHIVED.	
Related Test Cases	US-16 : Create article saved as draft (valid data) [Version :1]US-32 : My Articles status filter [Version :1]

TestLink

Requirements Specification Document

Test Project: UniShare

Table Of Contents

1. **SRS-R-NOT : UC-S4-004 Notifications**
    - REQ-NOT-01 : Event notifications
    - REQ-NOT-02 : Unread badge
    - REQ-NOT-03 : Recent notifications dropdown
    - REQ-NOT-04 : Mark one as read
    - REQ-NOT-05 : Mark all as read
    - REQ-NOT-06 : Notification privacy
    - REQ-NOT-07 : Notification preferences
    - REQ-NOT-08 : Reminder timing range
    - REQ-NOT-09 : Full notification history

1. Requirements Spec.: SRS-R-NOT : UC-S4-004 Notifications

revision	1
Author	admin
Type	User Requirement Specification
Total count of requirements (Coverage)	N/A (9/0)

In-app notifications with unread badge and user preferences. Source: UniShare_Iteration_4.md Use Case Diagram 4 + Use Case 4; src/server/api/routers/notification.ts; src/components/notification-bell.tsx; src/app/(student)/settings/page.tsx.

Requirement: REQ-NOT-01 : Event notifications

Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)

The system shall create a notification for the recipient when a course invitation is sent (COURSE_INVITATION), accepted (INVITATION_ACCEPTED) or declined (INVITATION_REJECTED).

Related Test Cases	US-1 : Owner invites same-faculty student as VIEWER [Version :1]US-9 : Invitee accepts a pending course invitation [Version :1]US-10 : Invitee declines a pending course invitation [Version :1]

Requirement: REQ-NOT-02 : Unread badge

Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)

The bell icon shows the number of unread notifications; no badge at 0; values above 9 show '9+'.

Related Test Cases	US-33 : Unread badge boundaries (0, 1, 9, 10) [Version :1]

Requirement: REQ-NOT-03 : Recent notifications dropdown

Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)

Opening the bell lists the user's 20 most recent notifications, newest first; with none it shows 'No notifications yet'.

Related Test Cases	US-34 : Dropdown lists 20 most recent, newest first [Version :1]

Requirement: REQ-NOT-04 : Mark one as read

Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case

Coverage	100% (1/1)
Clicking a notification marks it read and decreases the badge by 1. A course/timetable invitation notification opens Settings > Pending Invitations (/settings?tab=invitations).	
Related Test Cases	US-35 : Click invitation notification marks read and opens Pending Invitations [Version :1]

Requirement: **REQ-NOT-05 : Mark all as read**	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
'Mark all as read' sets every unread notification of the user to read; badge disappears.	
Related Test Cases	US-36 : Mark all as read [Version :1]

Requirement: **REQ-NOT-06 : Notification privacy**	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
A user can only list, count and mark his own notifications; another user's notification id gives 'Notification not found'.	
Related Test Cases	US-37 : User cannot read or mark another user's notification [Version :1]

Requirement: **REQ-NOT-07 : Notification preferences**	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Settings > Notification Preferences lets the user switch in-app and email notifications on/off for Class reminders, Collaboration invites, Audit log alerts and System notifications. Defaults are created on first visit; saved values persist after reload.	
Related Test Cases	US-39 : Default preferences are created on first visit [Version :1]US-40 : Save in-app / email preferences per type [Version :1]

Requirement: **REQ-NOT-08 : Reminder timing range**	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
Class reminder timing accepts 5 to 30 minutes before class; the UI offers 5, 10, 15 and 30.	
Related Test Cases	US-41 : Class reminder timing boundaries [Version :1]

Requirement: REQ-NOT-09 : Full notification history	
Version :	1
revision:	1
Author:	admin
Status	Valid
Type	Use Case
Coverage	100% (1/1)
'View all' opens the full notification list, paginated (page size 1-100, default 20).	
Related Test Cases	US-38 : View all notifications page with paging [Version :1]