TestLink

Test Specification

Test Project: UniShare
Test Suite: UniShare - Parwar - AI Assistant, Quizzes, Study Plans & Collaborative Notes (Iterations 3-4)

Printed by TestLink on 26/10/2026

2026 Group UniShare

Table Of Contents

1.Parwar - AI Assistant, Quizzes, Study Plans & Collaborative Notes (Iterations 3-4)

1.1.TS-P1 Chat with AI Assistant (UC-S3-012)

US-42: Start a new AI conversation (main flow)

US-43: Empty and whitespace-only message is not sent

US-44: Message length boundaries (4999, 5000, 5001 characters)

US-45: Continue a previous conversation with context

US-46: Chat access without approval, session or conversation id

US-47: AI server unavailable

1.2.TS-P2 Conversation History & Privacy (UC-S3-019/020)

US-48: Sidebar paging boundaries (5, 6 and 16 conversations)

US-49: New Chat and untitled conversation

US-50: Delete conversation - confirm and cancel

US-51: User cannot read, continue or delete another user's conversation

1.3.TS-P3 Generate AI Quiz (UC-S3-014)

US-52: Generate a quiz for own course (main flow)

US-53: Topic is required

US-54: No question type selected

US-55: Question count boundaries

US-56: Difficulty and question type partitions

US-57: Quiz generation access by course relation

US-58: Invalid AI response is not saved

1.4.TS-P4 Attempt Quiz & Grading (UC-S3-015)

US-59: Submit is enabled only when all questions are answered

US-60: Score bands on the results page

US-61: Answer matching rules per question type

US-62: Attempt is saved, best score and retake

US-63: Another user's quiz cannot be opened, attempted or deleted

US-64: Delete own quiz

1.5.TS-P5 AI Study Plans (UC-S3-016/017)

US-65: Generate a study plan (main flow)

US-66: Weeks and hours boundaries

US-67: Course is required and deadline cannot be in the past

US-68: Study plan access by course relation

US-69: Track task completion and progress

US-70: Plan ownership and delete

US-71: Study plan survives course deletion

1.6.TS-P6 Enhance Notes with AI (UC-S3-018)

US-72: Each enhancement type returns content and is recorded

US-73: Invalid enhancement requests

US-74: Enhancement permission by role

1.7.TS-P7 Collaborative Notes - Access & Roles (UC-S4-002)

US-75: Owner opens notes for the first time

US-76: Viewer opens a course without pages

US-77: Notes access by user relation

US-78: Viewer is read-only (UI and server)

US-79: Liveblocks authentication endpoint

US-80: Unknown or other course page id

1.8.TS-P8 Collaborative Notes - Real-Time Editing & Pages

US-81: Two students edit the same page in real time

US-82: Simultaneous edit of the same text converges

US-83: Presence list boundaries and leaving

US-84: Create page and nested sub-page

US-85: Delete a page with sub-pages

US-86: Offline edits sync after reconnect

Scope

UniShare - university course sharing platform (Next.js / tRPC / Prisma). Group project for SECJ3343 Project 1 (Aland, Karoz, Parwar, Rawa). Source: github.com/Seganation/unishare

1.Test Suite : Parwar - AI Assistant, Quizzes, Study Plans & Collaborative Notes (Iterations 3-4)

Tester: Parwar
Software under test: UniShare (github.com/Seganation/unishare)
Test basis: UniShare_Iteration_3.md AI Learning Assistant use cases (UC2 Chat with AI Assistant, UC-S3-011..UC-S3-020, Sequences 2-4, Use Case 3 Generate AI Quiz) and UniShare_Iteration_4.md UC-S4-002 Real-Time Collaborative Notes; code: src/server/api/routers/ai.ts, src/server/ai/*, src/app/api/chat, src/app/api/ai/generate-note, src/app/api/notes, src/app/api/liveblocks-auth, src/components/ai/*, src/components/notes/*, src/app/(student)/ai, src/app/(student)/courses/[id]/notes.
Techniques: Equivalence Partitioning (EP), Boundary Value Analysis (BVA), Decision Table (DT), State Transition (ST), Use Case / scenario testing (UC), Error Guessing (EG).

Common test data (prisma/seed.ts, every seeded password is admin123)
Student A - Sarah Ahmed (sarah@student.utm.my), APPROVED, course owner
Student B - John Doe (john@student.utm.my), APPROVED, ACCEPTED CONTRIBUTOR on the test course
Student C - David Kim (david@student.utm.my), APPROVED, ACCEPTED VIEWER on the test course
Student D - Michael Chen (michael@student.utm.my), APPROVED, no relation to the test course
Student E - Alice Wong (alice@student.utm.my), role PENDING (not approved)
Course: "SECJ3343 Software Quality Assurance" created by Student A (default cards incl. Notes), description "Testing techniques and quality models".
AI provider: Google Gemini (GOOGLE_GENERATIVE_AI_API_KEY set, chat badge 'Gemini 2.5 Flash'); Liveblocks configured (LIVEBLOCKS_SECRET_KEY). API calls are made from the browser session of the named user (tRPC /api/trpc/ai.*, REST /api/chat, /api/ai/generate-note, /api/notes, /api/liveblocks-auth).

1.1.Test Suite : TS-P1 Chat with AI Assistant (UC-S3-012)

/ai chat page. Techniques: UC, EP, BVA on message length (0, 1, 5000, 5001), EG.

Test Case US-42: Start a new AI conversation (main flow) [Version : 1]		
Author:	parwar	
Summary: Start a new AI conversation (main flow). **Test design technique:** Use case (main flow), EP valid **Requirements:** REQ-P-CHAT-03, REQ-P-CHAT-04		
Preconditions: Student A logged in; AI provider reachable; Student A has 0 conversations.		
#:	Step actions:	Expected Results:
1	Open AI Assistant (/ai).	Empty chat with suggestions, input 'Ask AI anything...', badge 'Gemini 2.5 Flash', sidebar button 'New Chat'.
2	Type 'Explain the difference between let and const in JavaScript' and press Enter.	Message shown as user message; loader shown and Send disabled while the answer streams.
3	Wait until the answer is complete.	Full AI answer shown; URL is now /ai/<conversation id>.
4	Look at the sidebar.	New conversation on top with a short AI title (max 6 words, e.g. 'JavaScript let vs const'); footer 'Showing 1 of 1'.
5	Reload the page.	Both messages are still shown (saved); assistant message has tokensUsed > 0 in the database.
Execution type:	Manual	

Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-P-CHAT-03: New conversation is created on first message [Version : 1] REQ-P-CHAT-04: Streaming response and persistence [Version : 1]
Keywords:	None

Test Case US-43: Empty and whitespace-only message is not sent [Version : 1]		
Author:	parwar	
Summary: Empty and whitespace-only message is not sent. **Test design technique:** EP invalid class (empty), BVA (length 0) **Requirements:** REQ-P-CHAT-02		
Preconditions: Student A on /ai with a new chat.		
#:	Step actions:	Expected Results:
1	Leave the input empty.	Send button disabled.
2	Type 5 spaces and press Enter.	No message is sent and no conversation is created (Iteration 3 A1: 'Message cannot be empty').
3	Type 'a' (1 character) and send.	Message sent and answered (lower valid boundary).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-CHAT-02: Message validation [Version : 1]	
Keywords:	None	

Test Case US-44: Message length boundaries (4999, 5000, 5001 characters) [Version : 1]		
Author:	parwar	
Summary: Message length boundaries (4999, 5000, 5001 characters). **Test design technique:** BVA **Requirements:** REQ-P-CHAT-02		
Preconditions: Student A on /ai, new chat.		
#:	Step actions:	Expected Results:
1	Send a message of 4999 x 'a'.	Accepted and answered.
2	Send a message of exactly 5000 characters.	Accepted and answered.
3	Send a message of 5001 characters.	Rejected with 'Message must be under 5000 characters' and character count; nothing sent.

4	Call ai.sendMessage on an existing conversation with content of 10000 and 10001 characters.	10000 accepted, 10001 rejected by validation (implementation limit).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-P-CHAT-02: Message validation [Version : 1]	
Keywords:	None	

Test Case US-45: Continue a previous conversation with context [Version : 1]		
Author:	parwar	
Summary:		
Continue a previous conversation with context. **Test design technique:** Use case (UC-S3-013), ST (existing conversation) **Requirements:** REQ-P-CHAT-05, REQ-P-CHAT-04		
Preconditions:		
Student A has conversation 'JavaScript let vs const' with 2 messages.		
#:	Step actions:	Expected Results:
1	Click the conversation in the sidebar.	URL /ai/<id>; the 2 earlier messages shown oldest first.
2	Send 'Give me a code example of the second one'.	Answer refers to const (uses earlier context).
3	Reload.	Conversation now has 4 messages; it is first in the sidebar (latest updated).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-CHAT-04: Streaming response and persistence [Version : 1] REQ-P-CHAT-05: Continue a previous conversation [Version : 1]	
Keywords:	None	

Test Case US-46: Chat access without approval, session or conversation id [Version : 1]		
Author:	parwar	
Summary:		
Chat access without approval, session or conversation id. **Test design technique:** EP (APPROVED / PENDING / logged out), EG (missing id) **Requirements:** REQ-P-CHAT-01, REQ-P-CHAT-03		
Preconditions:		
Logged out browser; Student A (APPROVED) and Student E (PENDING) accounts available.		
#:	Step actions:	Expected Results:
1	Logged out, POST /api/chat with a message body.	HTTP 401 'Unauthorized'.
2	Logged out, open /ai.	Redirected to the login page.

3	Log in as Student A and POST /api/chat with a message but no conversationId.	HTTP 400 'No conversation ID provided'; no conversation created.
4	Log in as Student E (PENDING) and open /ai.	Redirected to /waiting-approval; chat not shown.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-CHAT-01: Only approved, logged-in students use the AI assistant [Version : 1] REQ-P-CHAT-03: New conversation is created on first message [Version : 1]	
Keywords:	None	

Test Case US-47: AI server unavailable [Version : 1]		
Author:	parwar	
Summary: AI server unavailable. **Test design technique:** EG (external system down) **Requirements:** REQ-P-CHAT-09		
Preconditions: Student A on /ai. AI provider blocked (invalid GOOGLE_GENERATIVE_AI_API_KEY or network off).		
#:	Step actions:	Expected Results:
1	Send 'Hello'.	Red alert shown: 'Unable to connect to AI server. Please make sure Ollama is running.' or the server error; page does not crash.
2	Restore the AI provider and send 'Hello' again.	Answer received; student could retry.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-P-CHAT-09: AI unavailable handling [Version : 1]	
Keywords:	None	

1.2.Test Suite : TS-P2 Conversation History & Privacy (UC-S3-019/020)

Sidebar history, paging, delete, ownership. Techniques: BVA (5/6, 15/16 conversations), ST, DT.

Test Case US-48: Sidebar paging boundaries (5, 6 and 16 conversations) [Version : 1]		
Author:	parwar	
Summary: Sidebar paging boundaries (5, 6 and 16 conversations). **Test design technique:** BVA (page size 5, step 10) **Requirements:** REQ-P-CHAT-06		
Preconditions: Student A has exactly 5 conversations.		
#:	Step actions:	Expected Results:

1	Open /ai.	5 conversations, newest updated first; 'Showing 5 of 5'; no 'Load More'.
2	Create a 6th conversation and reload.	'Showing 5 of 6' and 'Load More' button.
3	Click 'Load More'.	'Showing 6 of 6'; 'Load More' disappears.
4	With 16 conversations reload and click 'Load More' once.	'Showing 15 of 16'; Load More again gives 'Showing 16 of 16'.
5	Call ai.getConversations with limit 0, 1, 100, 101.	0 and 101 rejected; 1 and 100 accepted.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-P-CHAT-06: Conversation history sidebar [Version : 1]	
Keywords:	None	

Test Case US-49: New Chat and untitled conversation [Version : 1]		
Author:	parwar	
Summary: New Chat and untitled conversation. **Test design technique:** EP (titled / untitled) **Requirements:** REQ-P-CHAT-06, REQ-P-CHAT-03		
Preconditions: Student A inside conversation /ai/<id>.		
#:	Step actions:	Expected Results:
1	Click 'New Chat'.	URL /ai; empty chat; previous conversation still in sidebar.
2	Call ai.createConversation with title '' (empty) via API, reload.	Conversation listed as 'Untitled Chat'.
3	Call ai.createConversation without title.	Conversation titled 'New Conversation', temperature 0.7.
4	Call ai.createConversation with temperature -0.1, 0, 2, 2.1.	-0.1 and 2.1 rejected; 0 and 2 accepted.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-P-CHAT-03: New conversation is created on first message [Version : 1] REQ-P-CHAT-06: Conversation history sidebar [Version : 1]	
Keywords:	None	

Test Case US-50: Delete conversation - confirm and cancel [Version : 1]	
Author:	parwar
Summary:	

Delete conversation - confirm and cancel.

Test design technique: ST (exists -> deleted), DT (OK / Cancel)

Requirements: REQ-P-CHAT-07

Preconditions:

Student A has conversation X with 4 messages, currently open.

#:	Step actions:	Expected Results:
1	Hover X in the sidebar, click the delete icon, choose Cancel in 'Delete this conversation? This action cannot be undone.'	Nothing deleted; X still listed.
2	Repeat and choose OK.	X removed from the sidebar; chat returns to a new empty chat at /ai.
3	Open /ai/<X id>.	No messages of X are shown (conversation and its 4 messages deleted).

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-P-CHAT-07: Delete a conversation [Version : 1]
Keywords:	None

Test Case US-51: User cannot read, continue or delete another user's conversation [Version : 1]

Author:	parwar

Summary:

User cannot read, continue or delete another user's conversation.

Test design technique: DT (actor = other user x action), security negative

Requirements: REQ-P-CHAT-08

Preconditions:

Student A owns conversation X (id known). Student B logged in.

#:	Step actions:	Expected Results:
1	As Student B look at the sidebar.	X is not listed.
2	As Student B call ai.getConversation with X's id.	NOT_FOUND 'Conversation not found'.
3	As Student B call ai.sendMessage on X with 'hi'.	NOT_FOUND 'Conversation not found'; no message added to X.
4	As Student B call ai.deleteConversation with X's id.	NOT_FOUND 'Conversation not found'; X still exists for Student A.
5	As Student B POST /api/chat with conversationId = X's id.	Student A's messages are not returned or changed (must not create or reuse X for Student B).

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-P-CHAT-08: Conversation privacy [Version : 1]

Keywords:	None

1.3.Test Suite : TS-P3 Generate AI Quiz (UC-S3-014)

Course > Quizzes > Generate Quiz. Techniques: UC, BVA (questions 0/1/5/50/51), EP (difficulty, types), DT (access).

Test Case US-52: Generate a quiz for own course (main flow) [Version : 1]		
Author:	parwar	
Summary: Generate a quiz for own course (main flow). **Test design technique:** Use case main flow, EP valid **Requirements:** REQ-P-QUIZ-01, REQ-P-QUIZ-04		
Preconditions: Student A logged in, owns SECJ3343; AI provider reachable.		
#:	Step actions:	Expected Results:
1	Open SECJ3343 > tab Quizzes.	'Course Quizzes' with 'Generate Quiz' button; list shows 'No quizzes yet'.
2	Click Generate Quiz.	Form: Topic *, Number of Questions = 10 (slider 5-50), Difficulty = Medium, Multiple Choice and True/False checked, Short Answer unchecked.
3	Topic 'Boundary Value Analysis', 10 questions, Medium; click Generate Quiz.	Button shows 'Generating...', fields disabled.
4	Wait for completion.	Toast 'Quiz generated successfully!'; quiz taker opens with '0 of 10 answered' and badge '10 questions'.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-QUIZ-01: Quiz generation form and limits [Version : 1] REQ-P-QUIZ-04: Successful generation is saved [Version : 1]	
Keywords:	None	

Test Case US-53: Topic is required [Version : 1]		
Author:	parwar	
Summary: Topic is required. **Test design technique:** EP invalid (empty / whitespace), BVA (length 0/1) **Requirements:** REQ-P-QUIZ-01		
Preconditions: Student A on Generate Quiz form of SECJ3343.		
#:	Step actions:	Expected Results:
1	Leave Topic empty and click Generate Quiz.	Toast 'Please enter a topic'; no request sent.
2	Topic = 3 spaces, Generate Quiz.	Toast 'Please enter a topic'.

3	Topic = 'X' (1 character), Generate Quiz.	Quiz generated (lower boundary valid).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-QUIZ-01: Quiz generation form and limits [Version : 1]	
Keywords:	None	

Test Case US-54: No question type selected [Version : 1]		
Author:	parwar	
Summary: No question type selected. **Test design technique:** DT (MC x TF x SA all unchecked) **Requirements:** REQ-P-QUIZ-02		
Preconditions: Student A on Generate Quiz form, topic 'Equivalence Partitioning'.		
#:	Step actions:	Expected Results:
1	Uncheck Multiple Choice and True/False (Short Answer unchecked), click Generate Quiz.	Toast 'Please select at least one question type'; no quiz generated.
2	Check only Short Answer, Generate Quiz.	Quiz generated with SHORT_ANSWER questions only.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-QUIZ-02: At least one question type [Version : 1]	
Keywords:	None	

Test Case US-55: Question count boundaries [Version : 1]		
Author:	parwar	
Summary: Question count boundaries. **Test design technique:** BVA (UI 5..50 step 5, API 1..50) **Requirements:** REQ-P-QUIZ-01		
Preconditions: Student A on Generate Quiz form, topic 'Decision Tables'.		
#:	Step actions:	Expected Results:
1	Drag slider to the far left.	Value shows 5 (cannot go lower; labels '5 questions' / '50 questions').
2	Generate with 5.	Quiz with 5 questions.
3	Drag slider to the far right and generate.	Value 50; quiz with 50 questions.

4	Call ai.generateQuiz with questionCount 0, 1, 50, 51.	0 and 51 rejected by validation; 1 and 50 accepted.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-P-QUIZ-01: Quiz generation form and limits [Version : 1]	
Keywords:	None	

Test Case US-56: Difficulty and question type partitions [Version : 1]		
Author:	parwar	
Summary:		
Difficulty and question type partitions. **Test design technique:** EP (easy / medium / hard; MC / TF / SA) **Requirements:** REQ-P-QUIZ-01, REQ-P-QUIZ-05		
Preconditions:		
Student A on Generate Quiz form.		
#:	Step actions:	Expected Results:
1	Generate 'SQL Joins', Easy, only True/False.	All questions show the options True and False.
2	Generate 'SQL Joins', Hard, only Multiple Choice.	All questions show radio options from the AI.
3	Call ai.generateQuiz with difficulty 'expert'.	Rejected by validation (only easy, medium, hard).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-P-QUIZ-01: Quiz generation form and limits [Version : 1] REQ-P-QUIZ-05: Taking a quiz [Version : 1]	
Keywords:	None	

Test Case US-57: Quiz generation access by course relation [Version : 1]		
Author:	parwar	
Summary:		
Quiz generation access by course relation. **Test design technique:** DT (owner / contributor / viewer / unrelated / unknown course) **Requirements:** REQ-P-QUIZ-03		
Preconditions:		
SECJ3343 owned by Student A; B CONTRIBUTOR, C VIEWER (both ACCEPTED); D unrelated.		
#:	Step actions:	Expected Results:
1	As Student B generate a quiz in SECJ3343.	Generated (accepted collaborator).
2	As Student C generate a quiz in SECJ3343.	Generated (viewer is an accepted collaborator).

3	As Student D call ai.generateQuiz with courseId of SECJ3343.	FORBIDDEN 'You don't have access to this course'; nothing saved.
4	As Student A call ai.generateQuiz with courseId 'does-not-exist'.	NOT_FOUND 'Course not found'.
5	As Student D call ai.generateQuiz with noteId of a SECJ3343 note; then with noteId 'nope'.	'You don't have access to this note'; then 'Note not found'.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-QUIZ-03: Course / note context access [Version : 1]	
Keywords:	None	

Test Case US-58: Invalid AI response is not saved [Version : 1]		
Author:	parwar	
Summary: Invalid AI response is not saved. **Test design technique:** EG (malformed JSON from AI) **Requirements:** REQ-P-QUIZ-04		
Preconditions: Student A on Generate Quiz form; AI stubbed to return plain text instead of JSON.		
#:	Step actions:	Expected Results:
1	Generate a quiz on 'Mutation testing'.	Toast 'Failed to generate quiz. The AI response was not in the expected format.'; form enabled again.
2	Open the Quizzes list.	No new quiz was added.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-P-QUIZ-04: Successful generation is saved [Version : 1]	
Keywords:	None	

1.4.Test Suite : TS-P4 Attempt Quiz & Grading (UC-S3-015)

Quiz taker and results. Techniques: ST (not started -> answering -> submitted), BVA on score bands, EP on answer matching.

Test Case US-59: Submit is enabled only when all questions are answered [Version : 1]		
Author:	parwar	
Summary: Submit is enabled only when all questions are answered. **Test design technique:** ST, BVA (answered n-1 / n) **Requirements:** REQ-P-QUIZ-05		
Preconditions: Student A opens a 5-question quiz 'BVA Quiz'.		
#:	Step actions:	Expected Results:

1	Look at the header and navigation.	'0 of 5 answered', '0% complete'; Previous disabled on question 1.
2	Answer questions 1-4 using Next.	'4 of 5 answered', '80% complete'; answered buttons show a check icon.
3	Go to question 5 without answering.	'Submit Quiz' disabled and text 'Please answer all questions before submitting'.
4	Answer question 5.	'5 of 5 answered', '100% complete'; Submit Quiz enabled.
5	Click Submit Quiz.	Button shows 'Submitting...', then the results page.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-QUIZ-05: Taking a quiz [Version : 1]	
Keywords:	None	

Test Case US-60: Score bands on the results page [Version : 1]		
Author:	parwar	
Summary: Score bands on the results page. **Test design technique:** BVA (scores 100, 90, 80, 70, 60, 50) **Requirements:** REQ-P-QUIZ-06		
Preconditions: Student A has a 10-question multiple-choice quiz with known correct answers.		
#:	Step actions:	Expected Results:
1	Submit with 10 correct.	Score 100%, 'Excellent!'.
2	Retake: 9 correct.	90%, 'Excellent!' (boundary 90).
3	Retake: 8 correct.	80%, 'Great job!'.
4	Retake: 7 correct.	70%, 'Good work!'.
5	Retake: 6 correct.	60%, 'Not bad!'.
6	Retake: 5 correct.	50%, 'Keep studying!'.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-P-QUIZ-06: Automatic grading and score [Version : 1]	
Keywords:	None	

Test Case US-61: Answer matching rules per question type [Version : 1]	
Author:	parwar

Summary: Answer matching rules per question type. **Test design technique:** EP (exact / different case / extra spaces) x type **Requirements:** REQ-P-QUIZ-06		
Preconditions: Quiz with Q1 SHORT_ANSWER correct 'Boundary Value Analysis', Q2 TRUE_FALSE correct 'True', Q3 MULTIPLE_CHOICE correct option 'B. Black-box'.		
#:	Step actions:	Expected Results:
1	Answer Q1 ' boundary value analysis ', Q2 True, Q3 option 'B. Black-box'; submit.	All 3 correct (short answer trimmed and case-insensitive); score 100%.
2	Retake: Q1 'BVA', others correct.	Q1 incorrect; score 66.67% shown rounded, not 66.666...%.
3	Retake on a quiz where the stored True/False answer is 'true' (lower case) and choose True.	Answer counted correct (True/False must not fail on letter case).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-QUIZ-06: Automatic grading and score [Version : 1]	
Keywords:	None	

Test Case US-62: Attempt is saved, best score and retake [Version : 1]	
Author:	parwar
Summary: Attempt is saved, best score and retake. **Test design technique:** ST (attempt 1 -> attempt 2), use case **Requirements:** REQ-P-QUIZ-07, REQ-P-QUIZ-06	
Preconditions: Student A has quiz 'BVA Quiz' with one attempt of 60%.	

#:	Step actions:	Expected Results:
1	On the results page click 'Retake Quiz' and score 80%.	New attempt saved with completion time; results 80%.
2	Go back to the Quizzes list.	'BVA Quiz' shows 'Best Score: 80%'; newest quiz listed first.
3	Open the attempts of 'BVA Quiz'.	Two attempts listed (80% newest, 60%).

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-P-QUIZ-06: Automatic grading and score [Version : 1] REQ-P-QUIZ-07: Quiz list and repeated attempts [Version : 1]
Keywords:	None

Test Case US-63: Another user's quiz cannot be opened, attempted or deleted [Version : 1]

Author:	parwar	
Summary: Another user's quiz cannot be opened, attempted or deleted. **Test design technique:** DT (actor = non-owner), security negative **Requirements:** REQ-P-QUIZ-08		
Preconditions: Student A owns quiz Q in SECJ3343; Student B (contributor) logged in.		
#:	Step actions:	Expected Results:
1	As Student B open SECJ3343 > Quizzes.	Q is not listed (list shows only B's quizzes).
2	As Student B call ai.getQuiz with Q's id.	NOT_FOUND 'Quiz not found'.
3	As Student B call ai.submitQuizAttempt for Q.	NOT_FOUND 'Quiz not found'; no attempt stored.
4	As Student B call ai.deleteQuiz for Q.	NOT_FOUND 'Quiz not found'; Q still exists.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-QUIZ-08: Quiz ownership and delete [Version : 1]	
Keywords:	None	

Test Case US-64: Delete own quiz [Version : 1]		
Author:	parwar	
Summary: Delete own quiz. **Test design technique:** ST (exists -> deleted), DT (OK / Cancel) **Requirements:** REQ-P-QUIZ-08, REQ-P-QUIZ-07		
Preconditions: Student A has exactly one quiz 'BVA Quiz' with 2 attempts.		
#:	Step actions:	Expected Results:
1	Click delete on 'BVA Quiz' and Cancel 'Are you sure you want to delete this quiz? This action cannot be undone.'	Quiz still listed.
2	Delete again and confirm.	Quiz removed; list shows 'No quizzes yet'.
3	Call ai.getQuiz with the old id.	'Quiz not found' (questions and attempts deleted too).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-P-QUIZ-07: Quiz list and repeated attempts [Version : 1] REQ-P-QUIZ-08: Quiz ownership and delete [Version : 1]	
Keywords:	None	

1.5.Test Suite : TS-P5 AI Study Plans (UC-S3-016/017)

Course > Study Plans. Techniques: UC, BVA (weeks 0/1/16/17, hours 0/1/40/41), ST (task open <-> done), DT.

Test Case US-65: Generate a study plan (main flow) [Version : 1]		
Author:	parwar	
Summary: Generate a study plan (main flow). **Test design technique:** Use case main flow, EP valid **Requirements:** REQ-P-PLAN-01, REQ-P-PLAN-03		
Preconditions: Student A owns SECJ3343; AI reachable; no study plans yet.		
#:	Step actions:	Expected Results:
1	Open SECJ3343 > Study Plans.	'Study Plans' header, 'Generate Plan' button, 'No study plans yet'.
2	Click Generate Plan.	Course preselected; Number of Weeks 4, Hours Per Week 5, Learning Goal (Optional), Target Deadline (Optional).
3	Weeks 4, Hours 10, goal 'Prepare for final exam', deadline today + 30 days; Generate.	Toast 'Study plan generated successfully!'; plan opens.
4	Check the plan.	4 weeks in order Week 1..4 each with tasks; 'Overall Progress' 0%; endDate = deadline, startDate = deadline - 28 days.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-PLAN-01: Study plan form and limits [Version : 1] REQ-P-PLAN-03: Generated plan is saved with weeks and tasks [Version : 1]	
Keywords:	None	

Test Case US-66: Weeks and hours boundaries [Version : 1]		
Author:	parwar	
Summary: Weeks and hours boundaries. **Test design technique:** BVA (weeks 0/1/16/17, hours 0/1/40/41) **Requirements:** REQ-P-PLAN-01		
Preconditions: Student A on Generate Study Plan for SECJ3343.		
#:	Step actions:	Expected Results:
1	Move Number of Weeks slider fully left, then fully right.	Minimum 1, maximum 16.
2	Move Hours Per Week slider fully left, then fully right.	Minimum 1, maximum 40.
3	Generate with weeks 1, hours 1.	Plan with exactly 1 week.

4	Generate with weeks 16, hours 40.	Plan with 16 weeks (Iteration 3 says max 12 - record deviation).
5	Call ai.generateStudyPlan with weekCount 0 and 17, hoursPerWeek 0 and 41.	All four rejected by validation.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-PLAN-01: Study plan form and limits [Version : 1]	
Keywords:	None	

Test Case US-67: Course is required and deadline cannot be in the past [Version : 1]		
Author:	parwar	
Summary: Course is required and deadline cannot be in the past. **Test design technique:** EP invalid (no course, past date), EG **Requirements:** REQ-P-PLAN-01, REQ-P-PLAN-03		
Preconditions: Student A opens Generate Study Plan from AI pages without a preselected course.		
#:	Step actions:	Expected Results:
1	Leave course empty.	Generate button disabled; a forced submit shows 'Please select a course'.
2	Open the deadline calendar.	Yesterday and earlier dates are disabled; today+1 can be picked.
3	Select SECJ3343, no goal, no deadline; Generate.	Plan created; stored prompt 'Study plan for course'; no start or end date.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-P-PLAN-01: Study plan form and limits [Version : 1] REQ-P-PLAN-03: Generated plan is saved with weeks and tasks [Version : 1]	
Keywords:	None	

Test Case US-68: Study plan access by course relation [Version : 1]		
Author:	parwar	
Summary: Study plan access by course relation. **Test design technique:** DT (owner / collaborator / unrelated / unknown course) **Requirements:** REQ-P-PLAN-02		
Preconditions: SECJ3343 owned by Student A; Student B ACCEPTED contributor; Student D unrelated.		
#:	Step actions:	Expected Results:

1	As Student B generate a plan for SECJ3343.	Generated.
2	As Student D call ai.generateStudyPlan with SECJ3343 id.	FORBIDDEN 'You don't have access to this course'.
3	As Student A call ai.generateStudyPlan with courseId 'does-not-exist'.	NOT_FOUND 'Course not found'.
4	AI stub returns invalid JSON; generate as Student A.	'Failed to generate study plan. The AI response was not in the expected format.'; nothing saved.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-PLAN-02: Course access for study plans [Version : 1]	
Keywords:	None	

Test Case US-69: Track task completion and progress [Version : 1]

Author:	parwar	
Summary:		
Track task completion and progress. **Test design technique:** ST (open -> done -> open), BVA (0%, 100%) **Requirements:** REQ-P-PLAN-04		
Preconditions:		
Student A has plan P: 2 weeks, 4 tasks each (8 tasks), none completed.		
#:	Step actions:	Expected Results:
1	Open P.	Overall Progress 0%; each Week Progress 0%.
2	Tick 1 task in week 1.	Toast 'Task updated'; Overall 13% (1/8 = 12.5 rounded); Week 1 25%.
3	Tick the other 3 tasks of week 1.	Week 1 Progress 100% and shown as complete; Overall 50%.
4	Untick one task of week 1.	Week 1 75%; Overall 38%; task completedAt cleared.
5	Tick all 8 tasks.	Overall Progress 100%.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-PLAN-04: Track progress [Version : 1]	
Keywords:	None	

Test Case US-70: Plan ownership and delete [Version : 1]

Author:	parwar
Summary:	
Plan ownership and delete. **Test design technique:** DT (actor x action), ST (exists -> deleted)	

Requirements: REQ-P-PLAN-05

Preconditions:

Student A has plan P (task T id known). Student B logged in.

#:	Step actions:	Expected Results:
1	As Student B call ai.updateStudyPlanTask on T.	NOT_FOUND 'Task not found'; T unchanged.
2	As Student B call ai.deleteStudyPlan on P.	NOT_FOUND 'Study plan not found'.
3	As Student A delete P and confirm 'Are you sure you want to delete this study plan? This action cannot be undone.'	P removed; if it was the only plan, 'No study plans yet'.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-P-PLAN-05: Plan ownership and delete [Version : 1]
Keywords:	None

Test Case US-71: Study plan survives course deletion [Version : 1]

Author:	parwar

Summary:

Study plan survives course deletion.

Test design technique: EG, EP (course deleted)

Requirements: REQ-P-PLAN-06

Preconditions:

Student A owns course 'Temp Course' with study plan P2.

#:	Step actions:	Expected Results:
1	Delete 'Temp Course'.	Course deleted.
2	Call ai.getStudyPlans without courseId.	P2 still returned with course = null (SET NULL as in Iteration 3); fails if P2 was cascade-deleted.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Low
Requirements	REQ-P-PLAN-06: Plan kept when the course is deleted [Version : 1]
Keywords:	None

1.6.Test Suite : TS-P6 Enhance Notes with AI (UC-S3-018)

POST /api/ai/generate-note. Techniques: EP (4 types + invalid), BVA (prompt 0/1/5000/5001), DT (role).

Test Case US-72: Each enhancement type returns content and is recorded [Version : 1]

Author:	parwar

Summary:

Each enhancement type returns content and is recorded.

Test design technique: EP (GENERATE / IMPROVE / SUMMARIZE / EXPAND)

Requirements: REQ-P-AIN-01, REQ-P-AIN-03

Preconditions:

Student A owns SECJ3343 with note page N 'Getting Started'.

#:	Step actions:	Expected Results:
1	POST /api/ai/generate-note {noteId: N, type: GENERATE, prompt: 'Black-box testing'}.	200 with success true, markdown generatedText, tokensUsed, generationId.
2	Repeat with IMPROVE, SUMMARIZE and EXPAND.	Each returns 200 and text matching the type.
3	Call ai.getNoteGenerations for N.	4 records newest first with types EXPAND, SUMMARIZE, IMPROVE, GENERATE.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-P-AIN-01: Enhancement request validation [Version : 1] REQ-P-AIN-03: Enhancement result and history [Version : 1]
Keywords:	None

Test Case US-73: Invalid enhancement requests [Version : 1]

Author:	parwar

Summary:

Invalid enhancement requests.

Test design technique: BVA (prompt 0/1/5000/5001), EP invalid type

Requirements: REQ-P-AIN-01

Preconditions:

Student A, note N.

#:	Step actions:	Expected Results:
1	prompt '' (0 chars).	400 'Invalid request'.
2	prompt 'a' (1) and prompt of 5000 chars.	Both 200.
3	prompt of 5001 chars.	400 'Invalid request'.
4	type 'TRANSLATE'.	400 'Invalid request'.
5	temperature 2.5.	400 'Invalid request'.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-P-AIN-01: Enhancement request validation [Version : 1]
Keywords:	None

Test Case US-74: Enhancement permission by role [Version : 1]

Author:	parwar

Summary:

Enhancement permission by role.

Test design technique: DT (owner / contributor / viewer / unrelated / logged out / unknown note)

Requirements: REQ-P-AIN-02, REQ-P-AIN-03

Preconditions:

Note N in SECJ3343; B contributor, C viewer, D unrelated.

#:	Step actions:	Expected Results:
1	As Student B, GENERATE on N.	200.
2	As Student C, GENERATE on N.	403 'Forbidden: You don't have permission to edit this note'.
3	As Student D, GENERATE on N.	403 'Forbidden: You don't have permission to edit this note'.
4	Logged out, GENERATE on N.	401 'Unauthorized'.
5	As Student A, noteId 'missing'.	404 'Note not found'.
6	As Student B call ai.getNoteGenerations for N.	Only Student B's generation listed (not Student A's).

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-P-AIN-02: Only owner or contributor can enhance a note [Version : 1] REQ-P-AIN-03: Enhancement result and history [Version : 1]
Keywords:	None

1.7.Test Suite : TS-P7 Collaborative Notes - Access & Roles (UC-S4-002)

Course > Notes card > /courses/<id>/notes. Techniques: DT (role x action), EP, EG.

Test Case US-75: Owner opens notes for the first time [Version : 1]

Author: parwar

Summary:

Owner opens notes for the first time.

Test design technique: Use case (UC-S4-002 steps 1-9), ST (no page -> first page)

Requirements: REQ-P-NOTE-01, REQ-P-NOTE-03

Preconditions:

Student A owns SECJ3343 which has no note pages.

#:	Step actions:	Expected Results:
1	Open SECJ3343 and click 'Open Collaborative Notes' on the Notes card.	Goes to /courses/<id>/notes and redirects to /courses/<id>/notes/<page id>.
2	Look at the page.	Page 'Getting Started' in sidebar 'Pages'; header 'SECJ3343 Software Quality Assurance', 'Collaborative Notes', badge OWNER.
3	Look at the editor.	Editable, 'All changes saved', 'Real-time collaboration active!' help text.

Execution type:	Manual

Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-P-NOTE-01: Open course notes [Version : 1] REQ-P-NOTE-03: Role-based editing (OWNER / CONTRIBUTOR / VIEWER) [Version : 1]
Keywords:	None

Test Case US-76: Viewer opens a course without pages [Version : 1]

Author:	parwar

Summary:

Viewer opens a course without pages.

Test design technique: EP (role VIEWER, no pages)

Requirements: REQ-P-NOTE-01

Preconditions:

Course 'Empty Notes Course' of Student A has no pages; Student C is ACCEPTED VIEWER.

#:	Step actions:	Expected Results:
1	As Student C open /courses/<id>/notes.	'No pages have been created yet. Ask a contributor or owner to create one.' and 'Back to Course'; no page created.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-P-NOTE-01: Open course notes [Version : 1]
Keywords:	None

Test Case US-77: Notes access by user relation [Version : 1]

Author:	parwar

Summary:

Notes access by user relation.

Test design technique: DT (owner / contributor / viewer / pending invite / unrelated / logged out / unknown course)

Requirements: REQ-P-NOTE-02

Preconditions:

SECJ3343 has pages; B CONTRIBUTOR, C VIEWER (ACCEPTED); Student D has a PENDING invitation only.

#:	Step actions:	Expected Results:
1	As Student B open the notes.	Opens, badge CONTRIBUTOR.
2	As Student C open the notes.	Opens, badge VIEWER.
3	As Student D open /courses/<id>/notes.	Redirected to /courses/<id>; notes not shown.
4	Logged out open the notes URL.	Redirected to /login.
5	As Student A open /courses/unknown-id/notes.	Redirected to /courses.

Execution type:	Manual
Estimated exec. duration (min):	

Importance:	High
Requirements	REQ-P-NOTE-02: Only course members can open notes [Version : 1]
Keywords:	None

Test Case US-78: Viewer is read-only (UI and server) [Version : 1]		
Author:	parwar	
Summary:		
Viewer is read-only (UI and server). **Test design technique:** DT (role = VIEWER column), security negative **Requirements:** REQ-P-NOTE-03, REQ-P-NOTE-07		
Preconditions:		
Student C is ACCEPTED VIEWER on SECJ3343; page 'Getting Started' exists.		
#:	Step actions:	Expected Results:
1	As Student C open the page.	Banner with eye icon 'Viewing in Read-Only Mode' ('You're a Viewer on this course...'); badge VIEWER; no '+' and no page menu.
2	Try to type in the editor and in the title.	Nothing can be typed; title field disabled.
3	POST /api/notes/create {courseId}.	403 'You don't have permission to create pages'.
4	PATCH /api/notes/<page id> {title: 'Hacked'}.	403 'You don't have permission to edit this page'.
5	DELETE /api/notes/<page id>.	403 'You don't have permission to delete this page'.
6	With the Liveblocks token from /api/liveblocks-auth, send a document change to the room.	Change rejected (read-only access); owner does not see it. Fails if token grants full access.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-P-NOTE-03: Role-based editing (OWNER / CONTRIBUTOR / VIEWER) [Version : 1] REQ-P-NOTE-07: Delete pages and server-side permission checks [Version : 1]	
Keywords:	None	

Test Case US-79: Liveblocks authentication endpoint [Version : 1]		
Author:	parwar	
Summary:		
Liveblocks authentication endpoint. **Test design technique:** EP / EG on /api/liveblocks-auth inputs **Requirements:** REQ-P-NOTE-02		
Preconditions:		
Page id P of SECJ3343 known.		
#:	Step actions:	Expected Results:
1	Logged out POST {room: P}.	401 'Unauthorized'.

2	As Student A POST {} (no room).	400 'Bad Request - Room ID missing'.
3	As Student A POST body 'not json'.	400 'Bad Request - Invalid JSON'.
4	As Student A POST {room: 'nope'}.	404 'Page not found'.
5	As Student D (unrelated) POST {room: P}.	403 'Forbidden'.
6	As Student B POST {room: P}.	200 with token; userInfo.role CONTRIBUTOR.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-P-NOTE-02: Only course members can open notes [Version : 1]	
Keywords:	None	

Test Case US-80: Unknown or other course page id [Version : 1]		
Author:	parwar	
Summary:		
Unknown or other course page id. **Test design technique:** EG, EP invalid page id **Requirements:** REQ-P-NOTE-01		
Preconditions:		
SECJ3343 first page P1; course 'Other' (also owned by A) with page Q.		
#:	Step actions:	Expected Results:
1	As Student A open /courses/<SECJ3343>/notes.	Redirected to P1.
2	Open /courses/<SECJ3343>/notes/does-not-exist.	Redirected to P1.
3	Open /courses/<SECJ3343>/notes/<Q>.	Redirected to P1 (page of another course not shown).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-P-NOTE-01: Open course notes [Version : 1]	
Keywords:	None	

1.8.Test Suite : TS-P8 Collaborative Notes - Real-Time Editing & Pages

Two browsers (A and B) on the same course. Techniques: UC, ST (online -> offline -> online), BVA (5/6 others), EG.

Test Case US-81: Two students edit the same page in real time [Version : 1]	
Author:	parwar
Summary:	
Two students edit the same page in real time. **Test design technique:** Use case (UC-S4-002 steps 10-27) **Requirements:** REQ-P-NOTE-04, REQ-P-NOTE-05	

Preconditions:

Student A (Chrome) and Student B (Firefox, CONTRIBUTOR) both on page 'Getting Started'.

#:	Step actions:	Expected Results:
1	A types heading 'Chapter 1: Introduction'.	B sees the text appear without reloading.
2	B clicks below and types 'Key Concepts:' and a bullet list.	A sees B's text; both documents identical.
3	Look at the Active Collaborators bar in both browsers.	Each shows own avatar ('<name> (You)') and the other user; '2 online'.
4	Both reload.	All text still present; 'All changes saved'.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-P-NOTE-04: Real-time synchronisation and persistence [Version : 1] REQ-P-NOTE-05: Presence of live collaborators [Version : 1]
Keywords:	None

Test Case US-82: Simultaneous edit of the same text converges [Version : 1]

Author:	parwar

Summary:

Simultaneous edit of the same text converges.

Test design technique: EG (concurrency), Iteration 4 A2

Requirements: REQ-P-NOTE-04

Preconditions:

A and B on the same page containing the word 'Testing'.

#:	Step actions:	Expected Results:
1	At the same time A types 'Unit ' before and B types ' Basics' after 'Testing'.	Both editors end with the same text (e.g. 'Unit Testing Basics'); no error, no lost characters.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-P-NOTE-04: Real-time synchronisation and persistence [Version : 1]
Keywords:	None

Test Case US-83: Presence list boundaries and leaving [Version : 1]

Author:	parwar

Summary:

Presence list boundaries and leaving.

Test design technique: BVA (5 / 6 other users), ST (online -> left)

Requirements: REQ-P-NOTE-05

Preconditions:

Student A on a page; 6 other course members available (owner/collaborator accounts).

#:	Step actions:	Expected Results:
1	5 others join.	5 other avatars shown, no '+'; '6 online'.
2	6th other joins.	5 avatars and '+1'; '7 online'.
3	Student B closes the browser.	B's avatar removed from A's bar; count decreases by 1.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Low
Requirements	REQ-P-NOTE-05: Presence of live collaborators [Version : 1]
Keywords:	None

Test Case US-84: Create page and nested sub-page [Version : 1]

Author:	parwar

Summary:

Create page and nested sub-page.

Test design technique: Use case (steps 28-38), ST

Requirements: REQ-P-NOTE-06

Preconditions:

Student A on SECJ3343 notes with page 'Getting Started'; Student B on the same course.

#:	Step actions:	Expected Results:
1	A clicks '+' next to 'Pages'.	Page 'Untitled' created after 'Getting Started' and opened.
2	A changes the title to 'Week 1 Notes' and presses Enter.	'Saving title...' then sidebar shows 'Week 1 Notes'.
3	A opens the menu of 'Week 1 Notes' and clicks 'Add sub-page'.	Child page 'Untitled' shown indented under 'Week 1 Notes'.
4	Collapse 'Week 1 Notes'.	Sub-page hidden; expand shows it again.
5	B refreshes the sidebar.	B sees 'Week 1 Notes' and its sub-page.
6	A types in the sub-page while B stays on 'Getting Started'.	B's page does not change (separate room).

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-P-NOTE-06: Create pages and nested sub-pages [Version : 1]
Keywords:	None

Test Case US-85: Delete a page with sub-pages [Version : 1]

Author:	parwar

Summary:

Delete a page with sub-pages.

Test design technique: ST (page -> deleted with children), DT (OK / Cancel)

Requirements: REQ-P-NOTE-07

Preconditions:

Student B (CONTRIBUTOR) on 'Week 1 Notes' which has one sub-page; 'Getting Started' is first page.

#:	Step actions:	Expected Results:
1	Delete 'Week 1 Notes' and Cancel 'Are you sure you want to delete this page?'	Nothing deleted.
2	Delete again and confirm.	'Week 1 Notes' and its sub-page removed; 'Getting Started' opens.
3	Open the old sub-page URL.	Redirected to 'Getting Started' (sub-page deleted by cascade).

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-P-NOTE-07: Delete pages and server-side permission checks [Version : 1]
Keywords:	None

Test Case US-86: Offline edits sync after reconnect [Version : 1]

Author:	parwar

Summary:

Offline edits sync after reconnect.

Test design technique: ST (online -> offline -> online), Iteration 4 A1

Requirements: REQ-P-NOTE-08, REQ-P-NOTE-04

Preconditions:

A and B on the same page.

#:	Step actions:	Expected Results:
1	B goes offline (DevTools > Network > Offline) and types 'offline line'.	B can keep typing; A does not see it yet.
2	A types 'online line' meanwhile.	A's text saved.
3	B goes back online.	Both see 'offline line' and 'online line'; documents identical.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-P-NOTE-04: Real-time synchronisation and persistence [Version : 1] REQ-P-NOTE-08: Network interruption [Version : 1]
Keywords:	None