TestLink

Test Specification

Test Project: UniShare
Test Suite: UniShare - Karoz - Course, Resource & Timetable Management (Iteration 3 UC1, Iteration 4 UC-S4-005)

Printed by TestLink on 26/10/2026

2026 Group UniShare

Table Of Contents

1.Karoz - Course, Resource & Timetable Management (Iteration 3 UC1, Iteration 4 UC-S4-005)

1.1.TS-K1 Create Course (UC-S3-001)

US-42: Create a course with title, description and colour (main flow)

US-43: Title length boundaries (0, 1, 100, 101 characters)

US-44: Whitespace-only and padded title

US-45: Description length boundaries (empty, 500, 501 characters)

US-46: Colour selection - each swatch

US-47: Colour format validation in the API

US-48: Four default resource cards are created

US-49: Duplicate course titles are allowed

US-50: Course creation blocked for visitors and PENDING students

US-51: course.create called without a session or with a PENDING session

1.2.TS-K2 Manage Courses

US-52: Course list shows owned and shared courses only

US-53: Course access by role

US-54: Owner edits title, description and colour

US-55: Non-owner cannot edit or open settings

US-56: Clearing the description when editing a course

US-57: Delete course - confirm and cancel

US-58: Non-owner cannot delete a course

US-59: Toggle favourite on and off

1.3.TS-K3 Resources & Files

US-60: Owner creates a custom resource card

US-61: Resource title and description boundaries

US-62: Deadline states: future, within 3 days, overdue

US-63: Create/update permission matrix

US-64: Delete resource - owner only, custom cards only in the UI

US-65: Attach files to a card that allows uploads

US-66: File upload refused for cards without uploads and invalid URLs

US-67: Upload limits: size, type and count

US-68: Remove a file from a card

1.4.TS-K4 Timetable (UC-S4-005)

US-69: Create a timetable (first-time and name boundaries)

US-70: Set, keep and lose the default timetable

US-71: Add a weekly class to the timetable (main flow)

US-72: Add Class with no favourite courses

US-73: API refuses classes for non-favourite courses

US-74: Class title and location length boundaries

US-75: End time must be after start time

US-76: Time conflict detection boundaries

US-77: Maximum 3 classes per course per day

US-78: Edit a class in the details dialog

US-79: Drag and resize a class in the calendar

US-80: Delete a class

US-81: Timetable role matrix (owner, contributor, viewer, outsider)

US-82: Invite a student to a timetable (search length, role, duplicates)

US-83: Timetable invitation lifecycle: accept, reject, leave

US-84: Class reminder is created at the configured time

US-85: Rename and delete a timetable (owner only)

Scope

UniShare - university course sharing platform (Next.js / tRPC / Prisma). Group project for SECJ3343 Project 1 (Aland, Karoz, Parwar, Rawa). Source: github.com/Seganation/unishare

1.Test Suite : Karoz - Course, Resource & Timetable Management (Iteration 3 UC1, Iteration 4 UC-S4-005)

Tester: Karoz
Software under test: UniShare (github.com/Seganation/unishare)
Test basis: UniShare_Iteration_3.md Use Case 1 (UC-S3-001) and UniShare_Iteration_4.md UC-S4-005, and the code that implements them: tRPC routers course.ts, resource.ts, timetable.ts; src/components/courses/course-form.tsx, src/components/resources/*, src/components/timetable/*, src/app/(student)/courses/*, src/app/(student)/timetable/page.tsx, src/app/api/uploadthing/core.ts, src/app/api/cron/class-reminders/route.ts, middleware.ts.
Techniques: Equivalence Partitioning (EP), Boundary Value Analysis (BVA), Decision Table (DT), State Transition (ST), Use Case / scenario testing (UC), Error Guessing (EG).

Common test data (prisma/seed.ts, all seeded passwords are *admin123*)
Student A - Sarah Ahmed (sarah@student.utm.my), APPROVED, Faculty of Computing. Owns "Data Structures & Algorithms" (John = accepted CONTRIBUTOR) and "Web Development"; accepted VIEWER of "Machine Learning" (owner John); favourites: Data Structures & Algorithms, Web Development, Machine Learning; default timetable "Fall 2024 Schedule" (John = accepted VIEWER, David = PENDING).
Student B - John Doe (john@student.utm.my), APPROVED. Owns "Machine Learning" and "Database Systems"; own timetable "Fall 2024 Schedule" on which Sarah is an accepted CONTRIBUTOR and Lisa has a PENDING invitation.
Student C - Michael Chen (michael@student.utm.my), APPROVED, Faculty of Engineering, no access to Sarah's courses.
Student D - Alice Wong (alice@student.utm.my), role PENDING (not approved).
Other approved students: David Kim, Lisa Martinez, Emily Rodriguez.
Fresh data used in the cases (created by the tester): course "SECJ3343 Software Quality Assurance" owned by Sarah; empty timetable "SQA Week" owned by Sarah; course colours = the 8 swatches of src/lib/course-colors.ts (Purple #a855f7, Blue #3b82f6, Green #10b981, Orange #f97316, Red #ef4444, Pink #ec4899, Teal #14b8a6, Indigo #6366f1).
API checks can be done with the browser DevTools console or a tRPC client logged in as the stated student (procedures course.*, resource.*, timetable.*).

1.1.Test Suite : TS-K1 Create Course (UC-S3-001)

Create-course form and API. Techniques: UC, BVA (title 100, description 500), EP (colour), DT, EG.

Test Case US-42: Create a course with title, description and colour (main flow) [Version : 1]		
Author:	karoz	
Summary: Create a course with title, description and colour (main flow). **Test design technique:** Use case (main flow), EP valid classes **Requirements:** REQ-CRS-01, REQ-CRS-02, REQ-CRS-03, REQ-CRS-05		
Preconditions: Student A (sarah@student.utm.my / admin123) logged in, role APPROVED, on /courses.		
#:	Step actions:	Expected Results:
1	Click 'Create New Course'.	Page 'Create New Course' opens at /courses/new with the form and the tip about 4 predefined resource cards.
2	Enter title 'SECJ3343 Software Quality Assurance' and description 'Test design techniques and TestLink'.	Both texts accepted; character counters update.
3	Leave the colour unchanged.	Purple is preselected ('Selected Color: Purple').
4	Click the create button.	Toast 'Course created successfully!'; redirect to /courses; the course is listed under 'My Courses' with a purple header.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-CRS-01: Course title validation [Version : 1] REQ-CRS-02: Course description validation [Version : 1] REQ-CRS-03: Course colour [Version : 1] REQ-CRS-05: Successful creation [Version : 1]
Keywords:	None

Test Case US-43: Title length boundaries (0, 1, 100, 101 characters) **[Version : 1]**

Author:	karoz

Summary:

Title length boundaries (0, 1, 100, 101 characters).

Test design technique: BVA

Requirements: REQ-CRS-01

Preconditions:

Student A on /courses/new, description empty, colour Purple.

#:	Step actions:	Expected Results:
1	Leave title empty and submit.	Not created; toast 'Please enter a course title'.
2	Enter 1 character 'A' and submit.	Course 'A' created (minimum length 1 accepted) - 'Course created successfully!'.
3	Open /courses/new, enter a 100-character title and submit.	Created; full 100-character title shown in the list.
4	Open /courses/new and type/paste a 101-character title.	Input stops at 100 characters (maxLength); counter shows 100/100.
5	Call course.create via API with a 101-character title.	Rejected by validation (too_big, max 100); no course created.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-CRS-01: Course title validation [Version : 1]
Keywords:	None

Test Case US-44: Whitespace-only and padded title **[Version : 1]**

Author:	karoz

Summary:

Whitespace-only and padded title.

Test design technique: Error guessing

Requirements: REQ-CRS-01

Preconditions:

Student A on /courses/new.

#:	Step actions:	Expected Results:

1	Enter 5 spaces as title and submit.	Toast 'Please enter a course title'; nothing created (title is trimmed).
2	Enter ' Networks ' (leading/trailing spaces) and submit.	Course created with title 'Networks' (trimmed).
3	Create a course titled 'C++ & Java "quotes"'.	Created; the title is displayed as plain text exactly as typed (no HTML rendering).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-CRS-01: Course title validation [Version : 1]	
Keywords:	None	

Test Case US-45: Description length boundaries (empty, 500, 501 characters) [Version : 1]		
Author:	karoz	
Summary: Description length boundaries (empty, 500, 501 characters). **Test design technique:** BVA **Requirements:** REQ-CRS-02		
Preconditions: Student A on /courses/new, valid title entered.		
#:	Step actions:	Expected Results:
1	Leave description empty and submit.	Course created without description.
2	Create another course with a 500-character description.	Created; description saved completely.
3	Type/paste a 501-character description.	Textarea stops at 500 characters (counter 500/500).
4	Call course.create via API with a 501-character description.	Rejected by validation (max 500); nothing created.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-CRS-02: Course description validation [Version : 1]	
Keywords:	None	

Test Case US-46: Colour selection - each swatch [Version : 1]	
Author:	karoz
Summary: Colour selection - each swatch. **Test design technique:** EP (8 swatches, default) **Requirements:** REQ-CRS-03	
Preconditions:	

Student A on /courses/new with title 'Colour test'.

#:	Step actions:	Expected Results:
1	Look at the colour section.	8 swatches: Purple, Blue, Green, Orange, Red, Pink, Teal, Indigo; Purple selected.
2	Click 'Select Teal color', submit.	Course created; course card header/colour is teal (#14b8a6).
3	Repeat for Blue (#3b82f6) and Indigo (#6366f1).	Each course shows the chosen colour; 'Selected Color' label matched the swatch before submit.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-CRS-03: Course colour [Version : 1]
Keywords:	None

Test Case US-47: Colour format validation in the API [Version : 1]

Author:	karoz

Summary:

Colour format validation in the API.

Test design technique: EP / BVA (valid and invalid hex strings)

Requirements: REQ-CRS-03

Preconditions:

Student A logged in; course.create callable from the browser console or a tRPC client.

#:	Step actions:	Expected Results:
1	Call course.create with color '#3B82F6' (upper-case).	Accepted (case-insensitive).
2	Call with color '#3b82f6' (lower-case).	Accepted.
3	Call with '#3B82F' (5 digits) and '#3B82F6A' (7 digits).	Both rejected: 'Invalid color format'.
4	Call with '3B82F6' (no #), '#GGGGGG' and ''.	All rejected: 'Invalid color format'; no course created.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-CRS-03: Course colour [Version : 1]
Keywords:	None

Test Case US-48: Four default resource cards are created [Version : 1]

Author:	karoz

Summary:

Four default resource cards are created.

Test design technique: Decision table (card x file-upload flag), use case

Requirements: REQ-CRS-04, REQ-CRS-05

Preconditions:

Student A just created course 'SECJ3343 Software Quality Assurance'.

#:	Step actions:	Expected Results:
1	Open the course from 'My Courses'.	Course page opens with role badge OWNER and the Resources tab.
2	Count the resource cards.	Exactly 4 cards: Assignments, Tasks, Content, Notes (in this order of creation).
3	Check the file buttons.	'Add Files' is shown on Assignments and Content only; Tasks and Notes have no file upload.
4	Inspect each card.	Cards without files show 'No files uploaded yet' / empty state; no delete button on any default card.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-CRS-04: Four default resource cards [Version : 1] REQ-CRS-05: Successful creation [Version : 1]
Keywords:	None

Test Case US-49: Duplicate course titles are allowed [Version : 1]

Author:	karoz

Summary:

Duplicate course titles are allowed.

Test design technique: Error guessing

Requirements: REQ-CRS-05

Preconditions:

Student A already owns 'SECJ3343 Software Quality Assurance'.

#:	Step actions:	Expected Results:
1	Create a second course with exactly the same title.	Created ('Course created successfully!').
2	Open /courses.	Two separate cards with the same title under 'My Courses', each with its own 4 resource cards.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Low
Requirements	REQ-CRS-05: Successful creation [Version : 1]
Keywords:	None

Test Case US-50: Course creation blocked for visitors and PENDING students [Version : 1]

Author:	karoz

Summary:

Course creation blocked for visitors and PENDING students.

Test design technique: Decision table (login state x role)

Requirements: REQ-CRS-06

Preconditions:		
Browser logged out. Student D (alice@student.utm.my / admin123) has role PENDING.		
#:	Step actions:	Expected Results:
1	Logged out, open /courses/new.	Redirected to /login.
2	Log in as Student D and open /courses/new.	Redirected to /waiting-approval; the form is not shown.
3	Logged in as Student D open /courses and /timetable.	Both redirect to /waiting-approval.
4	Log in as Student A and open /courses/new.	Form is shown (APPROVED allowed).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-CRS-06: Only approved, logged-in students can create courses [Version : 1]	
Keywords:	None	

Test Case US-51: course.create called without a session or with a PENDING session [Version : 1]		
Author:	karoz	
Summary:		
course.create called without a session or with a PENDING session. **Test design technique:** Error guessing (API bypass) **Requirements:** REQ-CRS-06		
Preconditions:		
Student D (PENDING) logged in; separately a logged-out client.		
#:	Step actions:	Expected Results:
1	Logged-out client calls course.create with a valid payload.	Rejected with UNAUTHORIZED; nothing created.
2	As Student D call course.create with a valid payload.	Expected per Iteration 3 A3: 403 FORBIDDEN 'Your account is pending approval'; no course created. (Code only checks the session, so the course is created - defect to report.)
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-CRS-06: Only approved, logged-in students can create courses [Version : 1]	
Keywords:	None	

1.2.Test Suite : TS-K2 Manage Courses

List, open, edit, delete and favourite a course. Techniques: DT (role x action), EP, ST, EG.

Test Case US-52: Course list shows owned and shared courses only [Version : 1]	
Author:	karoz
Summary:	
Course list shows owned and shared courses only.	

Test design technique: EP (owned / accepted shared / pending / other)

Requirements: REQ-MAN-01

Preconditions:

Seed data. Student A owns Data Structures & Algorithms and Web Development and is accepted VIEWER of Machine Learning (owner John).

#:	Step actions:	Expected Results:
1	Log in as Student A and open /courses.	'My Courses' contains Data Structures & Algorithms and Web Development.
2	Look at 'Shared With Me'.	Contains Machine Learning (owned by John). Database Systems / Operating Systems are not listed.
3	Log in as an approved student E who has no courses and open /courses.	Message 'No courses yet' with the create-course call to action.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-MAN-01: Course list: owned and shared [Version : 1]
Keywords:	None

Test Case US-53: Course access by role [Version : 1]

Author: karoz

Summary:

Course access by role.

Test design technique: Decision table (owner / contributor / viewer / outsider / unknown id)

Requirements: REQ-MAN-02

Preconditions:

Course 'Data Structures & Algorithms' (owner Sarah, John accepted CONTRIBUTOR). Michael has no relation to it.

#:	Step actions:	Expected Results:
1	Sarah opens the course.	Opens; badge OWNER; 'Add Custom Resource' and the three-dots menu (Course Settings, Manage Collaborators) visible.
2	John opens the course.	Opens; badge CONTRIBUTOR; 'Add Custom Resource' visible; no owner menu.
3	Sarah opens Machine Learning (she is VIEWER).	Opens; badge VIEWER; no 'Add Custom Resource' button.
4	Michael opens the Data Structures course URL.	Access refused: 'You don't have access to this course' (no course content shown).
5	Open /courses/does-not-exist as Sarah.	'Course Not Found' page with a 'Back to Courses' button (API: 'Course not found').

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-MAN-02: Course access control [Version : 1]

Keywords:	None

Test Case US-54: Owner edits title, description and colour [Version : 1]		
Author:	karoz	
Summary: Owner edits title, description and colour. **Test design technique:** Use case, EP **Requirements:** REQ-MAN-03		
Preconditions: Student A owns 'SECJ3343 Software Quality Assurance' (Purple).		
#:	Step actions:	Expected Results:
1	Course page > three-dots > Course Settings.	Settings page with tabs General and Danger Zone.
2	Change title to 'SECJ3343 SQA', description to 'Updated', colour to Green; save.	Toast 'Course updated successfully!'.
3	Return to /courses.	Card shows the new title and the green colour; resource cards unchanged (still 4).
4	Set title to 101 characters via API (course.update).	Rejected (max 100); course keeps its title.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-MAN-03: Edit course (owner only) [Version : 1]	
Keywords:	None	

Test Case US-55: Non-owner cannot edit or open settings [Version : 1]		
Author:	karoz	
Summary: Non-owner cannot edit or open settings. **Test design technique:** Decision table (role x action), negative **Requirements:** REQ-MAN-03		
Preconditions: John is CONTRIBUTOR and Sarah is VIEWER of other courses (seed); Michael has no access.		
#:	Step actions:	Expected Results:
1	John opens /courses/<DSA id>/settings.	Page shows 'Access Denied' and 'Only the course owner can access settings.'.
2	John calls course.update on the DSA course.	FORBIDDEN 'Only the course owner can update course details'; data unchanged.
3	Sarah (VIEWER of Machine Learning) calls course.update on it.	FORBIDDEN with the same message.
4	Call course.update with an unknown id.	NOT_FOUND 'Course not found'.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-MAN-03: Edit course (owner only) [Version : 1]
Keywords:	None

Test Case US-56: Clearing the description when editing a course [Version : 1]		
Author:	karoz	
Summary: Clearing the description when editing a course. **Test design technique:** Error guessing **Requirements:** REQ-MAN-03		
Preconditions: Student A's course 'SECJ3343 SQA' has description 'Updated'.		
#:	Step actions:	Expected Results:
1	Open Course Settings > General, delete the whole description text and save.	'Course updated successfully!'.
2	Reload the course/list.	Description is empty/removed. (Code sends undefined for an empty description, so the old text may remain - defect to report.)
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-MAN-03: Edit course (owner only) [Version : 1]	
Keywords:	None	

Test Case US-57: Delete course - confirm and cancel [Version : 1]		
Author:	karoz	
Summary: Delete course - confirm and cancel. **Test design technique:** State transition (exists -> deleted), use case **Requirements:** REQ-MAN-04		
Preconditions: Student A owns course 'To delete' with 1 custom resource; John is an accepted collaborator; Student A favourited it.		
#:	Step actions:	Expected Results:
1	Course Settings > Danger Zone > 'Delete Course Permanently'.	Browser confirm: 'Are you sure you want to delete "To delete"? This action cannot be undone and will delete all resources and collaborator access.'.
2	Click Cancel.	Course still exists; nothing changed.
3	Repeat and click OK.	Toast 'Course deleted successfully'; redirected away; course no longer in 'My Courses'.

4	Log in as John.	Course no longer under 'Shared With Me'; opening its old URL shows 'Course Not Found'.
5	Open Sarah's favourites / timetable course dropdown.	Deleted course not listed (favourite removed with the course).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-MAN-04: Delete course (owner only) [Version : 1]	
Keywords:	None	

Test Case US-58: Non-owner cannot delete a course [Version : 1]		
Author:	karoz	
Summary: Non-owner cannot delete a course. **Test design technique:** Decision table, negative **Requirements:** REQ-MAN-04		
Preconditions: John is CONTRIBUTOR of Sarah's 'Data Structures & Algorithms'.		
#:	Step actions:	Expected Results:
1	John calls course.delete with the course id.	FORBIDDEN 'Only the course owner can delete the course'; course still exists.
2	John opens the course page.	No settings/delete entry point is offered.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-MAN-04: Delete course (owner only) [Version : 1]	
Keywords:	None	

Test Case US-59: Toggle favourite on and off [Version : 1]		
Author:	karoz	
Summary: Toggle favourite on and off. **Test design technique:** State transition (not favourite <-> favourite) **Requirements:** REQ-MAN-05		
Preconditions: Student A has not favourited the new SQA course.		
#:	Step actions:	Expected Results:
1	Click the star on the course page.	Toast 'Added to favorites'; star filled yellow.
2	Open Timetable > Add Class.	The course now appears in the course dropdown.

3	Click the star again.	Toast 'Removed from favorites'; star empty; course no longer in the Add Class dropdown.
4	Student B opens the same course (if shared) and checks the star.	Student B's star is independent of Student A's.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-MAN-05: Favourite toggle [Version : 1]	
Keywords:	None	

1.3.Test Suite : TS-K3 Resources & Files

Custom resource cards, permissions, deadlines and file uploads. Techniques: BVA, DT, EP, EG.

Test Case US-60: Owner creates a custom resource card [Version : 1]		
Author:	karoz	
Summary: Owner creates a custom resource card. **Test design technique:** Use case (main flow) **Requirements:** REQ-RES-01, REQ-RES-02		
Preconditions: Student A owns SECJ3343 SQA course (4 default cards).		
#:	Step actions:	Expected Results:
1	Click 'Add Custom Resource'.	Dialog 'Create Custom Resource' opens; 'Allow File Uploads' is ON, 'Set a Deadline' OFF.
2	Enter title 'Midterm Exam Study Guide' and description 'Chapters 1-5'; click create.	Toast 'Resource created successfully!'; dialog closes.
3	Look at the grid.	5 cards; the new card 'Midterm Exam Study Guide' with a delete button and 'Add Files' button.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-RES-01: Create custom resource card [Version : 1] REQ-RES-02: Who may create or update resources [Version : 1]	
Keywords:	None	

Test Case US-61: Resource title and description boundaries [Version : 1]	
Author:	karoz
Summary: Resource title and description boundaries. **Test design technique:** BVA (title 0/1/100/101; description 500/501) **Requirements:** REQ-RES-01	

Preconditions: Student A in the 'Create Custom Resource' dialog.		
#:	Step actions:	Expected Results:
1	Leave title empty and submit.	Not created (required field / toast 'Please enter a title').
2	Create resource with a 1-character title and one with a 100-character title.	Both created.
3	Type a 101-character title.	Field stops at 100 characters.
4	Call resource.create with a 101-character title and with a 501-character description.	Both rejected by validation; nothing created.
5	Create a resource with a 500-character description.	Created.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-RES-01: Create custom resource card [Version : 1]	
Keywords:	None	

Test Case US-62: Deadline states: future, within 3 days, overdue [Version : 1]		
Author:	karoz	
Summary: Deadline states: future, within 3 days, overdue. **Test design technique:** BVA/EP (deadline = +4 days, +2 days, -1 day) **Requirements:** REQ-RES-07, REQ-RES-01		
Preconditions: Student A owns the SQA course; today's date known.		
#:	Step actions:	Expected Results:
1	Create resource 'D1' with 'Set a Deadline' = today + 4 days.	Card shows 'Due: <date> at <time>' in neutral colour, no 'Soon' badge.
2	Create resource 'D2' with deadline today + 2 days.	Card shows 'Due: ...' with amber style and badge 'Soon'.
3	Update 'D3' via resource.update with a deadline yesterday.	Card shows 'Overdue: <date>' in red, no 'Soon' badge.
4	Create a resource without a deadline.	No deadline badge.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-RES-01: Create custom resource card [Version : 1] REQ-RES-07: Deadline display [Version : 1]	
Keywords:	None	

Test Case US-63: Create/update permission matrix [Version : 1]		
Author:	karoz	
Summary: Create/update permission matrix. **Test design technique:** Decision table (role x action) **Requirements:** REQ-RES-02		
Preconditions: Course DSA: owner Sarah, John accepted CONTRIBUTOR. Course Machine Learning: owner John, Sarah accepted VIEWER. Michael unrelated.		
#:	Step actions:	Expected Results:
1	John (CONTRIBUTOR) creates a custom resource in DSA.	Allowed - 'Resource created successfully!'.
2	John updates the title of a resource in DSA.	Allowed.
3	Sarah (VIEWER) opens Machine Learning.	No 'Add Custom Resource' button.
4	Sarah calls resource.create for Machine Learning.	FORBIDDEN 'Only course owner and contributors can create resources'.
5	Sarah calls resource.update on a Machine Learning resource.	FORBIDDEN 'Only course owner and contributors can update resources'.
6	Michael calls resource.create for DSA; call resource.create with an unknown courseId.	FORBIDDEN (same message); 'Course not found'.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-RES-02: Who may create or update resources [Version : 1]	
Keywords:	None	

Test Case US-64: Delete resource - owner only, custom cards only in the UI [Version : 1]		
Author:	karoz	
Summary: Delete resource - owner only, custom cards only in the UI. **Test design technique:** Decision table (role x card type) **Requirements:** REQ-RES-03		
Preconditions: Course DSA: owner Sarah, John CONTRIBUTOR; it has a CUSTOM card 'Extra' and the 4 default cards.		
#:	Step actions:	Expected Results:
1	Sarah looks at the default cards (Assignments, Tasks, Content, Notes).	No delete button on them.
2	Sarah clicks delete on 'Extra'.	Confirm 'Are you sure you want to delete this resource?'; Cancel keeps the card.
3	Click delete again and confirm.	Toast 'Resource deleted successfully'; card removed.

4	John (CONTRIBUTOR) opens the course.	No delete button on any card.
5	John calls resource.delete for a resource of DSA.	FORBIDDEN 'Only the course owner can delete resources'; resource still exists.
6	Call resource.delete with an unknown id.	NOT_FOUND 'Resource not found'.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-RES-03: Delete resource (owner only) [Version : 1]	
Keywords:	None	

Test Case US-65: Attach files to a card that allows uploads [Version : 1]		
Author:	karoz	
Summary: Attach files to a card that allows uploads. **Test design technique:** Use case, DT (allowFiles x role) **Requirements:** REQ-RES-04		
Preconditions: Student A owns the SQA course; Assignments card allows files. File week1.pdf (1 MB) available. John is CONTRIBUTOR of DSA.		
#:	Step actions:	Expected Results:
1	Click 'Add Files' on Assignments, drop week1.pdf and upload.	Progress shown; toast 'Successfully uploaded 1 file!' then 'Files added successfully'.
2	Look at the card.	week1.pdf listed as a file link; the button now reads 'Add More Files'.
3	John uploads a file to a DSA card that allows files.	Allowed; file listed.
4	A VIEWER (Sarah in Machine Learning) looks at a card.	No 'Add Files' button; existing files can be opened/downloaded.
5	Sarah calls resource.addFile for a Machine Learning resource.	FORBIDDEN 'You don't have permission to add files to this resource'.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-RES-04: Attach files to a card [Version : 1]	
Keywords:	None	

Test Case US-66: File upload refused for cards without uploads and invalid URLs [Version : 1]	
Author:	karoz
Summary: File upload refused for cards without uploads and invalid URLs. **Test design technique:** EP (allowFiles false / invalid URL), error guessing	

Requirements: REQ-RES-04

Preconditions:

Student A owns the SQA course; Tasks card has allowFiles = false; Assignments allows files.

#:	Step actions:	Expected Results:
1	Open the Tasks card.	No 'Add Files' button is offered.
2	Call resource.addFile on the Tasks card.	BAD_REQUEST 'This resource does not allow file uploads'.
3	Call resource.addFile on Assignments with fileUrls 'not-a-url'.	Rejected by validation (invalid url); no file stored.
4	Call resource.addFile with an array of two valid URLs.	Both URLs added; card lists 2 files.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-RES-04: Attach files to a card [Version : 1]
Keywords:	None

Test Case US-67: Upload limits: size, type and count [Version : 1]

Author:	karoz

Summary:

Upload limits: size, type and count.

Test design technique: BVA (16MB-1, 16MB, 16MB+1; 10/11 files; video 64MB; zip 32MB) and EP (types)

Requirements: REQ-RES-05

Preconditions:

Student A on 'Add Files' of an upload-enabled card. Test files prepared: pdf 15.9MB, pdf 16MB, pdf 16.1MB, mp4 64MB, mp4 65MB, zip 32MB, zip 33MB, .exe 1MB, 10 and 11 small PDFs.

#:	Step actions:	Expected Results:
1	Upload the 15.9MB and the 16MB PDF.	Both accepted.
2	Upload the 16.1MB PDF.	Rejected: toast 'Failed to upload files: ...' (file too large); file marked error.
3	Upload the 64MB mp4, then the 65MB mp4.	64MB accepted; 65MB rejected.
4	Upload the 32MB zip, then the 33MB zip.	32MB accepted; 33MB rejected.
5	Upload the .exe file.	Rejected (type not allowed).
6	Upload 10 small PDFs together, then 11.	10 accepted; 11 rejected (max file count).
7	Log out and call the upload endpoint courseResourceUploader.	Rejected 'Unauthorized'.

Execution type:	Manual
Estimated exec. duration (min):	

Importance:	High
Requirements	REQ-RES-05: Upload size, type and count limits [Version : 1]
Keywords:	None

Test Case US-68: Remove a file from a card [Version : 1]		
Author:	karoz	
Summary: Remove a file from a card. **Test design technique:** DT (role x action) **Requirements:** REQ-RES-06		
Preconditions: Assignments card of the SQA course holds files A and B; John is not a collaborator; Sarah (course DSA) is not CONTRIBUTOR of SQA.		
#:	Step actions:	Expected Results:
1	Owner calls resource.removeFile with the URL of file A.	Card now lists only file B; A is gone.
2	A VIEWER or outsider calls resource.removeFile for file B.	FORBIDDEN 'You don't have permission to remove files from this resource'; B stays.
3	Owner calls removeFile with a valid URL that is not on the card.	No change, no error; list unchanged.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-RES-06: Remove a file [Version : 1]	
Keywords:	None	

1.4.Test Suite : TS-K4 Timetable (UC-S4-005)

Timetables and weekly classes. Techniques: UC, BVA (time ranges, 3 per day, names), DT (roles), ST (invitation).

Test Case US-69: Create a timetable (first-time and name boundaries) [Version : 1]		
Author:	karoz	
Summary: Create a timetable (first-time and name boundaries). **Test design technique:** Use case + BVA (name 0/1/100/101, description 500/501) **Requirements:** REQ-TT-01		
Preconditions: Approved student E without any timetable (or Student A for the boundary steps).		
#:	Step actions:	Expected Results:
1	Student E opens /timetable.	'No Timetables Yet' and button 'Create Your First Timetable'.
2	Create timetable 'SQA Week' with description 'Semester 1'.	Timetable created and listed under 'My Timetables'; calendar week view shown (Monday-Sunday columns).

3	As Student A open Create Timetable and submit an empty name.	Not submitted (required field); API 'Name is required'.
4	Create timetables named with 1 and with 100 characters.	Both created.
5	Type 101 characters in the name; call timetable.create with a 501-character description.	Name field stops at 100; API rejects the 501-character description.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-TT-01: Create timetable [Version : 1]	
Keywords:	None	

Test Case US-70: Set, keep and lose the default timetable [Version : 1]		
Author:	karoz	
Summary: Set, keep and lose the default timetable. **Test design technique:** State transition (not default -> default -> cleared) **Requirements:** REQ-TT-02		
Preconditions: Student A has default 'Fall 2024 Schedule' and the new owned timetable 'SQA Week'.		
#:	Step actions:	Expected Results:
1	Open /timetable.	'Fall 2024 Schedule' is selected first and has the 'Default' badge.
2	Select 'SQA Week' > Timetable Settings > 'Set as Default'.	Button becomes 'Currently Default' (disabled); badge 'Default' moves to 'SQA Week'.
3	Reload /timetable.	'SQA Week' opens first.
4	Delete 'SQA Week' (Delete Timetable, confirm).	Default is cleared; /timetable falls back to the first owned timetable.
5	Student C calls timetable.setDefaultTimetable with Sarah's timetable id.	FORBIDDEN 'You don't have access to this timetable'.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-TT-02: Default timetable [Version : 1]	
Keywords:	None	

Test Case US-71: Add a weekly class to the timetable (main flow) [Version : 1]	
Author:	karoz
Summary: Add a weekly class to the timetable (main flow). **Test design technique:** Use case, EP valid classes	

Requirements: REQ-TT-03, REQ-TT-04

Preconditions:

Student A owns empty timetable 'SQA Week' (selected); favourites include Data Structures & Algorithms.

#:	Step actions:	Expected Results:
1	Click 'Add Class'.	Modal 'Add Class' with Course, Title, Day of Week, Start Time, End Time, Location (Optional).
2	Open the Course dropdown.	Only favourites listed (Data Structures & Algorithms, Web Development, Machine Learning); hint 'Only your favorited courses are shown'.
3	Select Data Structures & Algorithms, title 'Application Development Lecture', Monday, 08:00-10:00, location 'Room 301'; click 'Add Class'.	Modal closes without error.
4	Look at the week view.	Class shown on Monday 08:00-10:00 in the course colour (blue); clicking it opens 'Class Details' with Course, Day Monday, Time 08:00 - 10:00, Location Room 301.
5	Move to the next week.	The same class appears again on Monday (weekly recurring).

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	High
Requirements	REQ-TT-03: Only favourite courses can be scheduled [Version : 1] REQ-TT-04: Class event data [Version : 1]
Keywords:	None

Test Case US-72: Add Class with no favourite courses [Version : 1]

Author:	karoz

Summary:

Add Class with no favourite courses.

Test design technique: EP (no favourites)

Requirements: REQ-TT-03

Preconditions:

Student E owns a timetable but has no favourite courses.

#:	Step actions:	Expected Results:
1	Click 'Add Class'.	Notice 'No Favorite Courses' / 'You need to favorite courses before adding them to your timetable'; no form.
2	Click 'Go to Courses'.	Modal closes.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-TT-03: Only favourite courses can be scheduled [Version : 1]
Keywords:	None

Test Case US-73: API refuses classes for non-favourite courses [Version : 1]		
Author:	karoz	
Summary: API refuses classes for non-favourite courses. **Test design technique:** Error guessing (API bypass) **Requirements:** REQ-TT-03		
Preconditions: Student A owns 'SQA Week'; course 'SECJ3343 SQA' is NOT a favourite of A.		
#:	Step actions:	Expected Results:
1	Call timetable.createEvent for 'SQA Week' with that course, Monday 13:00-14:00.	BAD_REQUEST 'You can only add favorited courses to your timetable'; no event.
2	Favourite the course (star) and repeat the call.	Event created.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-TT-03: Only favourite courses can be scheduled [Version : 1]	
Keywords:	None	

Test Case US-74: Class title and location length boundaries [Version : 1]		
Author:	karoz	
Summary: Class title and location length boundaries. **Test design technique:** BVA (title 0/1/100/101, location 100/101) **Requirements:** REQ-TT-04		
Preconditions: Student A, 'SQA Week' selected, favourite course available.		
#:	Step actions:	Expected Results:
1	Leave Title empty.	'Add Class' stays disabled (title required).
2	Add classes with a 1-character title and with a 100-character title on different days.	Both added.
3	Type 101 characters into Title and Location.	Both inputs stop at 100 characters.
4	Call timetable.createEvent with a 101-character title, then with a 101-character location.	Both rejected by validation.
5	Call timetable.createEvent with dayOfWeek -1 and 7.	Both rejected (valid range 0-6); dayOfWeek 0 (Sunday) and 6 (Saturday) accepted.
6	Call timetable.createEvent with startTime '9:00' and '0900'.	Rejected 'Invalid time format (HH:MM)'.
Execution type:	Manual	

Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-TT-04: Class event data [Version : 1]
Keywords:	None

Test Case US-75: End time must be after start time [Version : 1]		
Author:	karoz	
Summary:		
End time must be after start time. **Test design technique:** BVA (end = start-1min, = start, = start+1min) and error guessing **Requirements:** REQ-TT-05		
Preconditions:		
Student A in 'Add Class' with course and title filled, Tuesday, start 10:00.		
#:	Step actions:	Expected Results:
1	Set end time 09:59.	Red message 'End time must be after start time'; 'Add Class' disabled.
2	Set end time 10:00.	Same message and disabled (equal times invalid).
3	Set end time 10:01.	No message; 'Add Class' enabled; class (10:00-10:01) can be added.
4	Call timetable.createEvent with startTime '10:00', endTime '09:00'.	Expected: rejected. (API has no check and stores it - defect to report.)
5	Call timetable.createEvent with startTime '99:99'.	Expected: rejected as invalid time. (Only the regexp ^\d{2}:\d{2}$ is checked - defect to report.)
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-TT-05: End time must be after start time [Version : 1]	
Keywords:	None	

Test Case US-76: Time conflict detection boundaries [Version : 1]		
Author:	karoz	
Summary:		
Time conflict detection boundaries. **Test design technique:** BVA (overlap by 1 minute, back-to-back, other day) **Requirements:** REQ-TT-06		
Preconditions:		
'SQA Week' has 'App Dev Lecture' Monday 08:00-10:00 (course DSA).		
#:	Step actions:	Expected Results:
1	Add class Monday 09:00-11:00 (Web Development).	Message 'Time conflict detected' and 'Overlaps with App Dev Lecture (08:00 - 10:00)'; 'Add Class' disabled.

2	Change to Monday 09:59-11:00.	Still a conflict (1-minute overlap).
3	Change to Monday 10:00-12:00.	No conflict (back-to-back allowed); class can be added.
4	Change to Monday 06:00-08:00.	No conflict (ends exactly at 08:00).
5	Change the day to Tuesday 08:00-10:00.	No conflict on another weekday; can be added.
6	Add a class fully inside 08:30-09:00 on Monday.	Conflict reported (contained interval).
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-TT-06: Time conflict detection [Version : 1]	
Keywords:	None	

Test Case US-77: Maximum 3 classes per course per day [Version : 1]		
Author:	karoz	
Summary: Maximum 3 classes per course per day. **Test design technique:** BVA (0, 1, 2, 3 existing classes) **Requirements:** REQ-TT-07, REQ-TT-06		
Preconditions: 'SQA Week' empty; favourite course Web Development.		
#:	Step actions:	Expected Results:
1	Add Web Development class Wednesday 08:00-09:00.	Added (0 existing).
2	Open Add Class again, pick Web Development, Wednesday.	Info 'This course has 1 class on this day. You can add 2 more.'.
3	Add Wednesday 09:00-10:00; then open the form again.	Info 'This course has 2 classes on this day. You can add 1 more.'.
4	Add Wednesday 10:00-11:00 (the 3rd).	Added.
5	Open the form for Web Development, Wednesday, 12:00-13:00.	Orange message 'Maximum 3 classes per course per day. This course already has 3 classes on this day.'; 'Add Class' disabled.
6	Select Thursday for the same course.	Message disappears; class can be added.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-TT-06: Time conflict detection [Version : 1] REQ-TT-07: Maximum 3 classes per course per day [Version : 1]	
Keywords:	None	

Test Case US-78: Edit a class in the details dialog [Version : 1]		
Author:	karoz	
Summary: Edit a class in the details dialog. **Test design technique:** Use case (alternative flow A1), BVA **Requirements:** REQ-TT-08, REQ-TT-05, REQ-TT-06		
Preconditions: 'SQA Week' has 'App Dev Lecture' Monday 08:00-10:00 and 'Lab' Monday 10:00-12:00.		
#:	Step actions:	Expected Results:
1	Click 'App Dev Lecture' > Edit Class.	Dialog 'Edit Class' with current values.
2	Change location to 'Room 302' and Save Changes.	Saved; Class Details shows Room 302.
3	Change end time to 10:01 (overlaps 'Lab').	'Time conflict detected' / 'Overlaps with Lab (10:00 - 12:00)'; Save Changes disabled.
4	Change end time to 10:00 again.	No conflict (the class itself is ignored; back-to-back OK); Save works.
5	Change end time before start time.	'End time must be after start time'; Save disabled.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-TT-05: End time must be after start time [Version : 1] REQ-TT-06: Time conflict detection [Version : 1] REQ-TT-08: Edit and move a class [Version : 1]	
Keywords:	None	

Test Case US-79: Drag and resize a class in the calendar [Version : 1]		
Author:	karoz	
Summary: Drag and resize a class in the calendar. **Test design technique:** Error guessing (UI gestures) **Requirements:** REQ-TT-08		
Preconditions: 'SQA Week' has Monday 08:00-10:00 'App Dev Lecture' and Tuesday 08:00-10:00 'Lab'.		
#:	Step actions:	Expected Results:
1	Drag 'App Dev Lecture' to Wednesday 08:00.	Moved; class now on Wednesday 08:00-10:00.
2	Drag 'Lab' to overlap the lecture on Wednesday.	Alert 'Cannot move event: Time conflict with another class'; Lab stays on Tuesday.
3	Resize the lecture so it overlaps another class on its day.	Alert 'Cannot resize event: Time conflict with another class'; unchanged.

4	Resize it to 08:00-11:00 where free.	Saved; Class Details shows 08:00 - 11:00.
5	As a VIEWER try to drag a class.	Not draggable / no change.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-TT-08: Edit and move a class [Version : 1]	
Keywords:	None	

Test Case US-80: Delete a class [Version : 1]		
Author:	karoz	
Summary: Delete a class. **Test design technique:** Use case (alternative flow A2), state transition **Requirements:** REQ-TT-09		
Preconditions: 'SQA Week' has class 'Lab' on Tuesday.		
#:	Step actions:	Expected Results:
1	Click 'Lab' > Delete.	Confirmation 'Delete this class?' with 'Yes, Delete' and 'Cancel'.
2	Click Cancel.	Class still on the calendar.
3	Delete again and click 'Yes, Delete'.	Class disappears from this and all other weeks.
4	Call timetable.deleteEvent with the deleted id.	NOT_FOUND 'Event not found'.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-TT-09: Delete a class [Version : 1]	
Keywords:	None	

Test Case US-81: Timetable role matrix (owner, contributor, viewer, outsider) [Version : 1]		
Author:	karoz	
Summary: Timetable role matrix (owner, contributor, viewer, outsider). **Test design technique:** Decision table (role x action) **Requirements:** REQ-TT-10, REQ-TT-08, REQ-TT-09		
Preconditions: Seed: John's 'Fall 2024 Schedule' - Sarah CONTRIBUTOR (accepted). Sarah's 'Fall 2024 Schedule' - John VIEWER (accepted). Michael has no access to either.		
#:	Step actions:	Expected Results:

1	Sarah opens John's timetable under 'Shared with Me'.	Role shown as Contributor; 'Add Class' available; she can add, edit and delete a class.
2	John opens Sarah's timetable under 'Shared with Me'.	Role shown as Viewer; no 'Add Class'; classes only viewable.
3	John calls timetable.createEvent / updateEvent / deleteEvent on Sarah's timetable.	FORBIDDEN 'You don't have permission to add events to this timetable' / '... update this event' / '... delete this event'.
4	Michael calls timetable.getById for Sarah's timetable.	FORBIDDEN 'You don't have access to this timetable'.
5	Call timetable.getById with an unknown id.	NOT_FOUND 'Timetable not found'.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-TT-08: Edit and move a class [Version : 1] REQ-TT-09: Delete a class [Version : 1] REQ-TT-10: Timetable permissions [Version : 1]	
Keywords:	None	

Test Case US-82: Invite a student to a timetable (search length, role, duplicates) [Version : 1]		
Author:	karoz	
Summary: Invite a student to a timetable (search length, role, duplicates). **Test design technique:** BVA (query 2/3 chars), EP (roles), error guessing **Requirements:** REQ-TT-11		
Preconditions: Student A owns 'SQA Week'. Alice (PENDING) and Emily are in the database; David already has a PENDING invitation to Sarah's 'Fall 2024 Schedule'.		
#:	Step actions:	Expected Results:
1	Select 'SQA Week' > Share.	Dialog with 'Invite as' Viewer/Contributor and 'Search for students' (min 3 characters).
2	Type 'em'.	No search is run; hint 'Type at least 3 characters to search'.
3	Type 'ema'.	Results include Emily Rodriguez; Student A herself is not listed.
4	Search 'ali'.	Alice Wong (PENDING, not approved) is not listed.
5	Choose Contributor and click Invite for Emily.	Invitation created (PENDING); Emily gets notification 'New timetable invitation: Sarah Ahmed invited you to collaborate on SQA Week'.
6	Call timetable.inviteCollaborator again for Emily.	BAD_REQUEST 'User already invited'.
7	Call inviteCollaborator with Sarah's own user id.	BAD_REQUEST 'You can't invite yourself'.

8	John (not owner) calls inviteCollaborator for 'SQA Week'.	FORBIDDEN 'Only the owner can invite collaborators'.
9	Call timetable.searchUsers with query 'ab'.	Rejected 'Search query must be at least 3 characters'.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-TT-11: Invite students to a timetable [Version : 1]	
Keywords:	None	

Test Case US-83: Timetable invitation lifecycle: accept, reject, leave [Version : 1]

Author:	karoz	
Summary:		
Timetable invitation lifecycle: accept, reject, leave. **Test design technique:** State transition (PENDING -> ACCEPTED/REJECTED; ACCEPTED -> left) **Requirements:** REQ-TT-12, REQ-TT-02		
Preconditions:		
Sarah's timetable has a PENDING invitation for David (seed); Lisa has a PENDING invitation on John's timetable; Emily was invited to 'SQA Week' as Contributor.		
#:	Step actions:	Expected Results:
1	David opens /courses.	'Timetable Invitations' lists Sarah's 'Fall 2024 Schedule' with Accept and Reject.
2	David clicks Accept.	Timetable appears under 'Shared with Me' in /timetable; Sarah gets 'Invitation accepted: David Kim accepted your invitation to Fall 2024 Schedule'.
3	Lisa clicks Reject.	Invitation disappears; John gets 'Invitation declined'; timetable not shared with Lisa.
4	David sets the shared timetable as default and then Timetable Settings > Leave Timetable > Confirm Leave.	Timetable removed from 'Shared with Me' and the default is cleared.
5	Sarah (owner) calls timetable.leaveTimetable on her own timetable.	BAD_REQUEST 'You cannot leave a timetable you own. Delete it instead.'.
6	David calls acceptInvitation again for the already handled invitation.	Fails (no PENDING invitation); status is not changed.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-TT-02: Default timetable [Version : 1] REQ-TT-12: Accept, reject and leave a shared timetable [Version : 1]	
Keywords:	None	

Test Case US-84: Class reminder is created at the configured time [Version : 1]

Author:	karoz

Summary:

Class reminder is created at the configured time.

Test design technique: EP / BVA (minutes until class = reminder time -2, -1, 0, +1, +2), use case

Requirements: REQ-TT-13

Preconditions:

Student A has a class today starting at HH:MM = now + 10 min on 'SQA Week' (default timetable), reminder timing at its default of 10 minutes. CRON_SECRET known.

#:	Step actions:	Expected Results:
1	GET /api/cron/class-reminders without Authorization header.	401 'Unauthorized'.
2	GET it with 'Authorization: Bearer <CRON_SECRET>'.	JSON success; message 'Sent 1 reminder(s)' (or more).
3	Student A opens the notification bell.	Notification 'Class starting in 10 minutes' with message '<course> at <HH:MM>'.
4	Call the endpoint again in the same minute.	No duplicate notification is created for the same class that day.
5	Change the class to start in 13 minutes (3 min off) and call the endpoint.	No reminder (outside +-1 minute of the 10-minute setting).
6	Set reminder timing to 5 minutes (Settings) with the class 5 minutes away and call again.	Reminder 'Class starting in 5 minutes' created.

Execution type:	Manual
Estimated exec. duration (min):	
Importance:	Medium
Requirements	REQ-TT-13: Class reminders [Version : 1]
Keywords:	None

Test Case US-85: Rename and delete a timetable (owner only) **[Version : 1]**

Author:	karoz

Summary:

Rename and delete a timetable (owner only).

Test design technique: Decision table (role x action), state transition

Requirements: REQ-TT-14, REQ-TT-02

Preconditions:

Student A owns 'SQA Week' with 2 classes and Emily as accepted Contributor; 'SQA Week' is A's default and also Emily's default.

#:	Step actions:	Expected Results:
1	Emily calls timetable.update (new name) on 'SQA Week'.	FORBIDDEN 'Only the owner can update this timetable'.
2	Emily calls timetable.delete on 'SQA Week'.	FORBIDDEN 'Only the owner can delete this timetable'.

3	Student A renames the timetable via timetable.update to 'SQA Week 2' (101 characters is rejected).	Name changed; 101-character name rejected.
4	Student A: Timetable Settings > Delete Timetable and confirm.	Timetable is deleted with its 2 classes.
5	Student A and Emily open /timetable.	'SQA Week 2' is gone for both; neither has it as default; Emily no longer sees it under 'Shared with Me'.
6	Call timetable.delete with an unknown id.	NOT_FOUND 'Timetable not found'.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	High	
Requirements	REQ-TT-02: Default timetable [Version : 1] REQ-TT-14: Update and delete timetable (owner only) [Version : 1]	
Keywords:	None	