

INCIDENT RESPONSE REPORT

Mini SOC Lab | Wazuh SIEM

Date	June 30, 2026
Analyst	Sehajleen Kaur
Classification	CONFIDENTIAL
Incident Type	Multi-Vector Attack Campaign
Severity Level	HIGH
Target System	Ubuntu Server (192.168.56.106) Agent: sehajleen
Attacker Host	Kali Linux (192.168.56.108)
Wazuh Manager	192.168.56.107

PAGE 1 - EXECUTIVE SUMMARY

1.1 Incident Overview

Date of Detection	June 26, 2026
Incident Type	Multi-Vector Attack Campaign
Severity Level	HIGH
Target System	Ubuntu Server (192.168.56.106) Agent: sehajleen
Attacker Host	Kali Linux (192.168.56.108)
Detection Tool	Wazuh SIEM (Manager: 192.168.56.107)

1.2 Summary of Events

On **June 26, 2026**, the **Wazuh SIEM** detected a coordinated **multi-vector attack campaign** against the Ubuntu server (192.168.56.106) originating from a Kali Linux host (192.168.56.108). The campaign comprised **five distinct attack phases**: web reconnaissance, web application exploitation, a malicious file drop, an SSH brute force attack, and a network denial-of-service (SYN flood). Wazuh successfully detected and correlated all activities, with the SSH brute force escalating to a **HIGH severity alert**. **No system was compromised**.

1.3 Impact Assessment

Data Compromised None	System Downtime None (DoS mitigated)	Business Impact Low (lab environment)
---------------------------------	--	---

PAGE 2 - ATTACK BREAKDOWN

ATTACK 1 - Web Directory Enumeration (Reconnaissance)

Description	Attacker probed for common admin panels (/admin, /wp-admin, /phpmyadmin)
Tool Used	curl
Server Response	HTTP 404 Not Found
MITRE ATT&CK	T1595 - Active Scanning
Wazuh Rules	31108 (Level 7) – "Attempt to access a sensitive file or directory.", 31504 (Level 5) – "Web server 404 error code.", 31153 (Level 10) – "Multiple 404 errors from same source IP."
Log Source	/var/log/apache2/access.log

```
Session Actions Edit View Help
(sehajleen@kali)~$ nmap -A -T4 192.168.56.106
Starting Nmap 7.95 ( https://nmap.org ) at 2026-06-26 13:38 IST
mass_dns: warning: Unable to determine any DNS servers. Reverse DNS is disabled. Try using --system-dns or specify valid servers with --dns-servers
Nmap scan report for 192.168.56.106
Host is up (0.00059s latency).
Not shown: 999 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
OpenSSH 10.2p1 Ubuntu 2ubuntu3.2 (Ubuntu Linux; protocol 2.0)
MAC Address: 08:00:27:32:E8:1F (PCS Systemtechnik/Oracle VirtualBox virtual NIC)
No exact OS matches for host (If you know what OS is running on it, see https://nmap.org/submit/ ).
TCP/IP fingerprint:
OS:SCAN(V=7.95%E=4%D=6/26%OT=22%CT=1%CU=35629%PV=Y%DS=1%DC=0%G=Y%M=080027%T
OS:M=6A3E336F%P=x86_64-pc-linux-gnu)SEQ(SP=101%GCD=1%ISR=100%TI=Z%CI=Z%TS=2
OS:2)SEQ(SP=103%GCD=1%ISR=108%TI=Z%CI=Z%II=I%TS=22)SEQ(SP=106%GCD=1%ISR=108
OS:%TI=Z%CI=Z%TS=21)SEQ(SP=106%GCD=1%ISR=108%TI=Z%CI=Z%II=I%TS=21)SEQ(SP=FC
OS:%GCD=1%ISR=107%TI=Z%CI=Z%TS=21)OPS(O1=M5B4ST11NW8%O2=M5B4ST11NW8%O3=M5B4
OS:NNT11NW8%O4=M5B4ST11NW8%O5=M5B4ST11NW8%O6=M5B4ST11JWIN(W1=FE88%W2=FE88%W
OS:3=FE88%W4=FE88%W5=FE88%W6=FE88)ECN(R=Y%DF=Y%T=40%W=FAF0%O=M5B4NNSNW8%CC=
OS:Y%Q=)T1(R=Y%DF=Y%T=40%S=0%A=S+%F=AS%RD=0%Q=)T2(R=N)T3(R=N)T4(R=Y%DF=Y%T=
OS:40%W=0%S=A%A=Z%F=R%O=0%Q=)T5(R=Y%DF=Y%T=40%W=0%S=Z%A=S+%F=AR%O=0%RD=0
OS:%Q=)T6(R=Y%DF=Y%T=40%W=0%S=A%A=Z%F=R%O=0%Q=)T7(R=Y%DF=Y%T=40%W=0%S=Z
OS:%A=S+%F=AR%O=0%Q=)UI(R=Y%DF=N%T=40%IPL=164%UN=0%RIPL=G%RID=G%RIPCK=G
OS:%RUCK=G%RUD=G)IE(R=Y%DFI=N%T=40%CD=S)


Network Distance: 1 hop
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

TRACEROUTE
HOP RTT ADDRESS
1 0.59 ms 192.168.56.106

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 13.87 seconds
```


ATTACK 2 - Web Application Attack (SQLi / XSS)

Description	Injection of SQL and XSS payloads via URL parameters
Tool Used	curl
Payloads Used	?id=1' OR '1'='1 <script>alert(1)</script>
MITRE ATT&CK	T1190 - Exploit Public-Facing Application
Wazuh Rules	31101 (Level 7) – "SQL injection attack.", 31102 (Level 6) – "XSS (Cross Site Scripting) attempt.", 31168 (Level 10) – "Multiple web attacks from same source IP."
Log Source	/var/log/apache2/access.log



ATTACK 3 - Malicious File Drop (File Integrity Monitoring)

Description	Creation of suspicious executable file in a monitored system directory
Method	<code>touch /etc/malware_test.sh + chmod +x</code>
MITRE ATT&CK	T1105 - Ingress Tool Transfer
Wazuh Rules	554 (file added to monitored directory), 550 (checksum changed)
Detection Method	File Integrity Monitoring (FIM)



ATTACK 4 - SSH Brute Force [PRIMARY INCIDENT]

Description	Repeated automated SSH login attempts within a short time window
Tool Used	Hydra / automated SSH attempts
MITRE ATT&CK	T1110.001 - Brute Force: Password Guessing
Success Rate	0% - No successful logins
Wazuh Rules	5763 (sshd brute force), 5551 (PAM multiple failed logins), 40111 (multiple auth failures), 2502 (user missed password)
Alert Level	Level 10 - HIGH Severity
Log Source	/var/log/auth.log

Wazuh

Not securehttps://192.168.56.107/app/threat-hunting#/overview/?tab=general&tabView=events&a=(filters:[]query:(language:kuery.query:'rule.level%20>%209'...Incognito

WThreat HuntingAPIdefaulta

timestamp	agent.name	rule.description	rule.level	rule.id
Jun 26, 2026 @ 13:31:35.0...	sehajleen	syslog: User missed the password more than one time	10	2502
Jun 26, 2026 @ 13:31:29.0...	sehajleen	syslog: User missed the password more than one time	10	2502
Jun 26, 2026 @ 13:31:23.0...	sehajleen	syslog: User missed the password more than one time	10	2502
Jun 26, 2026 @ 13:31:05.0...	sehajleen	Multiple authentication failures.	10	40111
Jun 26, 2026 @ 13:30:59.0...	sehajleen	syslog: User missed the password more than one time	10	2502
Jun 26, 2026 @ 13:30:49.0...	sehajleen	sshd: brute force trying to get access to the system. Authentication failed.	10	5763
Jun 26, 2026 @ 13:30:42.9...	sehajleen	syslog: User missed the password more than one time	10	2502
Jun 26, 2026 @ 13:30:36.9...	sehajleen	syslog: User missed the password more than one time	10	2502
Jun 26, 2026 @ 13:30:18.9...	sehajleen	Multiple authentication failures.	10	40111
Jun 26, 2026 @ 13:30:14.9...	sehajleen	PAM: Multiple failed logins in a small period of time.	10	5551
Jun 26, 2026 @ 13:30:12.9...	sehajleen	syslog: User missed the password more than one time	10	2502
Jun 26, 2026 @ 13:29:54.9...	sehajleen	syslog: User missed the password more than one time	10	2502
Jun 26, 2026 @ 13:29:50.9...	sehajleen	syslog: User missed the password more than one time	10	2502
Jun 26, 2026 @ 13:29:46.9...	sehajleen	sshd: brute force trying to get access to the system. Authentication failed.	10	5763
Jun 26, 2026 @ 13:29:34.9...	sehajleen	Multiple authentication failures.		40111

Rows per page: 15

Activate WindowsGo to Settings to activate Windows.

12345...9>

Type here to search37°C Mostly sunny3:26 PM6/26/2026

Wazuh

Not securehttps://192.168.56.107/app/threat-hunting#/overview/?tab=general&tabView=events&a=(filters:[]query:(language:kuery.query:ssh)&g=(filters:[]r...Incognito

WThreat HuntingAPIdefaulta

122Jun 26, 2026 @ 12:25:08.746

Export FormattedReset view635 available fieldsColumnsDensity

timestamp	agent.name	rule.description
Jun 26, 2026 @ 13:24:56.7...	sehajleen	PAM: User login
Jun 26, 2026 @ 13:24:54.7...	sehajleen	Multiple authent
Jun 26, 2026 @ 13:24:52.7...	sehajleen	PAM: User login
Jun 26, 2026 @ 13:24:50.7...	sehajleen	syslog: User mis
Jun 26, 2026 @ 13:24:32.7...	sehajleen	PAM: User login
Jun 26, 2026 @ 13:24:32.7...	sehajleen	syslog: User mis
Jun 26, 2026 @ 13:24:28.7...	sehajleen	PAM: User login
Jun 26, 2026 @ 13:24:28.7...	sehajleen	syslog: User mis
Jun 26, 2026 @ 13:24:10.7...	sehajleen	PAM: User login
Jun 26, 2026 @ 13:24:08.7...	sehajleen	Multiple authent
Jun 26, 2026 @ 13:24:04.7...	sehajleen	PAM: User login
Jun 26, 2026 @ 13:24:04.7...	sehajleen	syslog: User mis
Jun 26, 2026 @ 13:23:46.6...	sehajleen	PAM: Multiple fa
Jun 26, 2026 @ 13:23:44.7...	sehajleen	syslog: User mis

Document Details

View surrounding documentsView single document

TableJSON

t_index	wazuh-alerts-4.x-2026.06.26
t_agent.id	001
t_agent.ip	192.168.56.106
t_agent.name	sehajleen
t_data.dstuser	sehajleen
t_data.srcip	192.168.56.108
t_decoder.name	sshd
t_decoder.parent	sshd
t_full_log	Jun 26 07:54:54 sehajleen sshd-session[4488]: PAM 5 more authentication failures; logname= uid=0 euid=0 tty=ssh ruser= rhost=192.168.56.108 user=sehajleen
t_id	1782460494.544161
t_input.type	log
t_location	journalId
t_manager.name	wazuh-server

Activate WindowsGo to Settings to activate Windows.

Type here to search37°C Mostly sunny1:29 PM6/26/2026

ATTACK 5 - SYN Flood (Denial of Service)

Description	High-volume TCP SYN packet flood to exhaust connection table resources
Tool Used	hping3 -S --flood
MITRE ATT&CK	T1498 - Network Denial of Service
Wazuh Rules	5710 / firewall-related, connection flood detection
Log Source	Kernel / firewall logs

The screenshot displays the Wazuh Threat Hunting interface in a web browser. The URL is [https://192.168.56.107/app/threat-hunting#/overview?tab=general&tabView=events&a=\(filters:\[\]query\(language:kuery.query:rule.level%3E%3B\),sort:\[@timestamp.desc\]\)](https://192.168.56.107/app/threat-hunting#/overview?tab=general&tabView=events&a=(filters:[]query(language:kuery.query:rule.level%3E%3B),sort:[@timestamp.desc])). The interface shows a table of events with columns for timestamp, agent.name, rule.description, rule.level, and rule.id. The events are sorted by timestamp in descending order. The first 10 events are all 'Syn flood attack detected.' with rule.id 5710. The next three events are 'Multiple authentication failures.' with rule.id 40111, 'PAM: Multiple failed logins in a small period of time.' with rule.id 5551, and 'sshd: brute force trying to get access to the system. Authentication failed.' with rule.id 5763.

timestamp	agent.name	rule.description	rule.level	rule.id
Jun 26, 2026 @ 13:45:22.9...	sehajeen	Syn flood attack detected.	12	5710
Jun 26, 2026 @ 13:45:22.8...	sehajeen	Syn flood attack detected.	12	5710
Jun 26, 2026 @ 13:45:22.7...	sehajeen	Syn flood attack detected.	12	5710
Jun 26, 2026 @ 13:45:22.6...	sehajeen	Syn flood attack detected.	12	5710
Jun 26, 2026 @ 13:45:22.5...	sehajeen	Syn flood attack detected.	12	5710
Jun 26, 2026 @ 13:45:22.4...	sehajeen	Syn flood attack detected.	12	5710
Jun 26, 2026 @ 13:45:22.3...	sehajeen	Syn flood attack detected.	12	5710
Jun 26, 2026 @ 13:45:22.2...	sehajeen	Syn flood attack detected.	12	5710
Jun 26, 2026 @ 13:45:22.1...	sehajeen	Syn flood attack detected.	12	5710
Jun 26, 2026 @ 13:45:22.0...	sehajeen	Syn flood attack detected.	12	5710
Jun 26, 2026 @ 13:44:59.6...	sehajeen	Multiple authentication failures.	10	40111
Jun 26, 2026 @ 13:44:58.4...	sehajeen	PAM: Multiple failed logins in a small period of time.	10	5551
Jun 26, 2026 @ 13:44:57.2...	sehajeen	sshd: brute force trying to get access to the system. Authentication failed.	10	5763

Rows per page: 15

PAGE 3 - TIMELINE OF EVENTS

All times are approximate. Adjust to match your actual Wazuh screenshots.

TIME	EVENT
13:26	Web directory enumeration begins (/admin, /wp-admin, /phpmyadmin)
13:28	SQL injection & XSS payloads sent via URL parameters
13:29:34	SSH multiple authentication failures detected (Rule 40111)
13:29:46	SSH brute force attack detected (Rule 5763)
13:30:14	PAM multiple failed logins flagged (Rule 5551)
13:31:05	HIGH severity alert raised by Wazuh SIEM
13:35	Malicious file dropped in /etc - FIM alert triggered (Rule 554)
13:40	SYN flood (DoS) launched via hping3
13:45	Analyst begins investigation and log review

PAGE 4 - INDICATORS OF COMPROMISE (IOCs)

INDICATOR	VALUE
Attacker IP	192.168.56.108
Target Host	192.168.56.106 (Agent: sehajleen)
Targeted Ports	22 (SSH), 80 (HTTP)
Malicious File	/etc/malware_test.sh
Web Attack Strings	' OR '1'='1 <script>alert(1)</script>
Key Rules Fired	5763, 5551, 40111, 2502, 31101, 31103, 554
Log Sources	auth.log, apache2/access.log, kernel/firewall logs
Wazuh Manager	192.168.56.107

PAGE 5 - RESPONSE & RECOMMENDATIONS

5.1 Immediate Response Taken

- ✓ Identified attacker IP: 192.168.56.108
- ✓ Confirmed zero successful logins or system breaches
- ✓ Verified malicious file via FIM alert and removed it
- ✓ Reviewed web, authentication, and network logs end-to-end
- ✓ Preserved evidence (screenshots and log exports)

5.2 Recommendations

Host Hardening

- Disable root SSH login; enforce SSH key-based authentication only
- Install fail2ban to automatically block brute-force source IPs
- Deploy ModSecurity Web Application Firewall to block SQLi and XSS
- Establish FIM baseline and alerting for /etc, /bin, and /usr directories
- Enable SYN cookies and rate-limiting for DoS protection

Detection Improvements

- Configure email/Slack alerts for all Wazuh events at Level 10 and above
- Enable Wazuh Active Response for automatic IP blocking on brute-force triggers
- Integrate threat intelligence and IP reputation feeds into Wazuh
- Deploy a network IDS (e.g. Suricata) for enhanced DoS and lateral movement visibility

5.3 Lessons Learned

Wazuh effectively detected a multi-vector campaign spanning web, host, and network layers from a single pane of glass.

Log correlation grouped many low-level events into actionable HIGH-severity alerts, demonstrating the power of SIEM over raw log review.

Defense-in-depth (FIM + auth monitoring + web log analysis) provided full attack-chain visibility from reconnaissance to DoS.

Strong passwords, WAF rules, and network rate-limiting remain essential first-line controls - no zero-days were required to execute this campaign.

END OF REPORT