



Hifadhio

UI / UX + Brand System

Implementation-canonical visual specification

Complete mobile flows, states, components, co-brand architecture and developer handoff.

PRODUCT BRAND

Hifadhio

BUSINESS BRAND

NAS Digital Solutions

TECHNOLOGY BRAND

SeifTech

Brand architecture

Hifadhio is always the primary user-facing product. NAS Digital Solutions and SeifTech are endorsing brands, not competing mastheads.



Hifadhio

Save once. Find it when it matters.

Voice

- Clear, calm, useful and technically truthful.
- Never say extraction succeeded when only the link was saved.
- Prefer "Saved", "Processing", "Ready", "Needs attention" over vague AI language.

Brand hierarchy

- App icon, launcher name, navigation and marketing headline use Hifadhio only.
- Splash/onboarding may carry a restrained NAS Digital Solutions x SeifTech endorsement.
- About/legal screens use: "A NAS Digital Solutions product - engineered by SeifTech."
- Do not place three equal logos in the app header; that weakens product recognition.
- App identity must remain portable if commercial ownership or studio structure changes later.

Tagline

- Primary: "Save once. Find it when it matters."
- Functional descriptor: "Your personal knowledge library for the things you save online."
- Avoid "second brain" as the primary identity; the category is crowded and overpromises.

Visual language

Quiet intelligence: dark navy for trust, mint for captured/ready states, neutral surfaces for reading, and restrained secondary accents.



Primary Navy



Amber

#F4B740



Mint




Danger

#EF5B5B



Purple



Background

#F6F8FB



Blue



Text

#111827

Core component geometry

- 8pt spacing foundation; major rhythm 16/24/32.
- Cards: 12-16px radius; sheets: 24px; primary buttons: pill/14px radius.
- Tap targets ≥ 44 px; status is never communicated by color alone.

Typography

- Use Inter when bundled/licensed; otherwise system sans-serif fallback.
- Display 28-34 / 700; screen title 20-24 / 700; body 15-16 / 400-500.
- Transcript and source text prioritize readability over visual density.


Information architecture

Five stable destinations plus a universal capture action. Advanced AI screens unlock only when the backend capability exists.




Onboarding & identity


The brand promise is explained in three steps, then the user moves directly into account setup.




Splash



Onboarding 1/3



Onboarding 2/3




Onboarding 3/3

IMPLEMENTATION NOTES


Onboarding is skippable after first successful completion. Never force platform authorization during onboarding.

Authentication


Authentication supports durable cross-device storage; local capture should still fail gracefully when a session expires.




Sign in



Account setup



Settings - Main




About & co-brand

IMPLEMENTATION NOTES

Google sign-in is optional. Email/password is sufficient for baseline. Exact auth providers follow backend implementation.

Home dashboard

Home is a launchpad, not a feed. It should help the user save, resume, and notice items requiring attention.




IMPLEMENTATION NOTES

Do not create an infinite recommendation feed. Insights must come from the user's own library and must be dismissible.

Manual capture flow

The URL is saved before enrichment. Preview failure must never block a valid capture.




IMPLEMENTATION NOTES


Capture latency target is dominated by local validation + create-item request, not transcription or AI. Offline capture queues locally when supported.

Android share flow


The fastest product path: Share -> Hifadhio -> Save. Enrichment happens later.




Android share - Quick



Android share - Details



Add - Saved




Inbox - All

IMPLEMENTATION NOTES

The quick path should require one confirmation tap after choosing Hifadhio from the Android share sheet. Detailed organization is optional.

Inbox & processing states

Inbox exposes processing truth. Partial or unavailable extraction must remain understandable without technical jargon.




IMPLEMENTATION NOTES


Every card is still openable when enrichment fails because the original URL is canonical and must never be lost.

Library


Library supports browsing by saved items, collections and tags. All three are projections over the same Content Item model.




Library - All



Library - Collections



Library - Tags




Collection detail

IMPLEMENTATION NOTES


Collection membership and AI tags must be distinguishable from user-created organization in the data model, even if the UI merges them visually.

Search & filters


Search starts exact/full-text and later expands to semantic retrieval without changing the entry point.




Search - Results



Search - Filters



Library - All




Collection detail

IMPLEMENTATION NOTES

Result cards should explain why they matched: title, transcript, note, summary, tag or semantic similarity. This prevents "magic search" ambiguity.

Content item - overview & provenance

The detail screen is the central durable record: source, generated interpretation and personal context stay visibly separate.




IMPLEMENTATION NOTES

Summary/key-points carry an AI-generated label. Transcript/OCR carry extracted-source labels and provenance. User notes are private user-authored data.

Transcript, OCR and source text

Reading tools prioritize legibility and provenance over decorative UI.




IMPLEMENTATION NOTES

Timestamp links may seek media only when an authorized playable source is available. OCR should show frame/time provenance where possible.

Ask your library

Conversational retrieval is useful only when it is grounded in saved content and every answer can expose its sources.




IMPLEMENTATION NOTES

If retrieval confidence is insufficient, the app should say it could not ground an answer rather than inventing one. Source cards are mandatory for substantive answers.

Knowledge connections

Connections surface recurring themes and tensions across saves without turning Hifadhio into a recommendation feed.




IMPLEMENTATION NOTES

Each cluster must be derived from identifiable saved items. Users should be able to inspect the items behind any generated connection.

Failure, retry & offline UX

Failure states protect trust: the link remains available, and the user sees what failed and what can be retried.




IMPLEMENTATION NOTES


Retry only the failed stage. Do not restart successful metadata/transcript work unnecessarily. Preserve partial artifacts and log stage-specific failures.

Settings & retention


Data controls are first-class because saved content may be personal, private or commercially sensitive.




Settings - Main



Settings - Privacy



Settings - Storage




Destructive action

IMPLEMENTATION NOTES

Defaults should minimize unnecessary media retention. Deletion and export are deliberate user actions with clear scope and confirmation.

Integrations, export & About

Platform connections are optional capabilities. The About screen is where the two parent brands are fully expressed.



IMPLEMENTATION NOTES

Do not imply a platform is "connected" merely because public metadata can be read. Link capture, public metadata and authorized account access are different states.


Component library

Use a small reusable system instead of bespoke widgets per screen. These components are implementation-canonical.


Buttons



Status chips



Cards



Mandatory component states


- Default, pressed, disabled, loading, error and focus/keyboard states where relevant.
- Cards need selected/favorite/processing variants without changing tap target size.

Interaction feedback


- Save: immediate acknowledgement.
- Long processing: non-blocking status.
- Destructive actions: confirm scope.
- Retry: stage-specific and idempotent.

Accessibility & dark mode

Accessibility is part of the baseline, not a post-launch polish phase.



Home - Default



Dark mode concept

Accessibility requirements

- Minimum touch target 44x44 logical px.
- Respect OS font scaling; avoid fixed-height text containers.
- Contrast target $\geq 4.5:1$ for normal body text.
- Never encode Ready/Failed/Processing using color alone.
- All icons require semantic labels for screen readers.

Motion & readability

- Honor reduced-motion settings.
- Transcript body uses comfortable line-height and selectable text.
- Avoid horizontal scrolling for core content.
- Keyboard/focus behavior must be defined for web/admin surfaces.
- Dark mode is token-driven, never separate ad-hoc colors.

Screen inventory & route contract

Coding agents must not invent new top-level flows without updating this visual specification and the master product specification.

CORE

Splash

Onboarding 1-3

Sign in / Create account

Home / Home empty

Universal Add

Android share quick/details

Saved confirmation

KNOWLEDGE

Inbox

Processing details

Library All

Collections

Tags

Collection detail

Search results

Search filters

Content overview

Provenance

Transcript

OCR

Notes

AI + CONTROL

Ask empty

Ask answer + sources

Connections

Cluster detail

Settings

Privacy

Storage & retention

Connected platforms

Export/backup

About

Delete account

Offline

Extraction error

Naming rule

- Flutter route/class names may differ, but their responsibilities and user-visible states must map back to this inventory.

Feature state matrix

Every major feature must define empty, loading, partial, success and failure behavior before implementation is considered complete.

Feature	Empty	Loading	Partial	Success	Failure
Capture	No URL	Validating URL	Preview absent	Saved	Invalid URL / auth expired
Metadata	Not requested	Fetching	Some fields null	Ready	Unavailable / retryable
Transcript	Not requested	Queued/running	Partial chunks	Ready	Unsupported / failed
AI summary	Not requested	Queued/running	--	Ready + label	Grounding/input missing
Search	No query	Searching	Some indexes stale	Results	No results / backend error
Ask	No question	Retrieving	Low evidence	Answer + sources	Cannot ground answer
Export	Nothing selected	Preparing	Some item errors	Package ready	Export failed

Implementation phase -> visual scope

This prevents an agent from implementing advanced screens before their backend truth exists.

00	Brand + shell tokens	Splash, theme, components, route placeholders
01	Auth + base shell	Auth, nav, Profile/About
02	Capture MVP	Add, Android share, saved confirmation, Inbox basic
03	Organization	Library, collections, tags, favorites, notes
04	Jobs	Processing states, retry, offline/error surfaces
05-06	Adapters + metadata	Preview/provenance/source availability
07-09	Media/transcript/OCR	Transcript and OCR readers, retention controls
10	AI enrichment	Summary/key points/entities with AI labels
11	Full-text search	Search results + filters + match reasons
12	Semantic search	Same search UI gains semantic retrieval
13	Ask	Grounded chat + source cards
14	Connections	Clusters/tensions/related saves
15	Portability	Export/import/backup
16	Hardening	Diagnostics, accessibility, performance polish

Developer handoff contract

What the coding agent may copy directly from this document, and what it must verify against implementation reality.

● Canonical

- Product name: Hifadhio (working name).
- Primary nav responsibilities.
- Screen/state responsibilities.
- Brand hierarchy and About wording.
- Core visual tokens and status semantics.
- AI/source/user-authored separation.

● Must remain data-driven

- Titles, thumbnails, creator names.
- Platform capabilities.
- Processing percentages/stages.
- Source provenance.
- Search match reasons.
- Ask answers and source counts.

● Not yet legally final

- Trademark availability.
- Store listing name clearance.
- Domain ownership.
- Final company/legal entity wording.
- Privacy/terms copy for production.

● Anti-hallucination rules

- Do not implement fake Ask answers before RAG exists.
- Do not show a transcript if only caption text exists.
- Do not call a platform "connected" without real authorization.
- Do not mark a processing stage Ready without a stored artifact/evidence.
- Do not infer missing metadata merely to make cards look complete.

● Visual QA before phase APK

- Compare implemented screens against this PDF at the end of each phase.
- Verify phone-size layouts on the target Android device.
- Capture screenshots for any deliberate divergence.
- Record approved divergences in an ADR or design-change log.
- Do not silently "improve" the flow without updating source-of-truth docs.

Working name: Hifadhio

Why this name is being used in the project package, and what still needs formal clearance.

Hifadhio

hi-FA-dhi-o

Rationale

- Built from the Swahili root "hifadhi": preserve, keep, save, guard.
- Matches the product's job without tying the app to Instagram/Reels.
- Local identity with room for international positioning.
- Supports a distinctive H-shaped bookmark/link mark.

Rejected examples

- Saveora - active cashback brand.
- Linkora / LinkVault / Linkary - active link products.
- SaveFlow / MindStash / Recollectly - active knowledge products.
- Keepora / SaveNest - active save-organize apps.

Before public launch

- Run formal trademark search in intended jurisdictions.
- Check Google Play and Apple App Store exact/confusingly similar names.
- Secure desired domains and social handles.
- Confirm company/legal ownership and final About/legal wording.
- If the name changes, preserve this UI architecture and replace product tokens/assets centrally - do not fork the whole design.

Visual acceptance checklist

Use this alongside the phase-completion APK workflow. A phase is not visually complete merely because it compiles.

- ☐ App name and icon use Hifadhio consistently.
- ☐ Bottom navigation has exactly five stable destinations.
- ☐ Capture never waits for enrichment.
- ☐ Failed extraction leaves the original link usable.
- ☐ Processing state comes from backend truth.
- ☐ AI output is labeled and visually distinct from source text.
- ☐ User note is visually distinct from generated/extracted text.
- ☐ Search results show match reason where available.
- ☐ Ask answers expose clickable saved sources.
- ☐ Connected-platform wording matches real authorization state.
- ☐ About contains NAS Digital Solutions + SeifTech endorsement.
- ☐ Tap targets, font scaling and contrast meet baseline accessibility.
- ☐ Dark mode derives from tokens.
- ☐ No new top-level screen is invented without documentation update.
- ☐ Phone-test APK screenshots are compared against the relevant design page.