

```
In [1]: import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

```
In [2]: df = sns.load_dataset('iris')
```

```
In [3]: print("First 5 rows:\n", df.head())
print("\nFeature Types:\n")
print(df.dtypes)
```

First 5 rows:

|   | sepal_length | sepal_width | petal_length | petal_width | species |
|---|--------------|-------------|--------------|-------------|---------|
| 0 | 5.1          | 3.5         | 1.4          | 0.2         | setosa  |
| 1 | 4.9          | 3.0         | 1.4          | 0.2         | setosa  |
| 2 | 4.7          | 3.2         | 1.3          | 0.2         | setosa  |
| 3 | 4.6          | 3.1         | 1.5          | 0.2         | setosa  |
| 4 | 5.0          | 3.6         | 1.4          | 0.2         | setosa  |


Feature Types:

```
sepal_length    float64
sepal_width     float64
petal_length     float64
petal_width     float64
species         object
dtype: object
```


```
In [4]: # 2. Histograms for each feature
df.hist(figsize=(8,6))
plt.suptitle("Histograms of Iris Features")
plt.show()

# 3. Box plots for each feature
plt.figure(figsize=(10,6))
sns.boxplot(data=df)
plt.title("Box Plot of Iris Features")
plt.show()
```

## Histograms of Iris Features



## Box Plot of Iris Features



```
In [5]: # 4. Compare distributions (pairplot)
sns.pairplot(df, hue='species')
plt.show()
```

