

REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-profile rekyc	Yes	abha-profile and re-kyc
loginHint	abha-number	Yes	Login Hint for re-kyc
loginId	Encrypted abha number	No	Encrypted abha number for re-kyc
otp-system	aadhaar	Yes	Select option for Otp system

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-profile", "re-kyc"], "loginHint": "abha-number", "loginId": "nJ3WR5UmFR+v2sNXBfgxWQHWDgjjja5OFVIJWnmf6lzyjdfxcLiHMkzmtBPmzBRL+4PzDXp+TXIXNSSE4BBmEL6/OzWiVoEJphCwhHdHH9VxSBguYVZ9dLBbK0ntzgsxmacjABNXLg/H1RKio/au7iPCW67tKDfMUXGorZ29HSaQosu86GgC7/nPFxBD97mEXd6vgI9PmREWolywWesJxvBnXmV4Is+73sgAXGM6KZmRyaSH7T/JeknqyWDYdJLeUvoHLf+nTzYykCZS9Ej/1ue3RJWf7NRAxpy+n9a+Ce38n2P2OwoJCU6MEWK3sRSG6zVSHNXFAFre+wme+17ZNcQChE1btboTaPFllqecD39vHmiZoO7vlhVlZJo0oJesP05P1RM7N+piO1m3GXgQGp8rupBFb7Vhw+ueei6ajLHf+Gf6YEINK6fKcVUgPQtwMrBi+VzIQxok3pAEBJthTXisOf5YClDymGFIfflSPrmyWWJabhp1+f4O+gkxLcZyGLzCnpFd++WPTjdTP7NptSKqNq2CbFpqoLK3cP8/xAj4aj5/1wh5jYkjWA6hJn6rYKDCCXVoZO9kt5RDBj52IWOy2KlwWmb9RGVWdrRwD1/Ekdnx3uYEnk/acKTMUYW3UvVPghxOTKLkwjbWEhrnvMG6x4jzMH+2b8GvdLbQYgk=", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "txnId": "99acc695-5b1c-47ee-8ce1-ee55c004978e",
  "message": "OTP sent to Aadhaar registered mobile number ending with *****5856"
}
```

Step 2: Verify OTP

V3 URL: {{base_url}}/v3/profile/account/verify

V3 Request: POST **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-profile rekyc	Yes	abha-profile and re-kyc
authData	otp	Yes	Based on preference authMethods otp.
otp-value	Encrypted otp	Yes	Encrypted otp for verification

V3 Request Body:

Request Body

```

{
  "scope": [
    "abha-profile",
    "re-kyc"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{txnId}}",
      "otpValue":
"YPuOEWGzshYkA1JAOPK7tjBYliiKFu5e1b7Mye7f5+HQJrhJlall5FnIFv2Le9YxCZBUYBkNV1Q/BABhatn144uU5l/HDqRH2ZcUVR9UUZXm/
5AQDHzi+5N+iacngufcRN/qK0CbEgWn1sPCyNj3tdD3t9EISK/dOQq62YBTKE453o3teoGEEN0dcQInAz23oGBWNRQmcdlqOyrb/+u8jHDqT
eEV7/QNm6UHVAFujgkLoPDwbcZ0KErcdl6h6jawKV44mlrjFX/WqDsyvy+/tQY/DhnxcTvw9qZ1WdyXglz3NP7OxOzIRkxOEDDrn1d9Ta6JfGT
yVGP1TrnUxZxh+UMWKohXMRA9ctfUhOSvFZbz+E6RDKbnkleq1DV4+iy6bmccRo/fcpooTQKSRndSwsT3YFGHzQEnD0eIHixIDWuC6FVFb/
N9GU6QES9ErMCIR5WGIT62h5zni+YDStRmf6aP9ET1AjeWg0psPyMYZhMetlOciMdU2SC/9+WOBIFfVoLJSog+XUjgSFh696I+IQXo6kAh6r
h9P5hh9RK+BggqbQ2M0d1fhFbzTP044nXIV9ywLwEplc5f5aFkgThEIDsurPx2wSTUXe0oR8zjdFGcdea4mvZs0eqx62qGwaB08glcZENhFD6s
d7bJZlpz8sJoYzpnNte1UDfNMPZXhpg="
    }
  }
}

```

V3 Response:

Response
Code: 200 OK
<pre> { "txnId": "bb548986-e96d-4b48-be1b-1e36741e867d", "authResult": "success", "message": "Re-kyc done successfully", "accounts": [{ "ABHANumber": "91-4173-3253-XXXX" }] } </pre>

9.0 Get Profile

Get Profile API returns the ABHA profile upon successful validation of the JWT access token.

V3 URL: {{ env_url }}/abha/api/v3/profile/account

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction

TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters: NA

V3 Request body: NA

V3 Response:

Response
Code :200 OK
<pre>{ "ABHANumber": "91-4173-3253-XXXX", "preferredAbhaAddress": "TEST@abdm",</pre>

[illegible]

rNeXlvZWcYkup22RITjJwScnsAASfYd69m0HQ4dC0qCyQ7ygy8mD87kkk8+5PHbNc54A8MpZ2Sa1dxbr+5X92HGDDFeedo9GYct6cLjg57sQl2+c4IGcAcfSuinTsjjqu7Hnni3QHfU5tZhtop4o0V57dQBJOy5zz3OFRceglyKxhcnVvCcJECswCV5Y2zngMSMY6kxsB9a9J19o4dGvHSN5jDE0pij5

AFFJm8tyEYYHJGfqRmqv27ysE9PUU7dAb7mvc+WhLjAJ6fSuY1icgEDjNaL3glHzHt8vuKxNRcPjilBakyehmwQyT3Y8v7+3auehJNeoxRrBCkUY

wiKFX2A4FcT4cskvrp5S5QWsq5AHLsAG6+nl/Xp1rtc8V3wT6nm1JJ6leOvWp4cbuaqg1NC2Gqzl6nTpF2KrJkAgggZK45HX3A/+vVq9nSS4VwN
yKB/rMcKajjH4fTmsK2b5cZ4qy7lzk9faotqXcrLTx2qNDxUgghEM/KGsW56mtYUZU/Sse6Xk0Ayi3p5VZEaNXlWBB9xTcc0/oKoRyEkLWly8Mmc
qevqOx/Kpw2VBBYrWh4gii+yico/mrgBkXlx7noB6e/41gRT89eK5KtPqdtCqnox16lwzgpNtjlwVUdBTLTRHuQzR3jy1yVLAFu+OntWgy+cgkAb
qBpVxOvA4/2SRWUZpaHUtN5neaC8SiX7dkE8qki5H4EZqvDZy+aES7IKA87gCK1ho06rlizDuC5NQSQtcCE8Cm6qeiHJ3AtsGGOSvSqMoa5uVij
BJYgCi5mJ4HwRKh21kvNT3ROF8pSxz/EemB+v5VdOF3dnLWqcqsjpNL0uPTjMYznzWDHAWBjj37YzWnVOxvYr2lmjOSpww/kfxq3XYeenfVC5
56VLD1qlcmrEAORQM04OIWBVeH7tWBUjK4p4qJTTwaBityDWXeLyTmrV/dx6fEks4lj1QsOi5OAT6Cs7VbmaEgi3ZYD/wAvMn3e3AA/9mK+
ozigmU1FalXIBJWkCq7rZ7jegiU4LFu/GffvWnbQWGP6P5ot4rcbCzTznLx46splHGBnOMEda5mytTF3MUU2oG2tiwDfvApmOdwQA9T1GARg
evSgylVtJdTG17V7iaKGzFowMmCqbvm3kjAPHAXWihkKB0Pjru/tFgfEax2+nxRxlOq73yzBcAEa8k8ZxnPNcw2kzaZdTWE4Jlt5GhLYxu2nG76
HGR7EVJUdtTpw7rpu5Ug1JoeHGK0bfxAARv+hqjNanJytZ9xppP/qmKk+IZXizsvNaHSza7lCMkjHY1j3GqGTjdWWmk3gbbJlcfWtCDTfLApyz70
WgtwdcpvylsvOe4Xv71v8Ah+3uPseqtbE7o4AzYOPkz836ZqpHZEAZGBXdfDfTPOFv7iVQ1qUSAIrYXAJJ+mGA9/wqozuzKrT9x6IPTtMWHQ5N
SVyZn/eGNTYyWObJnryePUUPfIZF8hDKjNtUxncGOOchHI6/1Wr402WStZWZJHIDlhHgbUAwRt9zwO2Fb2rKuBdaRe2erwxhbcISwKja3GGGBI6
ZB/ME811J3PJlJ01yrpuX5oGtwWcrsBxuzx6VNB24qjriT3mmR6jbLiBQC8YIAG443dSDg8YH+NT6ap/sJ5LSOSaZM5BHbB+oAVSRjt+fpWk3oaK
t7/KbMfAQUNWJot872couplFxA2JYJtLQHOSMDovJPM5PONGO9tpZfJS4jMvPybxu468UjdSTVwDAMFJGSM8ntWDea3HJdG2lu/sdlkh54
wWlIAOSoGtYRgFQT0Psl/Dpu7zUZmeXbCuHmaMBnm7KpZhlVwCRgAjnnkYzQ09rNfi0trdFWE+UvyAF5M4Jj6k5AXnO96tLWxy1K94cyNmW
7g1XTHjHl2Alaa7ktxuNuGyN5yoBUE5UZK9ABWMMH/AOEo1KlH0izhUjX5dCcDgE/wAyB0rpNa/s/TfDYtbZ85WEOlCZ7sTx3Ct+Lvm+G9Pg
dJ51dUZ3wN3C7QOVQoSfyqUupNTmnNQ+8m8ULDY28VBJgSLuZQPulvQfienspFQ6PYJbeJLXT5VvP7ayluugPzFkiK59CJGz7Y9RVC1SXVdeEs
r7YE/eHewAWNSMDk45JAPuxqfw1qh2r4hSSNu8u7H2eOTb90BkYE56BvKxzySVHHSi1kKlJSqc1tNkaeHeGbaC8uHHM9vqbQrERtEaByFJHU5
Vdw7Yl+tUPHmliw122u1X5b2D5yF/5aR4Xk+6lBj/YNeoG0ikmhupg3yO5Qq5ATLHrg4l+voPqMrxnog1nQntht+1wv51uzNj5wCMfCVP+99Kx
nHmR6NBK9m9Dx6REdcMKqtDnIGDVyWOSitHJGyOjFXVhgqQcEfmKpTplc84rJWh6NroasbRngYNWYyixy2B+PNUQuCCXbjtmrmyB18mnm2Lcd
rNeXlvZWcykup22RITJlwScnsAASfyd69m0HQ4dC0qCyQ7ygy8mD87kkk8+5PHbNc54A8MpZ2Sa1dxbr+5X92HGDDeedo9GYct6cLjg57sQl2+
c4IGcAcFSuinTsjjzqu7Hnni3QHfU5tZhtop4o0V57dQBjOy5zz3OFrceglYKxhcnVvCcJECSCWCV5Y2zngMSMY6kxsB9a9J19o4dGvHSN5jDE0pij5
L7DuKjj72BwOvtXl+jeKmsWZ5N0tXW5uS/l2/BTPHGQd5HfoOBjA4HRG55tbgk9Xa5L4c1HzrK7sJVtYyCQCTuwW2tj0A46dzmsuyyLzSdUlic4T
PlzbeAy9Qw/PP4kdzVuxv4NO11J7dHW2aUr5ewBljY4AIBOdVb4J+5V7xn5cscN3BERKn7uVm7gn5fyJx/wKq6nKk3TfWP5FbJ4fgltotSWYC4
hABZDtU8fLjnj544JpNE0V7rTxLJKJZ4n2ssz5HqG4IY9cckjitPQ7A6p4ce3lm2PtaFmPIA4I/Aj8qw9DCWWtUbj3bYWR/JIQNJDE4H5N39CaXk
aSfvRnbRnR6E1jpfhQW/mXcSzy7SnJC/KFB99vGf7xqp4Rslr++e7mBmjRGHmFCNOpOCQRxwN2R23Cm3TWPhVUhtLZWlulEhOQGQPUZYge/A
9j71Ut9V1XU1MUU9yXjYSBLQMpxj/Y+YjjoXNGrCthBxLp0N7UPD66vfQqkskVmiEDbyxfJOTk4xgDHfrSan4b+xi3hs72aGKvWi8pwroAfvEH
AbnJP3uPTtXMw+F7ybUnSW3gik3g7psZOcemTnnvWjdeE9R0+2N5F9kVoWEimB23ZH/AAED9aXzGp3bkqbLdx4ZtdNKPqV4JoyOhliQEcZbB
+Y8KD2LDBzVfW9S0a10lhaKrOsZYpaphTjnJI4ycdsmorz7rl+sl5dKQ5YfPcy5OCTwAMIQD2IA5qrNpy6Q9pJldIZftMYj3xApvIUUEHOfmXrjjGfe
j1HB5uWEbLuz0/R5NTt9JP9sFGMAjTlJaRn2qH5A+YbiVXJ78nNW5Z7aUy2KT0z1zEBuh3Deqt0JX06/ka4KLxxq+lbLbWYLDVY45AHNRMEmU
qRjKMSGORnJK/SsK813RNB1W71C70uQyySZikEYSVQo2jksCpC45B67undWbOx1YRV77Gn4lk03UtVaSzTei7InBGN5z1xnnHr1556DGD/Zqs
MEqRmrJudLivlJ4LxYQXwQrIfQ8E5w3XnoBwc4q1dXNRlcl0Mqss6+YCo4BJx+ByDx2lI46VzVqP2ommdXibcJteRkyaVGOgq/onhoavqkVq65
hH7ybji2DQPx4H457U9xzzj866D+29P8CaLi5j8/VbzDJahrtrB0DHHyqOSSR1JAycVhSg5SO+tUUI3O3s1bWrHw7Yxy3RLzN8ltaxY3ytx8qj8sseA
OTiUm8XekV13SpdTso9N0I50je1X97IX+QNJLOADENgbeAQc1zllr+q3us/2rqPkz3AGEhdSUhTOUZ47HJzyATnFb1z4hsdRxHewyW7lIb+NMfU
YOevavR5WjXxiqcr2IY9P3RWsY81404x0x0/WuGu9Ntrf7RJfQTWfNuV5FDglSCBg5IODjgHJHqcU2x1qxMO5tUhkYlKvcl0WfqWHI/ziojY3H
ic3YeG3topY4UeZXQZH5dBzjgMSePzqdTVyhNaakF/puhaxErWrJuAJhbBUdhtPQe2B7Yqk+kCygiW/1xpLeTG1HJhzg8DCXJx7DHT2qpqnqhV
NPula3KTGPJlJZNjKPKXjB+hNKNha/urKK5vNRdZCCBdJ0xUHn7xbj6kdV5nHduT9zX8De0uHTol55obtkikCgk3lZSRnB3Nk+vGce1ZuqaQL3V4xZ
XZQtg8fMpPzh6VWPhWW3tIbhbujSHA3qVz+PPrWbp/9p6FePdsrwqeSWUGNuwyemcfjStrowlU9xKpCyL+laCsvl3OoyJvRnd4pMMANp+Z
2PHU9/rmti08U6ZayylskkwAxshTuOmCcAjk9DRRTtcc37CKcDl1rxTKuoLPZWYRgkfNKS27HqBjHbuaXUPEupX0RjS7SLeuPKijQ56dNwJ/Wiui5
VY5niKkm9S1deMb+50wwRQQuwE2yM4LHI7r0AORnnNYkdhrPiJty+dMdoiZ2CRsAfwB69h3oopNjBFU6k6IRKUIdPDOQWRjt59EsHOzmY6h
Ng9Ru2gjdCdFwvt6aP8AwgTQW7T3F+ZQVvkeSbAoyc9S2eSD+feioTZ6LpwlidNGxbaNoEmkCa4gjhdCQzyXDqFIPfLYqG1i8PXkn2GRrPy7huP
s7KGWTSvx1XjH9PYfMymowUeVLUoazDH4e1JWmQXUOPNgjRgPN4JAOei5HJweOxqwuvWi6eZL37RJeXsR8jKMKrE/KBuyMen48kkOU
VMIK1ycTiQkZcvYvafqOhagHS5e2cCYK/aosKvXoXGPSq2paTpf9LJbxxqpQbJLZ/lx1yoGV/SiirtZig1VprmmSMzUfB92lFeC4Qxs+EjkyrBQPUZBOF
pUNnpXiDTRLpiY72GHfnFtNncfXahyfyoopczJqYaCd43QsureJbxjELW4kZ24l+yHf9BgY6D0zVe6l8Qqil5WqBVJb54ZAB+Y6UUU7mHvOLbkys
uuaw2yJt08StuZGia/UAht3zXRWHiuNUcXNIPCSQPKYMfxfzjH60UVXKmiY16kJXP/2Q==", "stateName": "BIHAR",
"districtName": "ROHTAS",
"subdistrictName": "ROHTAS",
"villageName": null,
"townName": "Dehri",
"wardName": null,
"authMethods": [
"AADHAAR_BIO",
"PASSWORD",
"MOBILE_OTP",
"DEMOGRAPHICS",
"AADHAAR_OTP"
],
"tags": {},
"kycVerified": true,
"verificationStatus": "VERIFIED",
"verificationType": "AADHAAR",
"emailVerified": false
}

10.0 Generate QR Code

Generate QR API returns the QR code upon successful validation of the JWT access token.

V3 URL: `{{base_url}}/v3/profile/account/qrCode`


V3 Request: GET **V3**

Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Request body: NA

V3 Response:



11.0 Generate ABHA Card

Get ABHA card API returns ABHA Card upon successful validation of JWT access token.

V3 URL: `{ env_url }}/abha/api/v3/profile/account/abha-card`

V3 Request: GET

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
X-token	Bearer X-token	Yes	X-token of user, user can get X-token after login to the system
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Response:

Response
Code: 202 Accepted
ABHA Card

12.0 Forgot ABHA number

12.1 Recover via Aadhaar OTP

This API used to recover the ABHA number using Aadhaar OTP.

Step 1: Generate Aadhaar OTP

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
Scope	abha-login, aadhaarverify	Yes	Defines the scope of the current action of the API, following are the values that can be used. ABHA_ENROL("abha-enrol"),
loginHint	aadhaar	Yes	Type of login
loginId	Encrypted Aadhaar number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	Otp system to verify login, following are the values that can be used. AADHAAR("aadhaar")

V3 Request Body:

Request Body
<pre>{ "txnId": "", "scope": ["abha-login", "aadhaar-verify"], "loginHint": "aadhaar", "loginId": "{{AADHAAR_encrypted_Output}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "c6a49f66-c740-4a7d-a93d-8c0431bbb8f3", "message": "OTP is sent to Aadhaar registered mobile number ending with*****8510" }</pre>

Step 2: Verify Aadhaar OTP

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar- verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),

V3 Request Body:

```
{
  "scope": [
    "abha-login",
    "aadhaar-verify"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{txnId}}",
      "otpValue": "{{OTP_encryption}}"
    }
  }
}
```

V3 Response:

[illegible]

12.2 Recover via Mobile OTP

This API used to recover the ABHA number using Aadhaar OTP.

Step 1: Generate OTP

API accepts mobile numbers and then generates OTP for the entered mobile number.

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the endtoend request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	mobile	Yes	Type of login, following are the values that can be used ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted Mobile number	Yes	Actual value of login type. This needs to be RSA encrypted using public key

otpSystem	abdm	Yes	Otp system to verify hiu/hip/phr login, following are the values can be used. AADHAAR("aadhaar"), ABDM("abdm"),
-----------	------	-----	---

V3 Request body:

Request Body
<pre>{ "scope": ["abha-login", "mobile-verify"], "loginHint": "mobile", "loginId": "{{[Mobile_Encryption]}", "otpSystem": "abdm" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "67f12929-22fd-4826-a8f3-a6fef3e11244", "message": "OTP sent to mobile number ending with *****9260" }</pre>

Step 2: Verify OTP

This API accepts encrypted OTP from the user, once the OTP is successfully validated a session token is generated along with the list of ABHA numbers (ACTIVE and DEACTIVATED) linked with the mobile number.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the endtoend request transaction

TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, mobile-verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-login",
    "mobile-verify"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "txnId": "{{txnId}}",
      "otpValue": "{{OTP_encryption}}"
    }
  }
}
```

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "ec5d10f4-41c9-4d7e-b857-4a77b04a35b7", "authResult": "success", "message": "OTP verified successfully", "token": "eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiI5ODcyNjk5MjYwIiwiaWF0Ij0iYmhhLXByb2ZpbGUtYXBwLWFWaSIsInN5c3RibSI6IkcSEEtTilslm1vYmIsZSI6IjYk4NzI2OTkyNjAiLCJ0eXAiOiJ1UcmFuc2ZlciIsImV4cCI6MTcwNzEyMzMywWiaWF0Ij0joxNzA3MTIzMDYzZfQ.Jn9Xt0UuiVI61-9paqnr0KWoy9T6pdc2QKQRv5qH6NICuJcoYq-ch8JVM7xHa6CkgDvT4PZj_ ", "expiresIn": 300, "accounts": [{ "ABHANumber": "91-2568-7073-XXXX", "preferredAbhaAddress": "nilam12@sbx", "name": "Nilam Barve", "gender": "F", "dob": "07-03-1997", "status": "ACTIVE", "profilePhoto": "/9j/zVr7GGNefc7jIEYzjFLKmwZNaotkU4A5qveRooztpXGY3lGe4RNU4kgBSM7j2Fen2MC29vHChJCKFyep964rSYkWcXUzKiqQF8xwgB/vc9QCVHHfHvXbWs8dxAs0EkcsbdHjcMDjjgrXo0YcsTgrT5pBMWWynkX7yxtjnHIFVwvIbY5BuUj589iRzj061dj+YICM5JqNh56O+CcsxBPpk4rUyZFKJ13zQHZE2fKg9Qp7e5x09acl6pco4IOSAQMjg4/MnPHTUdrJ5c/IE8HpVuSBJTuK/OMfOOCMDoOaVgRLFKrqGRgynuDmpw3FY32Sa3Km3fl3AHHB2/Nzz+WfNfLI/7pJbuXkbY2GxfYtyM9QcZyDRRQtQZWn03U70lprt7WLGPKt2lzxj5j/EcADnPTtWzpOnzRafJJYhZJ0lwVbManoQAccgBsZx1zRRTa0EpNGfFcRyXE8SRoojYkBGGBG3dgy/Nf++gOatDGOKKK82vFRloelSk3HUgcYYnNRR239o38VpnG/JLegHU/0+poopUopyVx1JNRbQmr+bpV/aRWLRSzRAxmJskAHAQTg5BAUdcZD5ycVJBrUqS+ZqViBJtCm4tC2SA24Bh98KPQFs/3T0oor0kjzeZnU2ModAwmWbnKsuPmfX+E8d8DH1B6dKbp7Smwg81NknLvTH3WlyR+tFFMorz5Vgw6g1ows70Vs+xoopMS3Eb5W9qbJFHcgFwcjIDDqAQQf59DRRSgf/9k=", "kycVerified": true }] }</pre>

Step 3: Verify User This API accepts the ABHA number and transaction id, once both are validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify/user

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the endtoend request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API
T-token	Bearer {{token}}	Yes	Token received in login/verify API. Its' valid for 5mins.

V3 Body parameters:

Property Name	Value	Mandatory	Description
ABHANumber	AbhaNumber_encryption	Yes	encrypted 14-digit ABHA number
txnId	9b4ce0f9-3a27-4598a02ab889479f4fb0	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login generated from Verify OTP step.

V3 Request Body:

Request Body
<pre>{ "ABHANumber": "{{AbhaNumber_encryption}}", "txnId": "{{txnId}}" }</pre>

V3 Response:

Response

[illegible]

13.0 Benefit API's

These APIs are used by government integrators with some special benefits.

13.1 Create ABHA using Aadhaar

Step 1: Generate Aadhaar OTP

This API accepts encrypted Aadhaar Number and then Generates OTP for Aadhaar linked mobile number.

V3 URL: {{base_url}}/v3/enrollment/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{\${isoTimestamp}}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds

BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

Note: To create account using benefit program, benefit name needs to pass in the header.

V3 Body Parameters:

Property Name	Value	Mandatory	Description
txnId	Empty	No	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
Scope	abha-enrol	Yes	Defines the scope of the current action of the API, following are the values that can be used. ABHA_ENROL("abha-enrol"),
loginHint	aadhaar	Yes	Type of login
loginId	Encrypted Aadhaar number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	Otp system to verify login, following are the values that can be used. AADHAAR("aadhaar")

V3 Request Body:

Request Body
<pre>{ "txnId": "", "scope": ["abha-enrol"], "loginHint": "aadhaar", "loginId": "{{Aadhaar_encrypted_Output}}", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK

```
{
  "txnId": "c6a49f66-c740-4a7d-a93d-8c0431bbb8f3",
  "message": "OTP is sent to Aadhaar registered mobile number ending with*****8510"
}
```

Step 2: Enrol ABHA

API Accepts Transaction ID (previous step response) and encrypted OTP along with a primary mobile number for ABHA.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	Client Benefit name	Yes	Benefit name given to integrators
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

Note: To create account using benefit program, benefit name needs to pass in the header.

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	otp	Yes	Defines the authentication method used for enrolment, following are the values that can be used. OTP("otp"), PI("pi"),

timeStamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobileOrEmailOTP API
otpValue	Encrypted OTP value	Yes	
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating AHBA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["otp"], "otp": { "timeStamp": "2023-07-07 16:48:39", "txnId": "{{txnId}}", "otpValue": "L3y7R6WotN21IVDJACL6d7mDh5MVBUBmXCiyoDMbkP7Cinz4ZjBmrpsUSOqlvE/U9q9/qWw9I8Yf6GDgS0oM9IMu3z1fDOERaW0bQWgt3+tKxwkioHAKO8G2RvUCIPsPeBo2Cnwj9I6CNleT6VbNSrX0ZISK02eFtlOtzfo80iW2OXkAUybhv7DdZL2KxKNrExsubJf74knLgaFRj8TtbvaEMO2gi6EsdFOgh3SzvGh9oFYdOi5etlwyqvZ1evjvfFQFiRAQro7c1ksl59y2sn9JThbvZxQLH8eNWN802lysqaCr+tzVU/SaEK5fl3yUWdDIW2qJZQP1XtutHBqVHLB2SNDzt8Uta/UnrBBASuQz+dHfGikR2L4qxeGib7R5Q9qDutczVlxzLVNTdSeGOujVpl2YvYa7E5k4rCCQyH91rpfXOK3ioa5vtklr3XC1pM+Ni57wgRKLfnxcl4XDgAcDv117/9T90JeqIBOWVmvKNBSEfJfSnd7feiE388E11fVblj86HoA7UwgSYybKSe7/YpqEOu0OE9VrFCWHHboXgOE/sLio3KJFTsRAQi9QntIO2ycirCC5S7/neQ1B8WYQyPEj533ArBYNfdzkm4x67PtZUTiuG4lwlQ6GnfjD5CC0iXZjvnZHUelQYUINuXrns5ze7pxretKmYCE=", "mobile": "{{mobile_number}}" } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

Response
Code: 200 OK

[illegible]

WVFN6iVNit5WtXBy95nPcuf8Khm03UNnzXsZPpk1RvtcurKS6t3+ziS3l8vy28ws3UEjtgY74PlxnnBJf3MKQSzxtCJ0Doc5Vgf5V3OF5xyqULgLu
VJDbxXSIZBwH7NXN6hb+Xqy8HD84rrdovlQJUBz0rF1+LyZYLjGdhWR61VFrmJqp2O78JaUlKW8n+eZgNoI4UY4FduiEqOMd65PwlqCX2nxzqR