

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end- to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	abha-enrol mobileverify dl-flow	Yes	Defines the scope of the current action of the API
authMethods	"otp"	Yes	Defines the authentication method used for enrolment, following are the values that can be used OTP("otp"), PI("pi"),
timeStamp	Actual time, format : "YYYY-MM-DD HH:mm:ss"	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll ABHA. Transaction Id will be returned after a successful OTP transaction.
otpValue	Encrypted OTP value	Yes	

V3 Request Body:

Request Body

```
{
  "scope": [
    "abha-enrol",
    "mobile-verify",
    "dl-flow"
  ],
  "authData": {
    "authMethods": [
      "otp"
    ],
    "otp": {
      "timeStamp": "{{timestamp}}",
      "txnId": "{{lastResponseTxnId}}",
      "otpValue": "{{OTP_encryption}}"
    }
  }
}
```

V3 Response:

Response
Code: 200 OK

```
{
  "txnId": "649ce755-810e-4f05-a9e6-022741acc42d",
  "authResult": "success",
  "message": "OTP verified successfully." }
```

Step 3: Verify DL documents

This is an API to validate the driving license document with NEPIX and create a new account and generate an enrolment number.

V3 URL: {{base_url}}/v3/enrollment/enrol/byDocument

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
txnId	"3585baee-eab3-4651-b2cb215ee4f4d181"	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrollment. This chains all the steps to enroll in ABHA. Transaction Id will be returned after a successful OTP transaction.
documentType	"DRIVING_LICENCE"	Yes	
documentId	MH1320140019054	Yes	Driving license number
frontSidePhoto	BASE 64 ENCODED JPEG	Yes	
backSidePhoto	BASE 64 ENCODED JPEG	Yes	
Dob	Yyyy-mm-dd	Yes	Date of Birth
Consent	{ "code": "abhaenrollment", "version": "1.4" } }	Yes	Consent code and consent version

V3 Request Body:

Request Body
<pre>{ "txnId": "{{lastResponseTxnId}}", "documentType": "DRIVING_LICENCE", "documentId": "MH1320140019054", "firstName": "anand", "middleName": "vyankatesh", "lastName": "sunchu", "dob": "1996-07-15", "gender": "M", "frontSidePhoto": "{{BASE 64 ENCODED JPEG}}", "backSidePhoto": "{{BASE 64 ENCODED JPEG}}", "address": "russia", "state": "maharashtra", "district": "pune", "pinCode": "413005", "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "EnrolProfile": { "enrolmentNumber": "91-6087-5423-XXXX", "enrolmentState": "VERIFIED", "firstName": "anand", "middleName": "V", "lastName": "sunchu", "dob": "1996-7-15", "gender": "M", "mobile": "*****3603", "email": null, "address": "india", "districtCode": "490", "district": "PUNE", "stateCode": "27", "state": "MAHARASHTRA", "abhaType": STANDARD, "pinCode": 411017, "abhaStatus": "ACTIVE", "phrAddress": [91608754231330@abdm] } }</pre>

5.0 ABHA Creation via Demo Auth

This API is used to create ABHA using Demo Auth.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end- to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
BENEFIT-NAME	benefit name	Yes	Benefit name of client
Authorization Token	{{accesstoken}}	Yes	Token generated from session api

V3 Body parameters:

Property Name	Value	Mandatory	Description
authMethods	Demo_auth	Yes	Account creation method, currently it is demo
aadhaar	Encryoted aadhaar number	Yes	User Aadhaar number encrypted by RSA
address		No	User personal details. It's optional field.
Mobile		No	User personal details. It's optional field.
dateOfBirth		Yes	User personal details
districtCode		Yes	User personal details
Name		Yes	User personal details
Gender		Yes	User personal details
stateCode		Yes	User personal details
pinCode		No	User personal details
Validity		No	User personal details
profilePhoto		No	User personal details

V3 Request Body:

Request Body
<pre> { "authData": { "authMethods": ["demo_auth"], "demo_auth": { "aadhaarNumber": "cRmMrv8dA/an19TRnKxUYuzNlx+xSezheT83aQ/U1lFilzPI+h5U+/SG2uhnIWl7hro6l7LnImqAiP5gd+buQ5aa8LeC/tnhlyIESMxtltoQOlyUmr wOgDFQAo7BLqGyWsXJayWn0sa2yhmzxzrdlpGdaQhDMBW+Z5DFZC4ZWWoBqoEeAt69eLH+9qGA9UEmJRbDD2vI7crHmkhSZjFnn/BcaKv 86DCHkLwmJlAgzODJknBlWglMdlkXhGhjRSNeSaVKFgpxzxxzx4xjX2jmQnaW5FtUOjV2THjfgW6ptV0yGpe+ljiUevzLcJo7skNpTjPCLtGlhXZqF PLweDLHzbOumidhOxtrd5kt0mHQXhdR2jPcvw2J+Y/27dLUH05q5xzbifSZm5pvGxB9bxs0M8nVmfc6kPvHSHg3wSbXVMTkRffq/wfV5sa86x 0bsu+ewocCgq5OpMPsEJFUEGdjLWAEvaBgKpMX/pc3XJrrfaD/yGB58QjReoYkucemDCY+vJ0SlmisxvzNZtC+jhj2iVFuG5yRDewC7WR9sYsbLq 2KUufGZ43M15CSNzmIkOAsBv/UlpcYkMeTIWe5lhRq8/Sd8oiW8x4+uyehDDwPR/F3RZJtnD1U5LbnMQHeKqDmEh6eX43KJXCBS1RCCBOao 0ifNfv1CVb2V+ZtQNqBb8TTPyJzQg=", "districtCode": "490", "stateCode": "27", "dateOfBirth": "23-1-1989", "gender": "M", "name": "Yashraj Chonde", "mobile": "{{mobile_number}}", //Optional Field "pinCode": "234562" //Optional Field } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "photo": "/9j/4AAQSkZJRgABAgAAYAAAF0vqVVJebUF3OVuJvs1ykkk4Ujsamph3BWlucU8RGtU5oLQ74ONuKjkc=", "gender": "M", "name": "Sushant Kumar Jha", "email": null, "phone": null, "pincode": "847121", "birthdate": "20-11-1997", "careOf": "Avinash Kumar", "house": null, "street": null, "landmark": null, "locality": "dulha", "villageTownCity": "Khairi Banka", "subDist": "Bisfi", "district": "Madhubani", "state": "Bihar", "postOffice": "Keoti Ranway", "aadhaar": null, "txnId": "4ebe8020-17a8-4c35-b39e-201bdb01d417", "healthIdNumber": "91-3111-6864-XXXX", "jwtResponse": { "token": "eNSjzkMI", "expiresIn": 1800, "refreshToken": "eqKGvH-Yfzr0dAVys_MMaQpwrZ1mPoxWrMNGqonL-iKG2yyv22xHC_7iDbVer7htQWtk", "refreshExpiresIn": 1296000 }, "new": true }</pre>

6.0 ABHA Creation via Biometrics

6.2.1 Create ABHA via FingerPrint

Note : List of UIDAI-approved biometric devices

- [https://uidai.gov.in/en/ecosystem/authentication-devices-](https://uidai.gov.in/en/ecosystem/authentication-devices-documents/biometric)

[documents/biometric](https://uidai.gov.in/en/ecosystem/authentication-devices-documents/biometric)<https://ind01.safelinks.protection.outlook.com/?url=https://uidai.gov.in/en/ecosystem/authentication-devices-documents/biometric-devices.html&data=05|02|Kushal.Pandita@ltimindtree.com|022d6e5cc5ca4c50ddc708dd93aaf31c|ff355289721e4dd7a663afec62ab9d54|0|0|638829084605444457|Unknown|TWfPbGZsb3d8eyJFbXB0eU1hcGkiOnRydWUslYiOilwLjAuMDAwMCIslAIiOjJXaW4zMlslkFOljoitWFpbiClldUljoyfQ==|0||&sdata=l/nQjqzQwmHiwJj++2ueol9Tlnbz1iunxdtkXwPjPLQ=&reserved=0>[devices.html](#).(Kindly note that the list is updated by UIDAI periodically.)

This API creates an ABHA account using FingerPrint.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	bio	Yes	Defines the authentication method used for enrolment, following are the values that can be used. BIO("bio"),
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobile Or Email OTP API
fingerPrintAuthPid	Encrypted fingerPrintAuthPid value	Yes	PID value is base 64 encoded which is generated by fingerprint scanner device.
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating ABHA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body

```
{
  "authData": {
    "authMethods": [
      "bio"
    ],
    "bio": {
      "aadhaar": "{{Encrypted Aadhaar Number}}",
      "fingerPrintAuthPid": "<PID>",
      "mobile": "{{mobile_number}}"
    }
  },
  "consent": {
    "code": "abha-enrollment",
    "version": "1.4"
  }
}
```

Note: Checkpoints to generate fingerprintAuthPid:- lr = 'Y'; (This Attribute should be passed as 'Y' otherwise it will give K-547 error) ra = deviceType;
rc = 'Y'; de = 'N'; pfr = 'N'; text = '2.5' + ra + rc + lr + de + pfr; wadh = Base64.stringify(sha256(text)) or convert to SHA-256 and then to base64.

V3 Response:

a) If the primary mobile number matches with Aadhaar linked mobile number.

```
Code: 200 OK

{
  "message": "Account created successfully",
  "txnid": "2ec82835-9314-4296-acc0-5d526371998d",
  "tokens": {
    "token": "eyJhbGciOiJIUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVklj0cnVlCjZdWlIiOiI5MS0xNjAxLTQ1NDgtMTM4MCIsmNsaWVudElkIjoiyWJlODUwNDY2LClpYXQiOiJlMjU4NDg2NjYsInR4bklkIjoieWVjODI4MzUtOTMxNC00Mjk2LWFjYzAtNWQ1MjYzNzE0THknIn0.NXTXyZrMgVTAeByvPW9rLFhYPASOveshK9fvMFY1X00u0LBJNQ5ZzSS0lIOWBCOU6yW5wDCA9a03W59UUGEOjXs9QXQGOC5eyWVQSMlSuYwxjhMXN0yNhQxFTMiXjZFFGiXJEuCsHznT5f0UHZINd82dw-
```

[illegible]

b) If the primary mobile number is different from Aadhaar linked mobile number.

Response
Code : 200 OK

[illegible]

3Of1V33iOPlm6UzTJVsgJjwXNO1WOCtCeFdwHBFYP2dpNQ+OrPOso6KzZBrRRutyG2megXRtUttP3AnGcVzkbGS5a4TAVj0qpPlc3Fo0U7GNC
MHYEUNIGYAkasiD+8xOapJLcV7nTiNZVGv5pGto15wKSODPLXJ5pk0uV4qDTSxWumVQQuMVB4e0Zr7xlmprkgLbcAeqpC7kO059fzrs/Ddp9I
0uMkfNj8x/GuvDrW5w4I2VjbZ1pwaowaUGuw4iYHNLmohTgaFppp5ppNikjrbWbq1jFfWxiiXOCCCK02qtOrtOamSurFJ21PGtWtfs16VUD5
WK8dqyabCYC57V1OtR2QhIBhjVn4L471xdudshwePauOpT5VqdtKrZM6uK7CJkkdKEvAcSfWV5heMhSaha5aND1JHbNc/KdfObr3mQRkVmSS
QtNu3AEelYJvLy5IKkeWua2d00b7Vjdcqvrmt4U+4leexPLOjpxLkemKZFcqOFYEjtV+TQLdYiftS4X0Nc5qNp5DnyJmNU6aHKDgrm2t4WUjOCKeL
vK4ziucsczoD5z7s9MCTdDdtHXJrFwsQp3ReiBvdRhgHIZwD9K9KgQxRlqjCqAAK4jwjp/2i7kun+5GML9a7oDHeu6hG0bnBWneQ4U4U0UorcwHil
puaCaAJM000pNNNSla2cVUuXVY8E81afkVn3Uagbm5BHegDzjx5eMsDCOXCNrtrktCu3kgKuxJB4NdJ4+ni+ztCi/P1AHb3rkvDymSCb+8rcVz1tj
ppHUJOY8HtUhXzCWzwapRSBxg9R1zVuCZQdrVzWsjpUiBkAb5eoqRZ7pP9Woqz9nVvmq9aQK0i8ge9JT1NUmZbX6UwRgnrxUPztzJXUy21u
B8pye9ZE0aAkcU3N7Dab3ZRT5s+ISJG00qRlpLE4FNkbyvHU10vhWxSRnupCCyMAo960pw5mc9SfKjq9IsF0/To4QPmxlj6mtAGmoeKd1rutY4L
3DJ7U4UgpaYC80v1oFFAEh5NNNXV06U/elFTLpifxOT9KjmQ1Fsyj0rL1GQRW7s7YUD0a6ptMhbGCwH1qG40KyuYDFLGWUunnSutLmQ3Bnz5r
Md3Vyl7e3lmmuGyqlpYkdunNUPD1jcWtdx3ELxYfbh1wcjrX0Sdl0/SLeSa0toopNmN56gD39K8iumE97JLhhvYtgnOOa5609LI3orUybqzdDvT
rVIXDkCNwwrp0jV3sMis290sZLKOK54z6M6pQ6kEOphV2uPqxZdQTOVBfZ5syDgg4pBZdwxp8qBSaNJdV4IL5z3qM3e7OOTVH7Kw6E1PFaEn
nmhJHKTJQ5kfPU/yrsvCbqtvIEw5L5z+FcxHb7BjFamkam9pqNvZrCHE8iruzyuTitaM1zGFWd5D0OLp7VLzUyW6FB1/Cpo7NGIHv186OSxTap
1aC2MRXnOfrQbBGGVYihTQWZQoq01hIPukGomt5U6oarmQWN6iisDpCiiigTKeqRGbT5ox1ZCB+VeKSJhwccV7nMMxmvJtZ042WpSxY+Xdlf
oelYV1pcug/eaM6lflUrRbl680xU2mp1xjmuQ7TNlt9rElaaLWMjOK0ymR1zULRJHTFUpNC5TOa3XPFTxW3tU2xQc4wanDALgUXYKJXaMKKjs5
Eg10nYfckGfpVh+eLQw2cl7eRW0f3pGwD6e9VB2ZnUWh6zbDdCG9qtwjrUVsg8nA+ITxLhDXaedYeo+WnKMUKOB5gUDF7UmKXFFAyaiimah
RRRQAJLuiUuS8Uad5sK3Cr8ycN9K66q15brPE8bDlcyNTOPMREr3ZcyPKZLYgcDiq4BBxit64tWguGjfgq2BVWW2yeRg153kz0lu6M/BxxUZDHpz
V9YecYqTyQD0oLMkxmtk2nOMVqPGuOahMa5zTEUxEcEn/9Vb/g7TvNupr91+VP3cf17n8v51izMP8AVr1716Fo1mLPSreHHZbdzF8mt6Mbyv
2OXEstGxp264WpWuFpsS4WpR1rqZxoMcUoHrTgKMUDGkUmKU0o6UAPooopmoUUUUAFlwyppaKBPY5PX7YldLiBw45+tzOBiQkjBT0DHT9a
6rW7bzbQsOsZ3fhXLOoJx3rirRtl6qD5o+gy60+4tSOrH2HkOOQxfq3TlrUttSntlzEQstuesUgyPw9KVl0y5gedBPs+/GBvBz0wf8ajlXQ05mviOf
mc1VbzG+UkcnvWs6lxlSPaPVjk00loHP50rMq9ylYWDt3kMLfxuA30716Yq4x6CuT8Pwebqu/HESE59zx/jXXKQK66C925w4h3lYmQcVIBTVH
NPfami7NFIOWKgBDQKKA0aAHUuuUzUKKKKACiiigGQ3EYkKkEYNcRcxNBcSRnqpxRRWFFy0ofE0V5DkDFMSeeCOWOKUqko+dcD5qKK572
OrdahgMBmoiCPpRRQwaOk8MwEWktwr/rHwp9h/9fNb8a85oortgrRR51T4mTKKCKKKCRaO9FFMBvenUUUAf//Z",

```
"mobile": null,
"email": null,
"phrAddress": [
  "91160145481380@sbx"
],
"address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra", "districtCode": "494",
"stateCode": "27",
"pinCode": "415001",
"abhaType": "STANDARD",
"stateName": "MAHARASHTRA",
"districtName": "SATARA",
"ABHANumber": "91-1601-4548-XXXX",
"abhaStatus": "ACTIVE"
},
"isNew": true
}
```

Note:

1. If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.
2. In case mobile number is null, it can be update using mobile updation APIs. To update the mobile number please refer [Section: 3 \(Step 4- ABHA Mobile Verification\)](#).
3. After creating account, need to create ABHA address. For ABHA address creation please refer [Section: 3 \(Step 6: ABHA Suggestions and ABHA Address creation\)](#).

6.2.2 Create ABHA via FaceAuth

Step 1 : Generate the Transaction Id

This API will help to generate transaction id. This transaction Id will be used for whole face authentication process.

The user can submit this transaction ID to the **ABHA** app using either intent-based sharing or by generating a QR code. User can use this transaction ID to generate QR code using any QR generator tool. Open ABHA app and scan this QR code on ABHA App to start and complete the face capture process.

The data format of the QR code should follow this pattern:

<https://<phr-env-base-url>/face-auth?txnId=<txn-id-from-the-response-of-init-api>>.

For example: <https://phrsbx.abdm.gov.in/face-auth?txnId=bac7251b-cd25-44d5-9707-f3d2ba181c1c>

V3 URL : `{{base_url}}/v3/enrollment/enrol/auth/init`

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	"abha-enrol", "face-auth"	Yes	Scope is Mandatory to generate transactionId. Transaction Id will be returned after a successful request.

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-enrol", "face-auth"] }</pre>

```
}
]
```

V3 Response :

```
{
  "txnId" : "23acf181-339d-4771-b532-5c5df4a28d19"
  "message" : "Transaction Id generated Successfully"
}
```

Step 2 : Check The status of the Transaction Id

This API is designed to verify the status of a transaction ID that was generated during the invocation of the **auth/init** API. It serves as a follow-up mechanism to ensure that the transaction is still valid, active, and has not expired or been invalidated.

The response of the API will return status of that transactionId. It can be either **PENDING,VERIFIED,FAILED,COMPLETE**.

Once the status in the response of this API is returned as **COMPLETE**, it indicates that the face authentication process has been successfully completed. At this stage, the next step is to invoke the **enrolment/enrol/byAadhaar** API to proceed further.

User can poll the **/capturePID** API in every 5 - 10 seconds interval to check the status of face capture process or alternatively skip this step and call the **/byAadhaar** API once they see the PID submission success message in the ABHA app.

V3 URL : {{base_url}}/v3/enrollment/enrol/capturePID

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
scope	"abha-enrol", "face-verify"	Yes	Scope is Mandatory to check the status of the transaction Id.
txnId	"{{transactionId}}"	Yes	Transaction Id generated by you by calling auth/init will be used here

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-enrol", "face-verify"], "txnId": "93f4e14e-d5f1-447b-a6f5-f7f72428b50a" }</pre>

V3 Response based on status:

If the status is **PENDING**:

<pre>{ "status": "PENDING", "message": "Awaiting PID capture" }</pre>

If the status is **VERIFIED**:

<pre>{ "status": "VERIFIED", "message": "Awaiting PID capture" }</pre>
--

If the status is **FAILED**:

```
{
  "status": "FAILED",
  "message": "PID capture failed. Please regenerate the QR Code. "
}
```

If the status is **COMPLETED**:

```
{
  "status": "COMPLETE",
  "message": "PID captured successfully",
  "txnId": "ea1dc7aa-d7c3-40ab-bee8-84c6f1eb90fc"
}
```

Step 3 : Create ABHA using Face Auth

This API creates an ABHA account using FaceAuth.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.

authMethods	face_auth	Yes	Defines the authentication method used for enrolment, following are the values that can be used. face_auth
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to auth/init API
aadhaar	Encrypted Aadhaar number	Yes	Encrypted aadhaar number of a user
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating AHBA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body

```
{
  "authData": {
    "authMethods": [
      "face_auth"
    ],
    "face": {
      "txnId": "{{transactionId}}",
      "aadhaar": "{{Encrypted Aadhaar Number}}",
      "mobile": "{{mobile_number}}"
    }
  },
  "consent": {
    "code": "abha-enrollment",
    "version": "1.4"
  }
}
```

V3 RESPONSE:

[illegible]

B) If the primary mobile number is different from Aadhaar linked mobile number.

Response
Code : 200 OK
<pre>{ "message": "Account created successfully", "txnId": "2ec82835-9314-4296-acc0-5d526371998d", "tokens": { "token": "eyJhbGciOiJIUzUxMiJ9.eyJpc0t5Y1ZlcmImaWVklp0cnVlCjZdWlIiOiI5MS0xNjAxLTQ1NDgtMTM4MCIslmNsaWVudElkIjoiYWJlOYS1wcm9maWxlLWFWcC1hcGkiLCJzeXN0ZW0iOiBQkhBLU4iLCJhY2NvdW50VHlwZSI6InN0YW5kYXJkiiwibW9iaWxlpudWxsLCJhYmhhTnVtYmVyljoiOTETMTYwMS00NTQ4LTEZODAiLCJwcmVmZSJyZWRYbhhQRkcmVzcyl6ljxMTYwMTQ1NDgxMzgWQHNieCisR5cCI6IlRyYW5zYWNOaW91ulwiZXhwIjoxNzE1ODUwNDY2LCJpYXQJOjE3MTU4NDg2NjYsInR4bklkIjoIMmVjODI4MzUtOTMxNC00Mjk2LWFjYzAtNWQ1MjYzNzE0ThknO.NXTXyzvRmGVTAeByvPW9rLFhYPASOveshK9fvMFY1X00u0LBJNQ5zZS0lIOWBCOU6yW5wDCA9a03W59UUGEOjXs9XQXG0C5eyWVQSMsUyYwxjhMXN0yNhQxFTMiXjZFfGiXJEUcShznT5f0UHZINd82dw-bJjZpwFoY_y66tmxpHme7Z5kvGKmiheUKpQBcSw6pj6WzZuA2AVB0w15yLW3LAdsxMZqFTES-aCx_c_iQSJc2HOCGduWQu4L9i5rJLEn8Rn4yx_DDjGxtAtP6Gem5jy-82qQausJUYc30kvuExY5BFpvpnXHarJoAtmkCRwnci_mJf4TLjI8ygfAncXmElZhhwV3TXfhCg6lgnbg-XXN6668aOoAGcG8G5tljIim6-</pre>

[illegible]

```

"stateCode": "27",
"pinCode": "415001",
"abhaType": "STANDARD",
"stateName": "MAHARASHTRA",
"districtName": "SATARA",
"ABHANumber": "91-1601-4548-XXXX",
"abhaStatus": "ACTIVE"
},
"isNew": true
}

```

Note:

1. If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.
2. In case mobile number is null, it can be update using mobile updation APIs. To update the mobile number please refer [Section: 3 \(Step 4- ABHA Mobile Verification\)](#).
3. After creating account, need to create ABHA address. For ABHA address creation please refer [Section: 3 \(Step 6: ABHA Suggestions and ABHA Address creation\)](#).

6.2.3 Create ABHA via IrisAuth

This API creates an ABHA account using IrisAuth.

V3 URL: {{base_url}}/v3/enrollment/enrol/byAadhaar

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body Parameters:

Property Name	Example Value	Mandatory	Description
---------------	---------------	-----------	-------------

authData	Empty	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA enrolment. This chains all the steps to enrol in ABHA. Transaction Id will be returned after a successful OTP transaction.
authMethods	iris	Yes	Defines the authentication method used for enrolment, following are the values that can be used. IRIS("iris"),
txnId	Actual Transaction Id	Yes	Transaction Id received as a response to request/mobile Or Email OTP API
pid	Encrypted PID value	Yes	PID value is base 64 encoded which is generated by iris scan device.
Mobile	Primary Mobile number	Yes	If the user wants to use a mobile number which is other than the mobile number which is linked with the Aadhaar number
Consent	-	Yes	
Code	abha-enrollment	Yes	Consent code for creating ABHA number
Version	1.4	Yes	Consent version for creating ABHA number

Note: mobile parameter in the below request is referred to as the primary mobile number

V3 Request Body:

Request Body
<pre>{ "authData": { "authMethods": ["iris"], "iris": { "aadhaar": "{{Encrypted Aadhaar Number}}", "pid": "<PID>", "mobile": "{{mobile_number}}" } }, "consent": { "code": "abha-enrollment", "version": "1.4" } }</pre>

V3 Response:

- a) If the primary mobile number matches with Aadhaar linked mobile number.

Response
Code: 200 OK

```
{
  "message": "Account created successfully",
  "txId": "2ec82835-9314-4296-acc0-5d526371998d",
  "tokens": {
    "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXLTQ1NDgtMTM0MClmNsaWVudElkjoiiYWIwYjY1cm9maWxILWFwcC1hcGkiLCJzeXNOZW0iOiBQbkBLU4iLCJhY2NvdW50VHlwZSI6ImN0YW5kYXkiwiibW9iaWxlljpudWxsLChyYmhhTnVtYmVyljoiotETmtYwMS00NTQ4LTEzODAiLCJwcmVmZXJpZWRBYmhhQWRkcmlvZyYljkMTYwMTQ1NDgxMzgwbQHNieClslrNSCjCl6IRyYW5zYWN0aW9uliwiZXBhwljoxNzE1ODUwNDY2JCpYXQiOiJlMTU0NDg2NjYslrInR4bklkioiiMmVjODI4MzUtOTMtMNC00Mjk2LWF7YzAtNWQ1MjY2ZS0tThkn0.NXTXYzvRmGVTAeByvPW9rLFhYPASOveshK9vfMFY1X00uOLBJNQ5ZzsS0lOwbBCOU6yW5wDCA9a03W59UUGEOjXs9XQQG0cYseVWQSMLsuYwxjhMXN0yhNxqFTMiXiZFgiFgJIEucShznT5f0UHZIND82dwblJJzpFoY_y66tmxpHme7Z5zkVGKmiheUKPQBcSw6pj6WzzuA2AVB0w15yLW3LAdsxMZqFTESaCxCI_QJSjc2HOcGduWQu4L9iSrJLEn8Rn4yx_DDJgtxAtP6Gem5jy-82qQausJUyC30kvuEY5SBfpvpnXHarJoAtmkCRwncl_mJf4TLjl8ygfAncXm-EIZhvw3TXfhCg6lgnbg-YXN6668oAoGCg8G5tljjim6-
```

[illegible]

b) If the primary mobile number is different from Aadhaar linked mobile number.

Response
Code : 200 OK

[illegible]

```

OuMkfNJ8x/GuvDrW5w4l2VjbZ1pwaowaUGuw4iYHNLmohTgaAFppp5ppNikjbrWbq1jFfWxilXOCCK02qtOrtOamSurFJ21PGtWtfs16VUD5
WK8dqvacbCYC57V1OtR2QHlBhjVn4L471xdudshwepauOpT5VqdtKrzM6uK7CJkkdKEvAcS7W5LheMhSaha5aND1JHbNc/KdfObr3mQRkVmSS
QtNu3AEelYJvLy5IKKeWua2dO0b7Vjdcqvrmt4U+4leexPLOjpxLkemKZCFqOFYEjtV+TQLdYiftS4X0Nc5qNp5DnyJmNU6aHKDgrm2t4WUjOCkEL
vK4ziucszcoD5z7s9MctDdtHXJrFwsQp3ReiBvdRhghIZwD9K9KgQRxIqjCqAAK4jwjp/2i7kun+5GML9a7oDHeu6hG0bnBWneQ4U4U0UorcwHil
puaCAajM000pNNNSla2cVUuXVY8E81afkVn3Uagbm5BHegDzjx5eMsDCOXCNrtrktCu3kgKuxJB4NdJ4+ni+ztCi/P1AHb3rkvDymSCb+8rcVz1tj
ppHUJOY8HtUhXzCWzwapRSBxg9R1zVuCZQdrVzWsjpUiBkAb5eoqRZ7pP9Wozq9nVvmq9aQK0i8ge9JT1NUmZbXd6UwRgnrxUPztzJXUy21u
B8pye9ZE0aKcU3N7Dab3ZRT5s+ISJG00qRlpLE4FNkbyvIHU10vhWxSRnupCCyMAo960pw5mc9SfKjq9IsF0/To4QPmxlj6mtAGmoeKd1rutY4L
3DJ7U4UgpaYC80v1oFFAEh5NNNXV06U/eIFTLpifxOT9KjmQ1Fsyj0rL1GQRW7s7YUD0a6ptMhbGCwH1qG40KyuYDFLWUUnn5utLmQ3Bnz5r
Md3qVyl7e3lmmuGyqlpYkdunNUPD1jcWtxdx3ELxYfbh1wcjrX0SdI0/SLeSa0toopNmN56gD39K8iumE97JLhhvYtgnOOa5609LI3orUybyqzdDvT
rVIXDKcNwwrp0jVvK2sMis290sZLKOK54z6M6pQ6kEOphV2uPqxZdQTOVbFZ5syDgg4pBZdwxp8qBSaNDV4IL5z3qM3e7OOTVH7Kw6E1PFaEn
nmhJIHKTJQ5kfPU/yrsvCbqtvJEw5L5z+FcxHb7BjFamkam9pqNvZrCHE8iruzyuTitaM1zGFWD5D0OLp7VLzUyW6FB1/Cpo7NGIHv186OSxTap
1aC2MRXnOfRqBBGGVYihTQWZQoq01hIPukGomt5U6oarmQWN6iisDpCiiigTKeqRGbT5ox1ZCB+VeKSJhwccV7nMMxmvJtZ042WpSxY+Xdlf
oelYV1pcug/eaM6lflUrRbl680xU2mp1xjmuQ7TNlt9rElaaLWMjOK0ymR1zULRjHTFUpNC5TOa3XPFTxW3tU2xQc4wanDALgUXYKJXaMKKjs5
Eg1i0nYfckGfVh+elQw2cl7eRW0f3pGwD6e9VB2ZnUWw6zbDdCG9qtwjrUVsg8nA+ITxLhDXaedYeo+WnKMUKOB5gUDF7UmKXFFAyaiimah
RRRQAJLuUiuS8Uad5sK3Cr8ycN9K66q15brPE8bDlcYNTOPMrEr3ZcyPKZLYgcDiq4BBxit64tWguGjfgq2BVWW2yeRg153kz0lu6M/BxxUZDHPz
V9YecYqTyQD0oLMkxtmk2nOMVqPGuOahMa5zTEUxEcEn/9Vb/g7TvNupr91+VP3cf17n8v51izMP8AVr1716Fo1mLPsreHHzbdfU8mt6Mbyv
2OXESTGxp264WpwuFpsS4WpR1rqZxoMcUoHrTgKMUDGkUmKU0o6UAPooopmoUUUUAFlwyppaKBPY5PX7YLDLlBw45+tZOBIQkjBTODHt9a
6rW7bzbQsOsZ3fhXLOoj3rirRtl6qD5o+gy60+4tSrOh2HkOOQfxq3TlrUttSntlzEQstuesUgyPw9KVI0y5gedBPBs+/GBvBz0wf8ajlXQ05mviOf
mc1VbzG+UKcnvWs6lxlSPaPVjk00loHP50rMq9ylYWDt3kMLfxuA30716Yq4x6CuT8Pwebqu/HESE59zx/jXXKOQK66C925w4h3lYmQcVIBTVH
NPFamI7NFIOKWgBDQKKA0aAHUUUUzUKKKKACiiigGQ3EYKjKkcEYNcRcxNBcSRnqpxRRWFFy0ofE0V5DkDFMSeeCOWOKUqko+dcD5qK572
OrdahgMBmoiCPpRRQwaOk8MwEWktwR/rHwp9h/9fNb8a85oortgrRR51T4mTKKcKKKCRaO9FFMBvenUUUAf//z",

```

```

"mobile": null,
"email": null,
"phrAddress": [
  "91160145481380@sbx"
],
"address": "165/2 Plot no-25 Mangalai Colony Shahunagar, Godoli, Satara, Maharashtra", "districtCode": "494",
"stateCode": "27",
"pinCode": "415001",
"abhaType": "STANDARD",
"stateName": "MAHARASHTRA",
"districtName": "SATARA",
"ABHANumber": "91-1601-4548-XXXX",
"abhaStatus": "ACTIVE"
},
"isNew": true
}

```

Note:

1. If the primary mobile number matches with Aadhaar linked mobile number then mobile is saved in DB and if the primary mobile number is different from Aadhaar linked mobile number then mobile is not saved and its value is null.
2. In case mobile number is null, it can be update using mobile updation APIs. To update the mobile number please refer [Section: 3 \(Step 4- ABHA Mobile Verification\)](#).
3. After creating account, need to create ABHA address. For ABHA address creation please refer [Section: 3 \(Step 6: ABHA Suggestions and ABHA Address creation\)](#).

7.0 ABHA verification

7.1 Login via Aadhaar OTP

Step 1: Generate OTP

This API accepts the encrypted ABHA number and then generates OTP for Aadhaar linked mobile number.

V3 URL: {{base_url}}/v3/profile/login/request/otp

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the endtoend request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accessToken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar- verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
loginHint	Abha-number	Yes	Type of login, following are the values that can be used. ABHA_NUMBER("abha-number"), MOBILE("mobile"), EMAIL("email"), AADHAAR("aadhaar"), PASSWORD("password"),
loginId	Encrypted ABHA number	Yes	Actual value of login type. This needs to be RSA encrypted using a public key
otpSystem	aadhaar	Yes	Otp system to verify hlu/hip/phr login, following are the values that can be used. AADHAAR("aadhaar"), ABDM("abdm"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-verify"], "loginHint": "abha-number", "loginId": "eP7sVhb5mxtlleG1xKUUTYDvcUoVBFDeWpYFcA+pwFAOTsvZ/yTEOGyCfRKXcUKG0fTvAjtU73OIR9aJAu2lIr6FWM8pwcDwlvZgP8YR6+X/8rxvcuYYyGkBuWb6zoXeHE7ZwTDHNCUwEFyWLwBpNkbYJ+vbtYLlyB7y3fRk+cJtB+iJq/IOQaLYZQoYqR4aTMutqQaopWukaBRz1h/0LSFh2PIfOxfSMKymOFvS33OqVVMqQ6p9aajm5zuFW/dG86oeN5qFZHaPjN/dx2Rv0VWlLivAm8J+ZQGuJovm0OuPmfaL+FZgbjJDLPMAmhUYm+WbV9GPqWbxt3sjYtQy2Th6y4j12Nw+O++9eKuW8mZ28Vdo6w/ulp1kmKzZvMdVUGp1piF6h/ru6r5k4nNT+C6ib6BB8rH8qcBs00nrX4WjzIiVGOAuvvZxAsCMzAXf+cep6RXZgeg68ORouvoA9mCv2xyOWKAkc+eJ7Y6GcdT3Vvl0Kqa/awqUpY/Tsppk7RVGAN2w2RL+SX7/V6Sa7o2GwJIJfGghihUWIHkX3yaCyS7wCIMFzeLHIC4bTPb0lyoyYnM3MxvPtWl6Rlq08eyZFSUeEhpa+nTfVPjok6j7p2WjBXRln4ynxwr4yYpiiONlgnHtaziUPvcW47B+sb28ZLqU1Gpldfcw8bXJrcHqc=", "otpSystem": "aadhaar" }</pre>

V3 Response:

Response
Code: 200 OK
<pre>{ "txnId": "01a71f23-b26f-463a-b54b-ea50446eae9", "message": "OTP is sent to Aadhaar registered mobile number ending with *****0161" }</pre>

Step 2: Verify OTP

This API accepts OTP from the user, once the OTP is successfully validated a session token is generated.

V3 URL: {{base_url}}/v3/profile/login/verify

V3 Request: POST

V3 Request Headers:

Property Name	Example Value	Mandatory	Description
REQUEST-ID	18235d89-cb13-479d-ad71-7a57d5f669a8	Yes	Unique UUID for tracking the end-to-end request transaction
TIMESTAMP	{{isoTimestamp}}	Yes	The actual time when the request was initiated, ISO 8601 represents the date and time by starting with the year, followed by the month, the day, the hour, the minutes, seconds, and milliseconds
Authorization Token	{{accesstoken}}	Yes	Token generated from session API

V3 Body parameters:

Property Name	Value	Mandatory	Description
Scope	abha-login, aadhaar- verify	Yes	Defines the scope of the current action of the API, following are the values that can be used ABHA_LOGIN("abha-login"), ABHA_PROFILE("abha-profile"), AADHAAR_VERIFY("aadhaar-verify"), EMAIL_VERIFY("email-verify"), MOBILE_VERIFY("mobile-verify"), PASSWORD_VERIFY("password-verify"), CHANGE_PASSWORD("change-password"), RE_KYC("re-kyc"),
txnId	txnId	Yes	Transaction Id is Mandatory to identify the unique transaction for ABHA login.
otpValue	Encrypted OTP value	Yes	
authMethods	otp	Yes	Type of login, following are the values that can be used OTP("otp"), PASSWORD("password"),

V3 Request Body:

Request Body
<pre>{ "scope": ["abha-login", "aadhaar-verify"], "authData": { "authMethods": ["otp"], "otp": { "txnId": "{{txnId}}", "otpValue": "{{OTP_encryption}}" } } }</pre>