


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Country Functionality	0.028 s	1	0	1	0	6	0	1	5	
Country Functionality	0.028 s	1	0	1	0	6	0	1	5	
Country Multi Scenario	0.016 s	4	0	4	0	24	0	4	20	
Exam Form functionality	0.010 s	1	0	1	0	14	0	1	13	
Exam Form functionality	0.009 s	1	0	1	0	14	0	1	13	


Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@SmokeTest	2	0	2	0	2	0	2	0
@Regression	8	0	8	0	5	0	5	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Country Functionality	1	0	1	0	0.028 s
2	Country Functionality	1	0	1	0	0.028 s
3	Country Multi Scenario	4	0	4	0	0.016 s
4	Exam Form functionality	1	0	1	0	0.010 s
5	Exam Form functionality	1	0	1	0	0.009 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Country Functionality	Create a country	6	0	1	5	0.025 s
2	Country Functionality	Create a country	6	0	1	5	0.024 s
3	Country Multi Scenario	Create country	6	0	1	5	0.003 s
4	Country Multi Scenario	Create country	6	0	1	5	0.003 s
5	Country Multi Scenario	Create country 2	6	0	1	5	0.003 s
6	Country Multi Scenario	Create country 2	6	0	1	5	0.003 s
7	Exam Form functionality	Exam Functionality	14	0	1	13	0.008 s
8	Exam Form functionality	Exam Functionality	14	0	1	13	0.007 s

DETAILED SECTION -- 6 --

Country Functionality

Scenarios		Steps	
Total - 1		Total - 6	
Pass - 0	1	Pass - 0	6
Fail - 1		Fail - 1	
Skip - 0		Skip - 5	
	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1 Total - 6 Pass - 0 Fail - 1



#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.006 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions01_LoginSteps		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent. <init>(Parent.java:15)</init>		
	at Pages.DialogContent. <init>(DialogContent.java:21)</init>		
	at StepDefinitions01_LoginSteps. <init>(_01_LoginSteps.java:10)</init>		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.001 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.002 s

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at StepDefinitions.Hooks.after(Hooks.java:31)		

Country Functionality

FAILED	DURATION - 0.028 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 1:49:22.996 PM // 1	:49:23.024 PM /	Pass - 0	1	Pass - 0	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	



#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.006 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.PickleStepTestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent. <init>(Parent.java:15)</init>		
	at Pages.DialogContent. <init>(DialogContent.java:21)</init>		
	at StepDefinitions01_LoginSteps. <init>(_01_LoginSteps.java:10)</init>		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
4	And Navigate to country	SKIPPED	0.001 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

Country Multi Scenario

FAILED	DURATION - 0.016 s	Scenarios		Steps	
		Total - 4		Total - 24	
/ 1:49:23.039 PM // 1	1:49:23.055 PM /	Pass - 0	4	Pass - 0	24
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 20	


FAILED DURATION - 0.003 s	0.15							Steps		
/ 1:49:23.039 PM // 1:49:23.042 PM /	0.1 -				-			Total - 6 Pass - 0		
Country Multi Scenario	.05				-		+	Fail - 1 Skip - 5	6	
@Regression	0 -	1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

Step / Hook Details	Status	Duration
at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
at sun.reflect.NativeMethodAccessorImpl.invokeO(Native Method)		
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
at java.lang.reflect.Method.invoke(Method.java:498)		
at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
at org.testng.TestRunner.privateRun(TestRunner.java:648)		
at org.testng.TestRunner.run(TestRunner.java:505)		
at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40)		
at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489)		
at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52)		
at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)		
at java.lang.Thread.run(Thread.java:750)		
Caused by: java.lang.reflect.InvocationTargetException		
at sun.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
37 more Caused by: java.lang.NullPointerException		
at Utilities.GWD.getDriver(GWD.java:63)		
at Pages.Parent. <init>(Parent.java:15)</init>		

DETAILED SECTION -- 12 --


#	Step / Hook Details	Status	Duration
	at Pages.DialogContent. <init>(DialogContent.java:21) at StepDefinitions01_LoginSteps.<init>(_01_LoginSteps.java:10)</init></init>		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.001 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		



#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions01_LoginSteps		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent. <init>(Parent.java:15)</init>		
	at Pages.DialogContent. <init>(DialogContent.java:21)</init>		
	at StepDefinitions01_LoginSteps. <init>(_01_LoginSteps.java:10)</init>		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	And Navigate to country	SKIPPED	0.000 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		



#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.CucumberExecutionContext.iambda\$run estcase\$(CucumberExecutionContext.java.129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java.129)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent. <init>(Parent.java:15)</init>		
	at Pages.DialogContent. <init>(DialogContent.java:21) at StepDefinitions. 01 LoginSteps.<init>(01 LoginSteps.java:10)</init></init>		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create a country name as "nUerr110" code as "err110"	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.001 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s

 #	Step / Hook Details	Status	Duration
	java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at StepDefinitions.Hooks.after(Hooks.java:31)		

FAILED DURATION - 0.003 s	0.15			,				Steps	
/ 1:49:23.052 PM // 1:49:23.055 PM /	0.1 -			!				Total - 6	
/ 1.49.23.032 FWI // 1.49.23.033 FWI /	0.1			1				Pass - 0	
Country Multi Scenario	.05						+	Fail - 1	6
								Skip - 5	
@Regression	0 -				'	<u> </u>			
		1	2	3	4	5	6		

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions01_LoginSteps		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

DETAILED SECTION -- 17 --


#	Step / Hook Details	Status	Duration
	at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.invokeTestMethodWorker.java:125) at org.testng.TestRunner.privateRun(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.run(TestRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner.suiteWorker.run(SuiteRunner.java:489) at org.testng.SuiteRunner.SuiteWorker.run(SuiteRunner.java:489) at org.testng.SuiteRunner.FutureTask.run(FutureTask.rask.java:266) at java.util.concurrent.ThreadPoolExecutor.tunWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor.Worker(ThreadPoolExecutor.java:624) at java.util.concurrent.ThreadPoolExecutorSworker.run(ThreadPoolExecutor.java:624) at java.util.concurrent.ThreadPoolExecutorinpl.newInstance(Onative Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(OnstructorAccessorImpl.java:62) at sun.reflect.NativeConstructorAccessorImpl.newInstance(OnstructorAccessorImpl.java:43) at java.lang.reflect.ConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.sinit>(Parent.java:15) at StepDefinitions_O1_LoginSteps.sinit>(O1_LoginSteps.java:10)		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create a country name as "nUerr110" code as "err110"	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.001 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

DETAILED SECTION -- 18 --

Exam Form functionality

FAILED	DURATION - 0.010 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 1:49:23.074 PM // 1:	:49:23.084 PM /	Pass - 0	1	Pass - 0	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	
		Skip - 0		Skip - 13	

Exam Functionality



#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions01_LoginSteps		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent. <init>(Parent.java:15)</init>		
	at Pages.DialogContent. <init>(DialogContent.java:21)</init>		
	at StepDefinitions01_LoginSteps. <init>(_01_LoginSteps.java:10)</init>		
2	When Enter usurname and password and click login button	SKIPPED	0.001 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Click on the element in LeftNav	SKIPPED	0.001 s
	entranceExams		
	setup2		
	entranceExams2		

DETAILED SECTION -- 20 --


#	Step / Hook Details	Status	Duration
5	And Click on the element in Dialog	SKIPPED	0.000 s
	addButon		
6	And User sending the keys in Dialog	SKIPPED	0.000 s
	nameInput klmm11122 regStart 11/10/2022 regEnd 11/10/2023		
7	And Click on the element in Dialog	SKIPPED	0.000 s
	acedemicPeriyod acedemicPeriyodselect gradeLevel gradeLevelSelect		
8	And User select the academic periyod element in Dialog	SKIPPED	0.000 s
9	And User select the grade level element in Dialog	SKIPPED	0.000 s
10	And Click on the element in Dialog	SKIPPED	0.000 s
	saveButton1		
11	Then Success message should be display	SKIPPED	0.000 s
12	And Click on the element in LeftNav	SKIPPED	0.000 s
	entranceExams setup2 entranceExams2		
13	And Click on the element in Dialog	SKIPPED	0.000 s
	searchAcademicPeriod acedemicPeriyodselect		
14	And Users delete the element from Dialog	SKIPPED	0.000 s
	klmm11122		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

Exam Form functionality

DETAILED SECTION -- 21 --



Exam Functionality



#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions01_LoginSteps		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		

#	Step / Hook Details	Status	Duration
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent. <init>(Parent.java:15)</init>		
	at Pages.DialogContent. <init>(DialogContent.java:21)</init>		
	at StepDefinitions01_LoginSteps. <init>(_01_LoginSteps.java:10)</init>		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Click on the element in LeftNav	SKIPPED	0.001 s
	entranceExams		
	setup2		
	entranceExams2		
5	And Click on the element in Dialog	SKIPPED	0.000 s

DETAILED SECTION -- 23 --

#	Step / Hook Details	Status	Duration
	addButon		
6	And User sending the keys in Dialog	SKIPPED	0.000 s
	nameInput klmm11122 regStart 11/10/2022 regEnd 11/10/2023		
7	And Click on the element in Dialog	SKIPPED	0.001 s
	acedemicPeriyod acedemicPeriyodselect gradeLevel gradeLevelSelect		
8	And User select the academic periyod element in Dialog	SKIPPED	0.000 s
9	And User select the grade level element in Dialog	SKIPPED	0.000 s
10	And Click on the element in Dialog	SKIPPED	0.001 s
	saveButton1		
11	Then Success message should be display	SKIPPED	0.000 s
12	And Click on the element in LeftNav	SKIPPED	0.000 s
	entranceExams setup2 entranceExams2		
13	And Click on the element in Dialog	SKIPPED	0.000 s
	searchAcademicPeriod acedemicPeriyodselect		
14	And Users delete the element from Dialog	SKIPPED	0.000 s
	klmm11122		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		