

Cucumber Report

Sep 25, 2023 1:45:05 PM

Start : Sep 25, 1:45:04.901 PM

End : Sep 25, 1:45:04.984 PM

Duration : 0.083 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 3
SKIPPED - 0


PASSED - 0
FAILED - 7
SKIPPED - 0

PASSED - 0
FAILED - 7
SKIPPED - 51




| Feature | | Scenario | | | | Step | | | |
|--------------------------------|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Country Functionality</u> | 0.028 s | 1 | 0 | 1 | 0 | 6 | 0 | 1 | 5 |
| <u>Country Multi Scenario</u> | 0.047 s | 4 | 0 | 4 | 0 | 24 | 0 | 4 | 20 |
| <u>Exam Form functionality</u> | 0.015 s | 2 | 0 | 2 | 0 | 28 | 0 | 2 | 26 |

| Tag | Scenario | | | | Feature | | | |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @SmokeTest | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Regression | 7 | 0 | 7 | 0 | 3 | 0 | 3 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|--------------------------------|---|---|---|---|----------|
| 1 | <u>Country Functionality</u> | 1 | 0 | 1 | 0 | 0.028 s |
| 2 | <u>Country Multi Scenario</u> | 4 | 0 | 4 | 0 | 0.047 s |
| 3 | <u>Exam Form functionality</u> | 2 | 0 | 2 | 0 | 0.015 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------------|---------------------------|----|---|---|----|----------|
| 1 | <u>Country Functionality</u> | <u>Create a country</u> | 6 | 0 | 1 | 5 | 0.024 s |
| 2 | <u>Country Multi Scenario</u> | <u>Create country</u> | 6 | 0 | 1 | 5 | 0.016 s |
| 3 | <u>Country Multi Scenario</u> | <u>Create country</u> | 6 | 0 | 1 | 5 | 0.005 s |
| 4 | <u>Country Multi Scenario</u> | <u>Create country 2</u> | 6 | 0 | 1 | 5 | 0.004 s |
| 5 | <u>Country Multi Scenario</u> | <u>Create country 2</u> | 6 | 0 | 1 | 5 | 0.003 s |
| 6 | <u>Exam Form functionality</u> | <u>Exam Functionality</u> | 14 | 0 | 1 | 13 | 0.006 s |
| 7 | <u>Exam Form functionality</u> | <u>Exam Functionality</u> | 14 | 0 | 1 | 13 | 0.007 s |

Country Functionality

| | | | | | |
|--------------------------------------|--------------------|--|---|--|---|
| FAILED | DURATION - 0.028 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 6 Pass - 0 Fail - 1 Skip - 5 |  |
| / 1:45:04.901 PM // 1:45:04.929 PM / | | | | | |

Create a country



| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.024 s |  | Steps Total - 6 Pass - 0 Fail - 1 Skip - 5 |  |
| / 1:45:04.905 PM // 1:45:04.929 PM / | | | | |
| Country Functionality | | | | |
| @SmokeTest @Regression | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | <p>Given Navigate to campus</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)</p> | FAILED | 0.005 s |



| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10) </pre> | | |
| 2 | When Enter username and password and click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to country | SKIPPED | 0.000 s |
| 5 | When Create country | SKIPPED | 0.000 s |
| 6 | Then Success message should be display | SKIPPED | 0.000 s |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)</pre> | | |

Country Multi Scenario

| | | | | |
|--------------------------------------|--------------------|-----------|---|---|
| FAILED | DURATION - 0.047 s | Scenarios | | Steps |
| / 1:45:04.913 PM // 1:45:04.960 PM / | | Total - 4 |  | Total - 24 |
| | | Pass - 0 | | Pass - 0 |
| | | Fail - 4 | | Fail - 4 |
| | | Skip - 0 | | Skip - 20 |
| | | | |  |

Create country



| | | | | |
|---|--|--|-----------|---|
| <div>FAILED</div> <div>DURATION - 0.016 s</div> | |  | Steps |  |
| <div>/ 1:45:04.913 PM // 1:45:04.929 PM /</div> | | | Total - 6 | |
| <div>Country Multi Scenario</div> | | | Pass - 0 | |
| <div>@Regression</div> | | | Fail - 1 | |
| | | | Skip - 5 | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | <p>Given Navigate to campus</p> <pre>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</pre> | FAILED | 0.005 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10) </pre> | | |
| 2 | When Enter username and password and click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 4 | And Navigate to country | SKIPPED | 0.000 s |
| 5 | When Create country | SKIPPED | 0.000 s |
| 6 | Then Success message should be display | SKIPPED | 0.000 s |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31) | | |

Create country



| | | | | |
|--------------------------------------|--------------------|--|--|---|
| FAILED | DURATION - 0.005 s |  | Steps Total - 6 Pass - 0 Fail - 1 Skip - 5 |  |
| / 1:45:04.943 PM // 1:45:04.948 PM / | | | | |
| Country Multi Scenario | | | | |
| @Regression | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to campus | FAILED | 0.001 s |
| | io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10) | | |
| 2 | When Enter username and password and click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to country | SKIPPED | 0.001 s |
| 5 | When Create country | SKIPPED | 0.000 s |
| 6 | Then Success message should be display | SKIPPED | 0.000 s |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre>java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)</pre> | | |



Create country 2

| | | | | |
|--------------------------------------|--------------------|--|---|---|
| FAILED | DURATION - 0.004 s |  | <div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div> |  |
| / 1:45:04.943 PM // 1:45:04.947 PM / | | | | |
| Country Multi Scenario | | | | |
| @Regression | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------------|----------|
| 1 | Given Navigate to campus <pre>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</pre> | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10) | | |
| 2 | When Enter username and password and click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to country | SKIPPED | 0.000 s |
| 5 | When Create a country name as "nUerr110" code as "err110" | SKIPPED | 0.000 s |
| 6 | Then Success message should be display | SKIPPED | 0.000 s |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31) | | |



Create country 2

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.003 s</div> | | <div></div> | <div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div> | <div></div> |
| / 1:45:04.957 PM // 1:45:04.960 PM / | | | | |
| Country Multi Scenario | | | | |
| @Regression | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------------|----------|
| 1 | Given Navigate to campus io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10) </pre> | | |
| 2 | When Enter username and password and click login button | SKIPPED | 0.001 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Navigate to country | SKIPPED | 0.000 s |
| 5 | When Create a country name as "nUerr110" code as "err110" | SKIPPED | 0.000 s |
| 6 | Then Success message should be display | SKIPPED | 0.001 s |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | <pre> java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31) </pre> | | |

Exam Form functionality

| | | | | | |
|--------------------------------------|---------------------------|--|---|--|---|
| FAILED | DURATION - 0.015 s | Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0 |  | Steps Total - 28 Pass - 0 Fail - 2 Skip - 26 |  |
| / 1:45:04.969 PM // 1:45:04.984 PM / | | | | | |

Exam Functionality



| | | | | |
|--------------------------------------|---------------------------|--|--|---|
| FAILED | DURATION - 0.006 s |  | Steps Total - 14 Pass - 0 Fail - 1 Skip - 13 |  |
| / 1:45:04.972 PM // 1:45:04.978 PM / | | | | |
| Exam Form functionality | | | | |
| @Regression | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to campus io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | FAILED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10) </pre> | | |
| 2 | When Enter username and password and click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.001 s |
| 4 | And Click on the element in LeftNav | SKIPPED | 0.000 s |
| | <div>entranceExams</div> <div>setup2</div> <div>entranceExams2</div> | | |
| 5 | And Click on the element in Dialog | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <div>addButon</div> | | |
| 6 | And User sending the keys in Dialog | SKIPPED | 0.001 s |
| | <div><div>nameInput</div>klmm11122</div> <div><div>regStart</div>11/10/2022</div> <div><div>regEnd</div>11/10/2023</div> | | |
| 7 | And Click on the element in Dialog | SKIPPED | 0.000 s |
| | <div><div>acedemicPeriyod</div></div> <div><div>acedemicPeriyodselect</div></div> <div><div>gradeLevel</div></div> <div><div>gradeLevelSelect</div></div> | | |
| 8 | And User select the academic periyod element in Dialog | SKIPPED | 0.000 s |
| 9 | And User select the grade level element in Dialog | SKIPPED | 0.000 s |
| 10 | And Click on the element in Dialog | SKIPPED | 0.000 s |
| | <div>saveButton1</div> | | |
| 11 | Then Success message should be display | SKIPPED | 0.000 s |
| 12 | And Click on the element in LeftNav | SKIPPED | 0.001 s |
| | <div><div>entranceExams</div></div> <div><div>setup2</div></div> <div><div>entranceExams2</div></div> | | |
| 13 | And Click on the element in Dialog | SKIPPED | 0.000 s |
| | <div><div>searchAcademicPeriod</div></div> <div><div>acedemicPeriyodselect</div></div> | | |
| 14 | And Users delete the element from Dialog | SKIPPED | 0.000 s |
| | <div>klmm11122</div> | | |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | FAILED | 0.000 s |
| | java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31) | | |

Exam Functionality

| | | | |
|--------------------------------------|--------------------|--|--|
| FAILED | DURATION - 0.007 s |  | <div>Steps</div> <div>Total - 14</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 13</div> <div></div> |
| / 1:45:04.977 PM // 1:45:04.984 PM / | | | |
| Exam Form functionality | | | |
| @Regression | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | <p>Given Navigate to campus</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)</p> | FAILED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10) </pre> | | |
| 2 | When Enter username and password and click login button | SKIPPED | 0.000 s |
| 3 | Then User should login successfully | SKIPPED | 0.000 s |
| 4 | And Click on the element in LeftNav | SKIPPED | 0.001 s |
| | <div>entranceExams</div> <div>setup2</div> <div>entranceExams2</div> | | |
| 5 | And Click on the element in Dialog | SKIPPED | 0.001 s |
| | <div>addButon</div> | | |
| 6 | And User sending the keys in Dialog | SKIPPED | 0.000 s |
| | <div>nameInput klmm11122</div> <div>regStart 11/10/2022</div> <div>regEnd 11/10/2023</div> | | |
| 7 | And Click on the element in Dialog | SKIPPED | 0.001 s |
| | <div>acedemicPeriyod</div> <div>acedemicPeriyodselect</div> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <div>gradeLevel</div> <div>gradeLevelSelect</div> | | |
| 8 | And User select the academic periyod element in Dialog | SKIPPED | 0.000 s |
| 9 | And User select the grade level element in Dialog | SKIPPED | 0.000 s |
| 10 | And Click on the element in Dialog | SKIPPED | 0.000 s |
| | <div>saveButton1</div> | | |
| 11 | Then Success message should be display | SKIPPED | 0.001 s |
| 12 | And Click on the element in LeftNav | SKIPPED | 0.000 s |
| | <div>entranceExams</div> <div>setup2</div> <div>entranceExams2</div> | | |
| 13 | And Click on the element in Dialog | | |
| | <div>searchAcademicPeriod</div> <div>acedemicPeriyodselect</div> | | 0.000 s |
| 14 | And Users delete the element from Dialog | SKIPPED | 0.000 s |
| | <div>klmm11122</div> | | |
| | AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | <pre>java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)</pre> | | |