Cucumber Report

| Start : Sep 25, 1:49:27.730 PM	End : Sep 25, 1:49:27.817 PM	Duration : 0.087 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 0 FAILED - 8 SKIPPED - 0	PASSED - 0 FAILED - 8 SKIPPED - 56

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Country Functionality	0.026 s	1	0	1	0	6	0	1	5
Country Functionality	0.026 s	1	0	1	0	6	0	1	5
Country Multi Scenario	0.003 s	1	0	1	0	6	0	1	5
Country Multi Scenario	0.017 s	3	0	3	0	18	0	3	15
Exam Form functionality	0.008 s	1	0	1	0	14	0	1	13
Exam Form functionality	0.008 s	1	0	1	0	14	0	1	13

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@SmokeTest	2	0	2	0	2	0	2	0
@Regression	8	0	8	0	6	0	6	0

#	Feature Name	T	P	F	S	Duration
1	Country Functionality	1	0	1	0	0.026 s
2	Country Functionality	1	0	1	0	0.026 s
3	Country Multi Scenario	1	0	1	0	0.003 s
4	Country Multi Scenario	3	0	3	0	0.017 s
5	Exam Form functionality	1	0	1	0	0.008 s
6	Exam Form functionality	1	0	1	0	0.008 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Country Functionality	Create a country	6	0	1	5	0.023 s
2	Country Functionality	Create a country	6	0	1	5	0.023 s
3	Country Multi Scenario	Create country	6	0	1	5	0.003 s
4	Country Multi Scenario	Create country	6	0	1	5	0.003 s
5	Country Multi Scenario	Create country 2	6	0	1	5	0.003 s
6	Country Multi Scenario	Create country 2	6	0	1	5	0.003 s
7	Exam Form functionality	Exam Functionality	14	0	1	13	0.006 s
8	Exam Form functionality	Exam Functionality	14	0	1	13	0.006 s

Country Functionality

FAILED	DURATION - 0.026 s	Scenarios		Steps	
/ 1:49:27.730 PM // 1:49:27.756 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 6 Pass - 0 Fail - 1 Skip - 5	6

Create a country

FAILED	DURATION - 0.023 s		Steps	
/ 1:49:27.733 PM // 1:49:27.756 PM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	6
Country Functionality				
@SmokeTest @Regression				

| #	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.005 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps
	    at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	    at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)
	    at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
	    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	    at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)
	    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent.<init>(Parent.java:15)		
	at Pages.DialogContent.<init>(DialogContent.java:21)		
	at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration

	java.lang.NullPointerException
	   at Utilities.GWD.getDriver(GWD.java:63)
	   at StepDefinitions.Hooks.after(Hooks.java:31)		

Country Functionality

FAILED	DURATION - 0.026 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	6
/ 1:49:27.730 PM // 1:49:27.756 PM /					

Create a country

FAILED	DURATION - 0.023 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	6
/ 1:49:27.733 PM // 1:49:27.756 PM /				
Country Functionality				
@SmokeTest @Regression				

| #	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.005 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps
	   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)
	   at io.cucumber.core.runner.TestStep.run(TestStep.java:57)
	   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent.<init>(Parent.java:15)		
	at Pages.DialogContent.<init>(DialogContent.java:21)		
	at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter usrname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And Navigate to country	SKIPPED	0.000 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

Country Multi Scenario

FAILED	DURATION - 0.003 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 6 Pass - 0 Fail - 1 Skip - 5
/ 1:49:27.772 PM // 1:49:27.775 PM /			

Create country

FAILED	DURATION - 0.003 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5
/ 1:49:27.772 PM // 1:49:27.775 PM /			
Country Multi Scenario			
@Regression			

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent.<init>(Parent.java:15)		

#	Step / Hook Details	Status	Duration
	at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create country	SKIPPED	0.001 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

Country Multi Scenario

FAILED	DURATION - 0.017 s	Scenarios		Steps	
/ 1:49:27.772 PM // 1:49:27.789 PM /		Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Total - 18 Pass - 0 Fail - 3 Skip - 15	18

Create country

FAILED	DURATION - 0.003 s		Steps	
/ 1:49:27.772 PM // 1:49:27.775 PM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	6
Country Multi Scenario				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

| #	Step / Hook Details	Status	Duration
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

Create country 2

FAILED	DURATION - 0.003 s
/ 1:49:27.786 PM // 1:49:27.789 PM /	
Country Multi Scenario	
@Regression	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent.<init>(Parent.java:15)		

#	Step / Hook Details	Status	Duration
	at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create a country name as "nUerr110" code as "err110"	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

Create country 2

FAILED	DURATION - 0.003 s
/ 1:49:27.786 PM // 1:49:27.789 PM /	
Country Multi Scenario	
@Regression	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

| #	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent.<init>(Parent.java:15)		
	at Pages.DialogContent.<init>(DialogContent.java:21)		
	at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter usurname and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And Navigate to country	SKIPPED	0.000 s
5	When Create a country name as "nUerr110" code as "err110"	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s

	java.lang.NullPointerException
	    at Utilities.GWD.getDriver(GWD.java:63)
	    at StepDefinitions.Hooks.after(Hooks.java:31)		

Exam Form functionality

FAILED	DURATION - 0.008 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	14
/ 1:49:27.809 PM // 1:49:27.817 PM /					

Exam Functionality

FAILED	DURATION - 0.006 s		Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	14
/ 1:49:27.811 PM // 1:49:27.817 PM /				
Exam Form functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps
	    at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	    at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

| #	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent.<init>(Parent.java:15)		

#	Step / Hook Details	Status	Duration
	at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter usurname and password and click login button	SKIPPED	0.001 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Click on the element in LeftNav entranceExams setup2 entranceExams2	SKIPPED	0.001 s
5	And Click on the element in Dialog addButon	SKIPPED	0.000 s
6	And User sending the keys in Dialog nameInput klmm11122 regStart 11/10/2022 regEnd 11/10/2023	SKIPPED	0.000 s
7	And Click on the element in Dialog acedemicPeriyod acedemicPeriyodselect gradeLevel gradeLevelSelect	SKIPPED	0.000 s
8	And User select the academic periyod element in Dialog	SKIPPED	0.000 s
9	And User select the grade level element in Dialog	SKIPPED	0.000 s
10	And Click on the element in Dialog saveButton1	SKIPPED	0.000 s
11	Then Success message should be display	SKIPPED	0.000 s
12	And Click on the element in LeftNav entranceExams setup2 entranceExams2	SKIPPED	0.000 s
13	And Click on the element in Dialog searchAcademicPeriod acedemicPeriyodselect	SKIPPED	0.001 s
14	And Users delete the element from Dialog	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	klmm11122		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s

	java.lang.NullPointerException
	    at Utilities.GWD.getDriver(GWD.java:63)
	    at StepDefinitions.Hooks.after(Hooks.java:31)		

Exam Form functionality

FAILED	DURATION - 0.008 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	
/ 1:49:27.809 PM // 1:49:27.817 PM /			1		14

Exam Functionality

FAILED	DURATION - 0.006 s		Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	
/ 1:49:27.811 PM // 1:49:27.817 PM /				14
Exam Form functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s

	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps
	    at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)
	    at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)
	    at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	    at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	    at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.access$000(SuiteRunner.java:40)		
	at org.testng.SuiteRunner$SuiteWorker.run(SuiteRunner.java:489)		
	at org.testng.internal.thread.ThreadUtil$1.call(ThreadUtil.java:52)		
	at java.util.concurrent.FutureTask.run(FutureTask.java:266)		
	at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)		
	at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)		
	at java.lang.Thread.run(Thread.java:750)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	... 37 more Caused by: java.lang.NullPointerException		
	at Utilities.GWD.getDriver(GWD.java:63)		
	at Pages.Parent.<init>(Parent.java:15)		
	at Pages.DialogContent.<init>(DialogContent.java:21)		
	at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		

#	Step / Hook Details	Status	Duration
2	When Enter usurname and password and click login button	SKIPPED	0.001 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Click on the element in LeftNav entranceExams setup2 entranceExams2	SKIPPED	0.001 s
5	And Click on the element in Dialog addButon	SKIPPED	0.000 s
6	And User sending the keys in Dialog nameInput klmm11122 regStart 11/10/2022 regEnd 11/10/2023	SKIPPED	0.000 s
7	And Click on the element in Dialog acedemicPeriyod acedemicPeriyodselect gradeLevel gradeLevelSelect	SKIPPED	0.000 s
8	And User select the academic periyod element in Dialog	SKIPPED	0.000 s
9	And User select the grade level element in Dialog	SKIPPED	0.000 s
10	And Click on the element in Dialog saveButton1	SKIPPED	0.001 s
11	Then Success message should be display	SKIPPED	0.000 s
12	And Click on the element in LeftNav entranceExams setup2 entranceExams2	SKIPPED	0.000 s
13	And Click on the element in Dialog searchAcademicPeriod acedemicPeriyodselect	SKIPPED	0.000 s
14	And Users delete the element from Dialog klmm11122	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration

	java.lang.NullPointerException
	    at Utilities.GWD.getDriver(GWD.java:63)
	    at StepDefinitions.Hooks.after(Hooks.java:31)		