

# Cucumber Report

Sep 25, 2023 1:44:19 PM

Start : Sep 25, 1:44:18.643 PM

End : Sep 25, 1:44:18.747 PM

Duration : 0.104 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 6  
SKIPPED - 0


PASSED - 0  
FAILED - 8  
SKIPPED - 0

PASSED - 0  
FAILED - 8  
SKIPPED - 56




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Country Functionality</u>	0.037 s	1	0	1	0	6	0	1	5
<u>Country Functionality</u>	0.037 s	1	0	1	0	6	0	1	5
<u>Country Multi Scenario</u>	0.003 s	1	0	1	0	6	0	1	5
<u>Country Multi Scenario</u>	0.017 s	3	0	3	0	18	0	3	15
<u>Exam Form functionality</u>	0.011 s	1	0	1	0	14	0	1	13
<u>Exam Form functionality</u>	0.012 s	1	0	1	0	14	0	1	13

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@SmokeTest	2	0	2	0	2	0	2	0
@Regression	8	0	8	0	6	0	6	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Country Functionality</u>	1	0	1	0	0.037 s
2	<u>Country Functionality</u>	1	0	1	0	0.037 s
3	<u>Country Multi Scenario</u>	1	0	1	0	0.003 s
4	<u>Country Multi Scenario</u>	3	0	3	0	0.017 s
5	<u>Exam Form functionality</u>	1	0	1	0	0.011 s
6	<u>Exam Form functionality</u>	1	0	1	0	0.012 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Country Functionality</u>	<u>Create a country</u>	6	0	1	5	0.033 s
2	<u>Country Functionality</u>	<u>Create a country</u>	6	0	1	5	0.033 s
3	<u>Country Multi Scenario</u>	<u>Create country</u>	6	0	1	5	0.003 s
4	<u>Country Multi Scenario</u>	<u>Create country</u>	6	0	1	5	0.003 s
5	<u>Country Multi Scenario</u>	<u>Create country 2</u>	6	0	1	5	0.004 s
6	<u>Country Multi Scenario</u>	<u>Create country 2</u>	6	0	1	5	0.003 s
7	<u>Exam Form functionality</u>	<u>Exam Functionality</u>	14	0	1	13	0.008 s
8	<u>Exam Form functionality</u>	<u>Exam Functionality</u>	14	0	1	13	0.009 s

## Country Functionality

<b>FAILED</b>	DURATION - 0.037 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 1:44:18.643 PM // 1:44:18.680 PM /					

## Create a country



<b>FAILED</b>	DURATION - 0.033 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 1:44:18.647 PM // 1:44:18.680 PM /				
Country Functionality				
@SmokeTest @Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus  io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)	FAILED	0.016 s



#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.NullPointerException   at Utilities.GWD.getDriver(GWD.java:63)   at StepDefinitions.Hooks.after(Hooks.java:31)</pre>		

## Country Functionality

<b>FAILED</b>	DURATION - 0.037 s	Scenarios		Steps	
/ 1:44:18.643 PM // 1:44:18.680 PM /		Total - 1		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

## Create a country

FAILED		DURATION - 0.033 s			Steps	
/ 1:44:18.647 PM // 1:44:18.680 PM /					Total - 6	
Country Functionality					Pass - 0	
@SmokeTest @Regression					Fail - 1	
					Skip - 5	



#	Step / Hook Details	Status	Duration
1	<b>Given Navigate to campus</b> <pre>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)   at io.cucumber.core.runner.TestStep.run(TestStep.java:57)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</pre>	<b>FAILED</b>	0.016 s





#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.&lt;init&gt;(Parent.java:15) at Pages.DialogContent.&lt;init&gt;(DialogContent.java:21) at StepDefinitions._01_LoginSteps.&lt;init&gt;(_01_LoginSteps.java:10) </pre>		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And Navigate to country	SKIPPED	0.000 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

## Country Multi Scenario

FAILED	DURATION - 0.003 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 1:44:18.698 PM // 1:44:18.701 PM /					

## Create country



FAILED	DURATION - 0.003 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 1:44:18.698 PM // 1:44:18.701 PM /				
Country Multi Scenario				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.&lt;init&gt;(Parent.java:15) </pre>		

#	Step / Hook Details	Status	Duration
	at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

## Country Multi Scenario

FAILED	DURATION - 0.017 s	Scenarios		Steps	
/ 1:44:18.698 PM // 1:44:18.715 PM /		Total - 3		Total - 18	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 15	

## Create country



FAILED		DURATION - 0.003 s			Steps	
/ 1:44:18.698 PM // 1:44:18.701 PM /					Total - 6	
Country Multi Scenario					Pass - 0	
@Regression					Fail - 1	
					Skip - 5	

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>		

#	Step / Hook Details	Status	Duration
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

## Create country 2



FAILED		DURATION - 0.004 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 1:44:18.711 PM // 1:44:18.715 PM /						
Country Multi Scenario						
@Regression						

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.&lt;init&gt;(Parent.java:15) </pre>		

#	Step / Hook Details	Status	Duration
	at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter username and password and click login button	SKIPPED	0.001 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create a country name as "nUerr110" code as "err110"	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.001 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

## Create country 2

FAILED	DURATION - 0.003 s		<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:44:18.711 PM // 1:44:18.714 PM /				
Country Multi Scenario				
@Regression				



#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		





#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.&lt;init&gt;(Parent.java:15) at Pages.DialogContent.&lt;init&gt;(DialogContent.java:21) at StepDefinitions._01_LoginSteps.&lt;init&gt;(_01_LoginSteps.java:10) </pre>		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And Navigate to country	SKIPPED	0.000 s
5	When Create a country name as "nUerr110" code as "err110"	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

## Exam Form functionality

FAILED	DURATION - 0.011 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	
/ 1:44:18.735 PM // 1:44:18.746 PM /					

## Exam Functionality

FAILED	DURATION - 0.008 s		Steps	
/ 1:44:18.738 PM // 1:44:18.746 PM /			Total - 14	
Exam Form functionality			Pass - 0	
@Regression			Fail - 1	
			Skip - 13	



#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.&lt;init&gt;(Parent.java:15) </pre>		



#	Step / Hook Details	Status	Duration
	at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Click on the element in LeftNav	SKIPPED	0.000 s
	<div>entranceExams</div> <div>setup2</div> <div>entranceExams2</div>		
5	And Click on the element in Dialog	SKIPPED	0.000 s
	<div>addButon</div>		
6	And User sending the keys in Dialog	SKIPPED	0.000 s
	<div>nameInput klmm11122</div> <div>regStart 11/10/2022</div> <div>regEnd 11/10/2023</div>		
7	And Click on the element in Dialog	SKIPPED	0.000 s
	<div>acedemicPeriyod</div> <div>acedemicPeriyodselect</div> <div>gradeLevel</div> <div>gradeLevelSelect</div>		
8	And User select the academic periyod element in Dialog	SKIPPED	0.000 s
9	And User select the grade level element in Dialog	SKIPPED	0.000 s
10	And Click on the element in Dialog	SKIPPED	0.000 s
	<div>saveButton1</div>		
11	Then Success message should be display	SKIPPED	0.000 s
12	And Click on the element in LeftNav	SKIPPED	0.000 s
	<div>entranceExams</div> <div>setup2</div> <div>entranceExams2</div>		
13	And Click on the element in Dialog	SKIPPED	0.000 s
	<div>searchAcademicPeriod</div> <div>acedemicPeriyodselect</div>		
14	And Users delete the element from Dialog	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	klmm11122		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

## Exam Form functionality

FAILED	DURATION - 0.012 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	
/ 1:44:18.735 PM // 1:44:18.747 PM /					

## Exam Functionality

FAILED	DURATION - 0.009 s		Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	
/ 1:44:18.738 PM // 1:44:18.747 PM /				
Exam Form functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		

#	Step / Hook Details	Status	Duration
	<p> at io.cucumber.core.runner.TestStep.run(TestStep.java:57)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)  at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)  at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.lang.reflect.Method.invoke(Method.java:498)  at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)  at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)  at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)  at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)  at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)  at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)  at org.testng.TestRunner.privateRun(TestRunner.java:648)  at org.testng.TestRunner.run(TestRunner.java:505)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)  at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40)  at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489)  at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52)  at java.util.concurrent.FutureTask.run(FutureTask.java:266)  at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)  at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)  at java.lang.Thread.run(Thread.java:750)  Caused by: java.lang.reflect.InvocationTargetException  at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstance(Constructor.java:423)  at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)  ... 37 more Caused by: java.lang.NullPointerException  at Utilities.GWD.getDriver(GWD.java:63)  at Pages.Parent.&lt;init&gt;(Parent.java:15)  at Pages.DialogContent.&lt;init&gt;(DialogContent.java:21)  at StepDefinitions._01_LoginSteps.&lt;init&gt;(_01_LoginSteps.java:10) </p>		

#	Step / Hook Details	Status	Duration
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Click on the element in LeftNav entranceExams setup2 entranceExams2	SKIPPED	0.000 s
5	And Click on the element in Dialog addButon	SKIPPED	0.001 s
6	And User sending the keys in Dialog nameInput klmm11122 regStart 11/10/2022 regEnd 11/10/2023	SKIPPED	0.000 s
7	And Click on the element in Dialog acedemicPeriyod acedemicPeriyodselect gradeLevel gradeLevelSelect	SKIPPED	0.000 s
8	And User select the academic periyod element in Dialog	SKIPPED	0.000 s
9	And User select the grade level element in Dialog	SKIPPED	0.000 s
10	And Click on the element in Dialog saveButton1	SKIPPED	0.000 s
11	Then Success message should be display	SKIPPED	0.000 s
12	And Click on the element in LeftNav entranceExams setup2 entranceExams2	SKIPPED	0.000 s
13	And Click on the element in Dialog searchAcademicPeriod acedemicPeriyodselect	SKIPPED	0.000 s
14	And Users delete the element from Dialog klmm11122	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		