


Feature			Scei	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Country Functionality	12.323 s	1	1	0	0	6	6	0	0
Country Multi Scenario	43.359 s	2	1	1	0	12	11	1	0
Exam Form functionality	11.626 s	1	0	1	0	14	6	1	7


Tag		Scer	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@SmokeTest	1	1	0	0	1	1	0	0
@Regression	4	2	2	0	3	1	2	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Country Functionality	1	1	0	0	12.323 s
2	Country Multi Scenario	2	1	1	0	43.359 s
3	Exam Form functionality	1	0	1	0	11.626 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Country Functionality	Create a country	6	6	0	0	12.320 s
2	Country Multi Scenario	<u>Create country</u>	6	6	0	0	11.555 s
3	Country Multi Scenario	Create country 2	6	5	1	0	31.804 s
4	Exam Form functionality	Exam Functionality	14	6	1	7	11.626 s

DETAILED SECTION -- 6 --

Country Functionality

PASSED	DURATION - 12.323 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 2:28:31.760 PM // 2	2:28:44.083 PM /	Pass - 1	1	Pass - 6	6
		Fail - 0	' /	Fail - 0	
		Skip - 0		Skip - 0	

Create a country




#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	3.032 s
2	When Enter usurname and password and click login button	PASSED	1.482 s
3	Then User should login successfully	PASSED	1.171 s
4	And Navigate to country	PASSED	0.795 s
5	When Create country	PASSED	1.606 s
6	Then Success message should be display	PASSED	0.574 s

Country Multi Scenario

	Steps				Scenarios	DURATION - 43.359 s	FAILED
	Total - 12				Total - 2		
12	Pass - 11		2		Pass - 1	2:29:27.447 PM /	/ 2:28:44.088 PM //
	Fail - 1		_ /		Fail - 1		
	Skip - 0	7		, T	Skip - 0		
12	Fail - 1		2		Fail - 1		, 2.20. , 11000 , 11177


DETAILED SECTION -- 7

Create country



#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.237 s
2	When Enter usurname and password and click login button	PASSED	1.440 s
3	Then User should login successfully	PASSED	1.245 s
4	And Navigate to country	PASSED	0.828 s
5	When Create country	PASSED	1.596 s
6	Then Success message should be display	PASSED	0.582 s

Create country 2



#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.142 s
2	When Enter usurname and password and click login button	PASSED	1.415 s
3	Then User should login successfully	PASSED	1.158 s
4	And Navigate to country	PASSED	1.205 s
5	When Create a country name as "nUerr110" code as "err110"	PASSED	1.594 s
6	Then Success message should be display	FAILED	20.502 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for:		
	DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 20 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)		
	at Pages.Parent.verifyContainsText(Parent.java:49)		
	at StepDefinitions02_CountrySteps.successMessageShouldBeDisplay(_02_CountrySteps.java:41)		
	at ?.Success message should be display(file:///C:/Users/murat/IdeaProjects/Cucumber6/src/test/java/FeatureFiles/		
	_03_CountryMultipleScenarios.feature:18)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//div[contains(text(),'successfully')]"} (Session info: chrome=116.0.5845.188) For documentation on this error,		
	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0',		
	revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_372' Driver info: org. openga.selenium.chrome.ChromeDriver Command: [1bdfe4574993ce69ba78f10afcd263bd, findElement {using=xpath,		
	value=//div[contains(text(), 'successfully')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188,		
	chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: C:\Users\murat\AppData\Loca}, fedcm:accounts: true,		
	goog:chromeOptions: {debuggerAddress: localhost:57045}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:		
	windows, proxy: Proxy(), se:cdp: ws://localhost:57045/devtoo, se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability:		
	false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		
	true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 1bdfe4574993ce69ba78f10afcd263bd		
	at sun.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)		
	at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at com.sun.proxy.\$Proxy26.getText(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at Pages.Parent.verifyContainsText(Parent.java:49)		
	at StepDefinitions02_CountrySteps.successMessageShouldBeDisplay(_02_CountrySteps.java:41)		

#	Step / Hook Details	Status	Duration
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.lang.reflect.Method.invoke(Method.java:498)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:364)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208)		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1137) at org.testng.TestNG.runSuites(TestNG.java:1049)		
	at org.testng.TestNG.run(TestNG.java:1017) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) screenshot name	PASSED	3.787 s
	Company		

Exam Form functionality

FAILED	DURATION - 11.626 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 2:29:27.463 PM //	⁷ 2:29:39.089 PM /	Pass - 0	1	Pass - 6	14
		Fail - 1		Fail - 1	l 🚺 '' 📕 l
		Skip - 0		Skip - 7	
		Skip - 0		OKIP - I	

Exam Functionality



#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.188 s
2	When Enter usurname and password and click login button	PASSED	0.937 s

#	Step / Hook Details	Status	Duration
3	Then User should login successfully	PASSED	1.112 s
4	And Click on the element in LeftNav entranceExams setup2 entranceExams2	PASSED	1.677 s
5	And Click on the element in Dialog	PASSED	0.620 s
	addButon		
6	And User sending the keys in Dialog	PASSED	1.042 s
	nameInput klmm11122 regStart 11/10/2022 regEnd 11/10/2023		
7	And Click on the element in Dialog	FAILED	0.097 s
	acedemicPeriyod acedemicPeriyodselect gradeLevel gradeLevelSelect java.lang.NullPointerException at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:652) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at Org. Openqa. Selentum. Support. til. Fluentwalt. Until (Fluentwalt.) ava. 205) at Pages. Parent. myClick (Parent. java: 17) at StepDefinitions09DataTableSteps.clickOnTheElementInDialog(_09DataTableSteps.java: 55) at ?.Click on the element in Dialog(file:///C:/Users/murat/IdeaProjects/Cucumber6/src/test/java/FeatureFiles/_11_EntranceExam.feature: 28) * Not displayable characters are replaced by '?'.		
8	And User select the academic periyod element in Dialog	SKIPPED	0.000 s
9	And User select the grade level element in Dialog	SKIPPED	0.000 s
10	And Click on the element in Dialog	SKIPPED	0.000 s
	saveButton1		
11	Then Success message should be display	SKIPPED	0.000 s
12	And Click on the element in LeftNav	SKIPPED	0.000 s

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	entranceExams		
	setup2 entranceExams2		
13	And Click on the element in Dialog	SKIPPED	0.000 s
	searchAcademicPeriod acedemicPeriyodselect		
14	And Users delete the element from Dialog	SKIPPED	0.001 s
	klmm11122		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	3.951 s
	screenshot name		
	Company Comp		