

# Cucumber Report

Sep 25, 2023 1:48:26 PM

Start : Sep 25, 1:48:25.758 PM

End : Sep 25, 1:48:25.850 PM

Duration : 0.092 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 5  
SKIPPED - 0


PASSED - 0  
FAILED - 8  
SKIPPED - 0

PASSED - 0  
FAILED - 8  
SKIPPED - 56




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Country Functionality</u>	0.030 s	1	0	1	0	6	0	1	5
<u>Country Functionality</u>	0.030 s	1	0	1	0	6	0	1	5
<u>Country Multi Scenario</u>	0.017 s	4	0	4	0	24	0	4	20
<u>Exam Form functionality</u>	0.009 s	1	0	1	0	14	0	1	13
<u>Exam Form functionality</u>	0.008 s	1	0	1	0	14	0	1	13

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@SmokeTest	2	0	2	0	2	0	2	0
@Regression	8	0	8	0	5	0	5	0





#	Feature Name	T	P	F	S	Duration
1	<u>Country Functionality</u>	1	0	1	0	0.030 s
2	<u>Country Functionality</u>	1	0	1	0	0.030 s
3	<u>Country Multi Scenario</u>	4	0	4	0	0.017 s
4	<u>Exam Form functionality</u>	1	0	1	0	0.009 s
5	<u>Exam Form functionality</u>	1	0	1	0	0.008 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Country Functionality</u>	<u>Create a country</u>	6	0	1	5	0.026 s
2	<u>Country Functionality</u>	<u>Create a country</u>	6	0	1	5	0.026 s
3	<u>Country Multi Scenario</u>	<u>Create country</u>	6	0	1	5	0.004 s
4	<u>Country Multi Scenario</u>	<u>Create country</u>	6	0	1	5	0.004 s
5	<u>Country Multi Scenario</u>	<u>Create country 2</u>	6	0	1	5	0.003 s
6	<u>Country Multi Scenario</u>	<u>Create country 2</u>	6	0	1	5	0.003 s
7	<u>Exam Form functionality</u>	<u>Exam Functionality</u>	14	0	1	13	0.007 s
8	<u>Exam Form functionality</u>	<u>Exam Functionality</u>	14	0	1	13	0.006 s

## Country Functionality

<b>FAILED</b>	DURATION - 0.030 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 1:48:25.758 PM // 1:48:25.788 PM /					

## Create a country



<div>FAILED</div> <div>DURATION - 0.026 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 1:48:25.762 PM // 1:48:25.788 PM /</div>				
<div>Country Functionality</div>				
<div>@SmokeTest @Regression</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus  io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)	FAILED	0.005 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.&lt;init&gt;(Parent.java:15) at Pages.DialogContent.&lt;init&gt;(DialogContent.java:21) at StepDefinitions._01_LoginSteps.&lt;init&gt;(_01_LoginSteps.java:10) </pre>		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.001 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.NullPointerException   at Utilities.GWD.getDriver(GWD.java:63)   at StepDefinitions.Hooks.after(Hooks.java:31)</pre>		

## Country Functionality

<b>FAILED</b>	DURATION - 0.030 s	Scenarios		Steps	
/ 1:48:25.758 PM // 1:48:25.788 PM /		Total - 1		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

## Create a country

<b>FAILED</b>	DURATION - 0.026 s		Steps	
/ 1:48:25.762 PM // 1:48:25.788 PM /				
Country Functionality				
@SmokeTest @Regression				



#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to campus</p> <pre>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)   at io.cucumber.core.runner.TestStep.run(TestStep.java:57)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</pre>	FAILED	0.005 s





#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.&lt;init&gt;(Parent.java:15) at Pages.DialogContent.&lt;init&gt;(DialogContent.java:21) at StepDefinitions._01_LoginSteps.&lt;init&gt;(_01_LoginSteps.java:10) </pre>		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And Navigate to country	SKIPPED	0.001 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

## Country Multi Scenario

FAILED	DURATION - 0.017 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0		Steps Total - 24 Pass - 0 Fail - 4 Skip - 20	
/ 1:48:25.804 PM // 1:48:25.821 PM /					

## Create country



FAILED		DURATION - 0.004 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 1:48:25.804 PM // 1:48:25.808 PM /						
Country Multi Scenario						
@Regression						

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.&lt;init&gt;(Parent.java:15) </pre>		

#	Step / Hook Details	Status	Duration
	at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.001 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

### Create country



FAILED	DURATION - 0.004 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 1:48:25.804 PM // 1:48:25.808 PM /				
Country Multi Scenario				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.000 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.&lt;init&gt;(Parent.java:15) at Pages.DialogContent.&lt;init&gt;(DialogContent.java:21) at StepDefinitions._01_LoginSteps.&lt;init&gt;(_01_LoginSteps.java:10) </pre>		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	And Navigate to country	SKIPPED	0.001 s
5	When Create country	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

## Create country 2



FAILED		DURATION - 0.003 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:48:25.818 PM // 1:48:25.821 PM /						
Country Multi Scenario						
@Regression						

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.&lt;init&gt;(Parent.java:15) at Pages.DialogContent.&lt;init&gt;(DialogContent.java:21) at StepDefinitions._01_LoginSteps.&lt;init&gt;(_01_LoginSteps.java:10) </pre>		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create a country name as "nUerr110" code as "err110"	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.NullPointerException   at Utilities.GWD.getDriver(GWD.java:63)   at StepDefinitions.Hooks.after(Hooks.java:31)</pre>		

## Create country 2



<div>FAILED</div> <div>DURATION - 0.003 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 1:48:25.818 PM // 1:48:25.821 PM /				
Country Multi Scenario				
@Regression				

#	Step / Hook Details	Status	Duration
1	<b>Given Navigate to campus</b> <pre>io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps   at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)   at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)   at io.cucumber.core.runner.TestStep.run(TestStep.java:57)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)   at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)   at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)   at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)   at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)   at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)   at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</pre>	<b>FAILED</b>	0.001 s





#	Step / Hook Details	Status	Duration
	at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to country	SKIPPED	0.000 s
5	When Create a country name as "nUerr110" code as "err110"	SKIPPED	0.000 s
6	Then Success message should be display	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)		

## Exam Form functionality

FAILED	DURATION - 0.009 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	
/ 1:48:25.841 PM // 1:48:25.850 PM /					

## Exam Functionality



FAILED	DURATION - 0.007 s		Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	
/ 1:48:25.843 PM // 1:48:25.850 PM /				
Exam Form functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus  io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.<init>(Parent.java:15) at Pages.DialogContent.<init>(DialogContent.java:21) at StepDefinitions._01_LoginSteps.<init>(_01_LoginSteps.java:10)		
2	When Enter username and password and click login button	SKIPPED	0.001 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Click on the element in LeftNav	SKIPPED	0.001 s
	<div>entranceExams</div> <div>setup2</div> <div>entranceExams2</div>		

#	Step / Hook Details	Status	Duration
5	And Click on the element in Dialog addButon	SKIPPED	0.000 s
6	And User sending the keys in Dialog nameInput klmm11122 regStart 11/10/2022 regEnd 11/10/2023	SKIPPED	0.000 s
7	And Click on the element in Dialog acedemicPeriyod acedemicPeriyodselect gradeLevel gradeLevelSelect	SKIPPED	0.001 s
8	And User select the academic periyod element in Dialog	SKIPPED	0.000 s
9	And User select the grade level element in Dialog	SKIPPED	0.000 s
10	And Click on the element in Dialog saveButton1	SKIPPED	0.000 s
11	Then Success message should be display	SKIPPED	0.000 s
12	And Click on the element in LeftNav entranceExams setup2 entranceExams2	SKIPPED	0.000 s
13	And Click on the element in Dialog searchAcademicPeriod acedemicPeriyodselect	SKIPPED	0.000 s
14	And Users delete the element from Dialog klmm11122	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)	FAILED	0.001 s

## Exam Form functionality

<b>FAILED</b>	DURATION - 0.008 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	
/ 1:48:25.841 PM // 1:48:25.849 PM /					

### Exam Functionality

<b>FAILED</b>	DURATION - 0.006 s		Steps Total - 14 Pass - 0 Fail - 1 Skip - 13	
/ 1:48:25.843 PM // 1:48:25.849 PM /				
Exam Form functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus  io.cucumber.core.exception.CucumberException: Failed to instantiate class StepDefinitions._01_LoginSteps at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67) at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.lang.reflect.Method.invoke(Method.java:498) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124) at org.testng.internal.Invoker.invokeMethod(Invoker.java:583) at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719) at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109) at org.testng.TestRunner.privateRun(TestRunner.java:648) at org.testng.TestRunner.run(TestRunner.java:505) at org.testng.SuiteRunner.runTest(SuiteRunner.java:455) at org.testng.SuiteRunner.access\$000(SuiteRunner.java:40) at org.testng.SuiteRunner\$SuiteWorker.run(SuiteRunner.java:489) at org.testng.internal.thread.ThreadUtil\$1.call(ThreadUtil.java:52) at java.util.concurrent.FutureTask.run(FutureTask.java:266) at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149) at java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624) at java.lang.Thread.run(Thread.java:750) Caused by: java.lang.reflect.InvocationTargetException at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53) ... 37 more Caused by: java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at Pages.Parent.&lt;init&gt;(Parent.java:15) at Pages.DialogContent.&lt;init&gt;(DialogContent.java:21) at StepDefinitions._01_LoginSteps.&lt;init&gt;(_01_LoginSteps.java:10) </pre>		
2	When Enter username and password and click login button	SKIPPED	0.001 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Click on the element in LeftNav	SKIPPED	0.001 s
	<div>entranceExams</div> <div>setup2</div> <div>entranceExams2</div>		
5	And Click on the element in Dialog	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	<div>addButon</div>		
6	And User sending the keys in Dialog	SKIPPED	0.000 s
	<div><div>nameInput</div><div>klmm11122</div><div>regStart</div><div>11/10/2022</div><div>regEnd</div><div>11/10/2023</div></div>		
7	And Click on the element in Dialog	SKIPPED	0.001 s
	<div><div>acedemicPeriyod</div><div>acedemicPeriyodselect</div><div>gradeLevel</div><div>gradeLevelSelect</div></div>		
8	And User select the academic periyod element in Dialog	SKIPPED	0.000 s
9	And User select the grade level element in Dialog	SKIPPED	0.000 s
10	And Click on the element in Dialog	SKIPPED	0.000 s
	<div>saveButton1</div>		
11	Then Success message should be display	SKIPPED	0.000 s
12	And Click on the element in LeftNav	SKIPPED	0.000 s
	<div><div>entranceExams</div><div>setup2</div><div>entranceExams2</div></div>		
13	And Click on the element in Dialog	SKIPPED	0.000 s
	<div><div>searchAcademicPeriod</div><div>acedemicPeriyodselect</div></div>		
14	And Users delete the element from Dialog	SKIPPED	0.000 s
	<div>klmm11122</div>		
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.000 s
	<div>java.lang.NullPointerException at Utilities.GWD.getDriver(GWD.java:63) at StepDefinitions.Hooks.after(Hooks.java:31)</div>		