
Status Report

Biometrics Project



Agenda



TECHNICAL BACKGROUND



IDENTITY VERIFICATION FEATURE



OCR PASSPORT EXTRACTION



VIDEO FACE RECOGNITION FEATURE



WALLET INTEGRATION




NEXT STEPS





Q & A

- What is Face Detection?
 - Given an image, tell whether there is any human face, if there is, where is it
 - It's the first step for any automatic face recognition system





- How does it work?
 - Basically, it can be performed using a **sliding window** approach






- How does it work?
 - Basically, it can be performed using a **sliding window** approach






- How to classify it?
 - Feature-based methods:
 - Skin color
 - Shape
 - Texture


- How to classify it?
 - Template matching methods:
 - Edges and regions
 - Facial features (eyes, nose, mouth, etc.)










- How to classify it?
 - Appearance-based methods:
 - Trained model such as NN, PCA, SVM











What is Face Recognition?


- Given a face image that belongs to a person in a database, tell whose image it is
- Two main tasks
 - Verification
 - Identification



- Face Verification (or Authentication)
 - Involves a one-to-one match that compares a query face image against a template face image whose identity is being claimed
- Face Identification (or Recognition)
 - Involves one-to-many matches that compares a query face image against all the template images in the database to determine the identity of the query face

How does it work?





- Face Verification task
- Based on face-api.js (https://justadudewhohacks.github.io/face-api.js/)
 - Built on top of Tensorflow (https://www.tensorflow.org)
 - Open source ML platform

















- API version based on Sails.js (https://sailsjs.com/)
 - MVC framework for Node.js



- Source code
 - https://github.com/SelfKeyFoundation/face-rec
- Live API
 - Google Cloud (https://console.cloud.google.com/compute/instancesDetail/zones/us-east1-b/instances/face-rec-api-dev?project=selfkey2)
- Request
 - Image encoded base64 string

```
{
   "document": "<BASE_64_ENCODED_STRING>",
   "selfie": "<BASE_64_ENCODED_STRING>"
}
```

- Response
 - Likelihood threshold

- Examples
 - Document



Selfie




Result




- Examples
 - Document




Selfie




Result



- Extended Trained Model
 - Tokensale Dataset
 - 39,860 different persons
 - 72,225 images
 - Built a passport specialist classifier
 - Strategy
 - Classifier combination
- Evaluation
 - 10 Fold Cross Validation
 - Final Accuracy: **96.57**%





Final Accuracy = Average(Round 1, Round 2, ...)

Examples

















OCR Passport Extraction

- Based on Tesseract.js (https://tesseract.projectnaptha.com/)
 - Supports more than 100 languages
- Examples



PAB256984 CORBE SN e PEREZ DT (2) Nombre/Given Names/Rrénoms SUSANA (3) Nacionalded/NetionaltyNetionaito (1) Facha do nacimient/Dets of bt Dats de naesance ggsAfiOLA 08 06 1980 (/Sex/Sexe (11yNo. e~ B A7109319800 {61 Lugar de nacimientoPlace of bith/List denajssivce SALAMANCA (SALAMANCA)) {7)Focha de expedicibn Do o IssuaDate de tbiverance (8 Fechade caducdad Date . cxpry O dexpiraton (%)'Inm%m}mmms' stire/Sgnature d i M%\'Msmwfms oaa f : = DT~ 57507 h6P1 - 256960 P<ESPCORTES<PEREZ<<SUSANA<<<<<<<<>>><<<<>>><<<>>><<<>>><<<>>><<<>>PAB2569842ESP8006086F2508212A7109319800<<<<44


OCR Passport Extraction

Examples



LR Assinatura do titular / ighature du titulsire Lol = Bearer's signatuire / Fiuma: del titular R N = & K e 1% 13 = 2 Este passaporte deve serassinado pelo fiuler. !::' 2o == salvo em caso de incapacidade. i = > v' Ce posseport dott 2ire saré o e titukare, : -I . sauf en cas ofi INCAPAGIHE, 3 o< u B This passport must be signed, e T —— exazpt where the bearer is inable to do s 5 - e Este pasaporte debe sexfirmade porel tukr, -« s siver 5 salvo en caso de inéapacidad W A" ""ifi""%?f"" FEDERATIVA DO BRASIL e : PASSAPORTE P BRA FLat1S73 | PASSPORT § ...! m' T W.UGNQ\'M»OURA VESGEIRL T vq,, S5 EDUARDO X i NACIONALIDADE / NATIONALITY o BRASILEIRO(A) - B DATADE NASCIMENTO / DATE OF BIRTH, DENTIDADE N * / PERSONAL Ne. R 29/Decl1984 ol — SEXO /86X % NATURALIDADE 7 PLACE OF BIRTH v N : . ™ RECIFE/PE i = T DATADE EXPEDICAQ / DATE OF ISSUE AUTORDADE { AUTHORTY { Swwe o oricazpe BT anovi2ots S T b S e TR R MR A ig'jfi;',fi@%@gsfi&%fi:fifiga:fi:'g fi-:;fi::;:?-.-J.fi s v{*".flqf@fl" T ;3-?4:"',1 LR i st R A ey e N e bl N ¢ e P<BRASANTIAGO<MOURA<<EDUARDO<<<<<<,<\§'\sk' e i m

FL411573<5BRA8412298M1911183<<<<<<02



Video Face Recognition Feature

- Based on face-api.js
 - https://justadudewhohacks.github.io/face-api.js/
- Webcam required
- Passport as a lookup image
- Similarity of computed Euclidian distance
- Verification performed every second

Wallet Integration

- Import Face Models
 - Loading phase
 - Job Scheduler
- Unlock with your FaceID
 - Start webcam feed
 - Need to access passport image



CREATE NEW WALLET

USE EXISTING WALLET



Identity theft is one of the fastest growing crimes in the world, affecting millions of people every year. Read on to learn how you can start protecting yourself against it and how blockchain technology will make a big impact. bit.ly/2ITPu2n



#selfkey #identitytheft #crimes #blockchain #technology #innovation

Wallet Integration

- Challenges
 - **Security** constraints?
 - How to access personal information without password or private key?
 - How to handle multiple wallets?
 - Identity theft?

Possible Solutions

- 1. As an additional security option
 - Add face as pin code to unlock when wallet is idle
 - Similar to FingerID on mobile
- 2. Validate and increase security while updating identity attributes
- 3. Transaction confirmation feature





Questions & Answers

- Technical questions?
- New features proposal?
- Any additional thoughts?

Thank you!

