Autonomous Agents | Langchain

Skip to main content LangChainDocsUse cases Integrations APIM or e Community Tutorials Contributing Alsoby LangChainChat our docsLangSmithLangChain HubLangServePython DocsSearchCTRLKUse casesQA and Chat over DocumentsRetrieval-augmented generation (RAG)Tabular Question AnsweringInteracting with APIsSummarizationAgent SimulationsAutonomous AgentsSalesGPTAutoGPTBabyAGIChatbotsExtractionUse casesAutonomous AgentsAutonomous Agents Autonomous Agents are agents that designed to be more long running. You give them one or multiple long term goals, and they independently execute towards those goals. The applications combine tool usage and long term memory. At the moment, Autonomous Agents are fairly experimental and based off of other open-source projects. By implementing these open source projects in LangChain primitives we can get the benefits of LangChain - easy switching and experimenting with multiple LLMs, usage of different vectorstores as memory, usage of LangChain's collection of tools. SalesGPTThis notebook demonstrates an implementation of a Context-Aware Al Sales agent with a Product Knowledge Base. AutoGPTOriginal

Repo//github.com/Significant-Gravitas/Auto-GPT

BabyAGIOriginal

Repo//github.com/yoheinakajima/babyagiPreviousViolation

of

Expectations

ChainNextSalesGPTCommunityDiscordTwitterGitHubPythonJS/TSMoreHomepageBlogCopyright © 2023 LangChain, Inc.