

Specimen A (brain), Spatial split v2 (held-out region of a specimen seen in training; within-specimen interpolation)




Rows: tiles at the 25th, 50th and 75th percentile of Ours' five-draw mean LPIPS within this specimen (predefined rule; same tiles for every method). All diffusion panels are draw 0 (seed 1234). Per-panel metrics are for the panel shown.

Specimen B (heart), Spatial split v2 (held-out region of a specimen seen in training; within-specimen interpolation)




Rows: tiles at the 25th, 50th and 75th percentile of Ours' five-draw mean LPIPS within this specimen (predefined rule; same tiles for every method). All diffusion panels are draw 0 (seed 1234). Per-panel metrics are for the panel shown.

Specimen C (heart), Spatial split v2 (held-out region of a specimen seen in training; within-specimen interpolation)




Rows: tiles at the 25th, 50th and 75th percentile of Ours' five-draw mean LPIPS within this specimen (predefined rule; same tiles for every method). All diffusion panels are draw 0 (seed 1234). Per-panel metrics are for the panel shown.

Specimen D (brain), Spatial split v2 (held-out region of a specimen seen in training; within-specimen interpolation)




Rows: tiles at the 25th, 50th and 75th percentile of Ours' five-draw mean LPIPS within this specimen (predefined rule; same tiles for every method). All diffusion panels are draw 0 (seed 1234). Per-panel metrics are for the panel shown.

Specimen E (brain), Spatial split v2 (held-out region of a specimen seen in training; within-specimen interpolation)




Rows: tiles at the 25th, 50th and 75th percentile of Ours' five-draw mean LPIPS within this specimen (predefined rule; same tiles for every method). All diffusion panels are draw 0 (seed 1234). Per-panel metrics are for the panel shown.

Specimen F (heart), Spatial split v2 (held-out region of a specimen seen in training; within-specimen interpolation)




Rows: tiles at the 25th, 50th and 75th percentile of Ours' five-draw mean LPIPS within this specimen (predefined rule; same tiles for every method). All diffusion panels are draw 0 (seed 1234). Per-panel metrics are for the panel shown.

Specimen G (brain), Spatial split v2 (held-out region of a specimen seen in training; within-specimen interpolation)




Rows: tiles at the 25th, 50th and 75th percentile of Ours' five-draw mean LPIPS within this specimen (predefined rule; same tiles for every method). All diffusion panels are draw 0 (seed 1234). Per-panel metrics are for the panel shown.

Specimen H (brain), Spatial split v2 (held-out region of a specimen seen in training; within-specimen interpolation)




Rows: tiles at the 25th, 50th and 75th percentile of Ours' five-draw mean LPIPS within this specimen (predefined rule; same tiles for every method). All diffusion panels are draw 0 (seed 1234). Per-panel metrics are for the panel shown.

Specimen I (brain), Spatial split v2 (held-out region of a specimen seen in training; within-specimen interpolation)




Rows: tiles at the 25th, 50th and 75th percentile of Ours' five-draw mean LPIPS within this specimen (predefined rule; same tiles for every method). All diffusion panels are draw 0 (seed 1234). Per-panel metrics are for the panel shown.

Specimen J (heart), Spatial split v2 (held-out region of a specimen seen in training; within-specimen interpolation)



Rows: tiles at the 25th, 50th and 75th percentile of Ours' five-draw mean LPIPS within this specimen (predefined rule; same tiles for every method). All diffusion panels are draw 0 (seed 1234). Per-panel metrics are for the panel shown.

Specimen K (heart), Spatial split v2 (held-out region of a specimen seen in training; within-specimen interpolation)



Rows: tiles at the 25th, 50th and 75th percentile of Ours' five-draw mean LPIPS within this specimen (predefined rule; same tiles for every method). All diffusion panels are draw 0 (seed 1234). Per-panel metrics are for the panel shown.