

Sakila Database Test Evidence Log

GraduationProjectTestingFramework—ExecutionArtifactBinder (V2)

Prepared By:	Mohamed Ayman Mohamed Abdelazim	Academic Major:	Computer Engineering
Framework Focus:	Database Verification Layer (SQL)	Total Mapped Evidence:	11 Artifacts (TR_01 to TR_11)
Document Version:	v2.0 (Sequential Mapping)	Status:	Ready for Image Insertion

1. Overview & Setup


This document serves as an explicit visual binding ledger for the 11 sequential test results generated during the Sakila Database execution sprint. Each section corresponds perfectly with the screenshots provided from the test run, providing an structured binder layout for submission in the graduation project documentation package.

2. Sequenced Test Result Placeholders

TR_01 Test Scenario: Customer Filtering Optimization (WHERE + AND Clauses)

Objective: Verify concurrent conditional record filtering.


Expected Outcome: Isolates the active profile "MARY" securely located at Store ID 1.



TR_02 Test Scenario: Alphabetical Sorting Validation (ORDER BY Clause)

Objective: Verify that the application tier receives correctly ordered customer grids.


Expected Outcome: Result lists display profiles sequentially starting with alphanumeric baseline "AARON".



TR_03 Test Scenario: Total Baseline System Volume Verification (COUNT Function)

Objective: Establish a record volume baseline to ensure no hidden truncation or orphan records exist.


Expected Outcome: Validates a complete baseline count matching exactly 599 rows.



TR_04 Test Scenario: Segmented Metric Aggregation (GROUP BY Clause)

Objective: Ensure transactional totals segment symmetrically across distribution warehouses/stores.


Expected Outcome: Segments system capacity into Store 1 (326 records) and Store 2 (273 records).



TR_05 Test Scenario: Conditional Group Isolation (HAVING Clause Filter)

Objective: Validate post-aggregation filters isolating complex operational conditions.


Expected Outcome: Eradicates sub-threshold stores, returning only Store 1 for passing the >300 check.



TR_06 Test Scenario: Schema Cross-Relationship Integrity (INNER JOIN Mapping)

Objective: Verify relational consistency between customers and geographical text indexes via Foreign Keys.


Expected Outcome: Successfully stitches data to display exact address strings (e.g., '1913 Hanoi Way').



TR_07 Test Scenario: Data Insertion Transaction Lifecycle (INSERT Execution)

Objective: Verify data commit operations inside core transactional constraints.


Expected Outcome: Terminal confirms successful write execution with status statement "1 row affected".



TR_08 Test Scenario: Primary Key Integrity & Auto-Increment Verification

Objective: Ensure database engines allocate sequential, collision-free auto-increment primary keys.


Expected Outcome: New profile for "AHMED AYMAN" is safely indexed with an auto-assigned ID of 600.



TR_09 Test Scenario: Isolated Record Mutation Check (UPDATE Grid Gridview)

Objective: Validate structural alteration stability across active user records.


Expected Outcome: Demonstrates the successful inline email adjustment update applied to the grid.



TR_10 Test Scenario: Redundant Update Integrity Log (Verification Duplicate)

Objective: Verify data persistence consistency across subsequent reads post-mutation.

Expected Outcome: Re-confirms that updated data values remain persistent inside the active data block.



TR_11 Test Scenario: Isolated Pre-Purge Stability Extraction (Select Verification)

Objective: Validate targeting capability before calling structural data destructive procedures (DELETE).

Expected Outcome: Confirms target row isolating filters accurately isolate the targeted account data.

