References

[1] ACI Committee 440: Guide for the Design and Construction of Concrete Reinforced with FRP Bars (ACI 440.1R-01). Am. Concrete Inst., Farmington Hills, MI, USA (2001).

[2] Benmokrane, B., Chaallal, O., Masmoudi, R.: Glass fibre reinforced plastic (GFRP) rebars for concrete structures. Constr. Build. Mater. 9(6), 353–364 (1995). https://doi.org/10.1016/0950-0618(95)00048-8

[3] Diniță, A., Ripeanu, R.G., Ilincă, C.N., Cursaru, D., Matei, D., Naim, R.I., Tănase, M., Portoacă, A.I.: Advancements in Fiber-Reinforced Polymer Composites: A Comprehensive Analysis. Polymers 16(1), 2 (2024). https://doi.org/10.3390/polym16010002

[4] Hollaway, L.: Advanced Fibre-Reinforced Polymer (FRP) Composites for Structural Applications. Woodhead Publ., 737–779, Cambridge (2010). https://doi.org/10.1533/9780857098641.4.737

[5] Bank, L.: Composites for Construction: Structural Design with FRP Materials. John Wiley & Sons, Hoboken (2006).

[6] Keller, T.: Use of fibre-reinforced polymers in bridge construction. Struct. Eng. Doc. 7, IABSE, Zürich (2003). https://doi.org/10.2749/sed007

[7] Bischoff, P.H.: Deflection calculation of FRP reinforced concrete beams based on modifications to the existing Branson equation. J. Compos. Constr. 11(1), 4–14 (2007). https://doi.org/10.1061/(ASCE)1090-0268(2007)11:1(4)

[8] Grace, N.F., Abdel-Sayed, A.S., Ragheb, G.A., Soliman, J.E.: Strengthening of Concrete Beams Using Innovative Ductile Fiber-Reinforced Polymer Fabric. ACI Struct. J. 99(5), 692–700 (2002). https://doi.org/10.14359/12309

[9] Ozbakkaloglu, T., Lim, J.C.: Axial compressive behavior of FRP-confined concrete: Experimental test database and a new design-oriented model. Compos. Part B: Eng. 55, 607–634 (2013). https://doi.org/10.1016/j.compositesb.2013.07.025

[10] Al Saawani, M.A., Al Negheimish, A.I., El Sayed, A.K., Alhozaimy, A.M.: Finite element modeling of debonding failures in FRP-strengthened concrete beams using cohesive zone model. Polymers 14(9), 1889 (2022). https://doi.org/10.3390/polym14091889

[11] Wakjira, T.G., Abushanab, A., Ebead, U., Alnahhal, W.: FAI: Fast, accurate, and intelligent approach and prediction tool for flexural capacity of FRP RC beams based on super learner machine learning model. Mater. Today Commun. 33, 104461 (2022). https://doi.org/10.1016/j.mtcomm.2022.104461

[12] Naderpour, H., Kheyroddin, A., Amiri, G.G.: Prediction of FRP-confined compressive strength of concrete using artificial neural networks. Composite Structures 92(12), 2817–2829 (2010). https://doi.org/10.1016/J.COMPSTRUCT.2010.04.008

[13] Tarawneh, A., Alghossoon, A., Saleh, E., Almasabha, G., Murad, Y., Abu-Rayyan, M., Aldiabat, A.: Machine Learning Prediction Model for Shear Capacity of FRP-RC Slender and Deep Beams. Sustainability 14(23), 15609 (2022). https://doi.org/10.3390/su142315609

[14] Khan, M., Khan, A., Khan, A.U., Shakeel, M., Khan, K., Alabduljabbar, H., Najeh, T., Gamil, Y.: Intelligent prediction modeling for flexural capacity of FRP-strengthened reinforced concrete beams using machine learning algorithms. Heliyon 10(1), e23375 (2023). https://doi.org/10.1016/j.heliyon.2023.e23375

[15] Kaveh, A., Javadi, S. M., Mahdipour Moghani, R.: Shear strength prediction of FRP-reinforced concrete beams using an extreme gradient boosting framework. Periodica Polytechnica Civil Engineering 66(1), 18–29 (2022). https://doi.org/10.3311/PPci.18901

[16] Zhao, J., Zhu, M., Xu, L., Chen, M., Shi, M.: Prediction of shear capacity of fiber-reinforced polymer-reinforced concrete beams based on machine learning. Buildings 15(11), 1908 (2025). https://doi.org/10.3390/buildings15111908

[17] Hu, T., Zhang, H., Cheng, C., Li, H., & Zhou, J.: Explainable machine learning: Compressive strength prediction of FRP-confined concrete columns using SHAP analysis. Mater. Today Commun. 39, 108883 (2024). https://doi.org/10.1016/j.mtcomm.2024.108883

[18] Ren, Y., Wang, H.: Machine learning-based prediction of long-term durability of FRP and FRP-reinforced concrete: A state-of-the-art review. J. Build. Eng. 115, 114482 (2025). https://doi.org/10.1016/j.jobe.2025.114482

[19] Kumarawadu, H., Weerasinghe, P., Perera, J.S.: Evaluating the performance of ensemble machine learning algorithms over traditional machine learning algorithms for predicting fire resistance in FRP-strengthened concrete beams. Electron. J. Struct. Eng. 24(3), 47–53 (2024). https://doi.org/10.56748/ejse.24661

[20] Vapnik, V.N.: The Nature of Statistical Learning Theory. Springer-Verlag, New York (1995).

[21] Quinlan, J.R.: C4.5: Programs for Machine Learning. Morgan Kaufmann, San Mateo, CA (1993).

[22] Breiman, L.: Random forests. Mach. Learn. 45(1), 5–32 (2001).

[23] Chen, T., Guestrin, C.: XGBoost: A scalable tree boosting system. In: Proc. 22nd ACM SIGKDD Int. Conf. Knowl. Discov. Data Min., San Francisco, CA, USA, 785–794 (2016).

[24] LeCun, Y., Bengio, Y., Hinton, G.: Deep learning. Nature 521(7553), 436–444 (2015). https://doi.org/10.1038/nature14539

[25] Zhang, S.-Y., Chen, S.-Z., Jiang, X., Han, W.-S.: Data driven prediction of FRP strengthened reinforced concrete beam capacity based on interpretable ensemble learning algorithms. Structures 43, 860–877 (2022). https://doi.org/10.1016/j.istruc.2022.07.025

[26] Khan, K., Iqbal, M., Salami, B.A., Amin, M.N., Ahmad, I., Alabdullah, A., Abu Arab, A.M., Jalal, F.E.: Estimating flexural strength of FRP reinforced beam using artificial neural

network and random forest prediction models. Polymers 14(11), 2270 (2022). https://doi.org/10.3390/polym14112270

[27] Khan, M., Khan, A., Khan, A.U., Shakeel, M., Khan, K., Alabduljabbar, H., Najeh, T., Gamil, Y.: Intelligent prediction modeling for flexural capacity of FRP strengthened reinforced concrete beams using machine learning algorithms. Heliyon 10(1), e23375 (2023). https://doi.org/10.1016/j.heliyon.2023.e23375

[28] Tran, H., Nguyen Thoi, T., Dinh, H.-B.: State of the art review of studies on the flexural behavior and design of FRP reinforced concrete beams. Materials 18(14), 3295 (2025). https://doi.org/10.3390/ma18143295

[29] Megahed, K.: Predicting flexural strength of hybrid FRP-steel reinforced beams using symbolic regression and ML techniques. Sci. Rep. 15, 20277 (2025). https://doi.org/10.1038/s41598-025-05775-7

[30] Theriault, M., Benmokrane, B.: Effects of FRP reinforcement ratio and concrete strength on flexural behavior of concrete beams. J. Compos. Constr. 2(1), 7–16 (1998). https://doi.org/10.1038/s41598-025-05775-7

[31] Kassem, C., Farghaly, A.S., Benmokrane, B.: Evaluation of flexural behavior and serviceability performance of concrete beams reinforced with FRP bars. J. Compos. Constr. 15(5), 682–695 (2011). https://doi.org/10.1061/(ASCE)CC.1943-5614.00002

[32] Barris, C., Torres, L., Turon, A., Baena, M., Catalan, A.: Experimental study of the flexural behaviour of GFRP RC beams and comparison with prediction models. Compos. Struct. 91(3), 286–295 (2009). https://doi.org/10.1016/j.compstruct.2009.05.005

[33] Brown, V.L., Bartholomew, C.L.: FRP reinforcing bars in reinforced concrete members. Mater. J. 90(1), 34–39 (1993). https://doi.org/10.14359/4034

[34] Zhao, J., Pan, H., Wang, Z., Li, G.: Experimental and theoretical study on flexural behavior of GFRP- and CFRP-reinforced concrete beams after high-temperature exposure. Polymers 14(19), 4002 (2022). https://doi.org/10.3390/polym14194002

[35] Putri, D.T., et al.: Flexural capacity of concrete beam reinforced with GFRP bars. J. Phys.: Conf. Ser. 2049(1), 012075 (2021). https://doi.org/10.1088/1742-6596/2049/1/012075

[36] Chitsazan, I., Kobraei, M., Jumaat, M.Z., Shafigh, P.: An experimental study on flexural behavior of FRP RC beams and comparison of ultimate moment capacity with ACI. J. Civ. Eng. Constr. Technol. 1(2), 27–42 (2010).

[37] Benmokrane, B., Chaallal, O., Masmoudi, R.: Glass fibre reinforced plastic (GFRP) rebars for concrete structures. Constr. Build. Mater. 9(6), 353–364 (1995). https://doi.org/10.1016/0950-0618(95)00048-8

[38] El-Nemr, A., Ahmed, E.A., Benmokrane, B.: Flexural behavior and serviceability of normal- and high-strength concrete beams reinforced with GFRP bars. ACI Struct. J. 110(6) (2013).

[39] El Refai, A., Abed, F., Al-Rahmani, A.: Structural performance and serviceability of concrete beams reinforced with hybrid (GFRP and steel) bars. Constr. Build. Mater. 96, 518–529 (2015). https://doi.org/10.1016/j.conbuildmat.2015.08.063

[40] Alsayed, S.H.: Flexural behaviour of concrete beams reinforced with GFRP bars. Cem. Concr. Compos. 20(1), 1–11 (1998). https://doi.org/10.1016/S0958-9465(97)00061-9

[41] El-Nemr, A., Ahmed, E., Benmokrane, B.: Instantaneous deflection of slender concrete beams reinforced with GFRP bars. 2nd Int. Eng. Mech. Mater. Spec. Conf., Ottawa, Canada (2011).

[42] Oh, H., Moon, D.Y., Zi, G.: Flexural characteristics of concrete beams reinforced with a new type of GFRP bar. Polym. Polym. Compos. 17(4), 253–264 (2009). https://doi.org/10.1177/096739110901700404

[43] Shin, S., Seo, D., Han, B.: Performance of concrete beams reinforced with GFRP bars. J. Asian Archit. Build. Eng. 8(1), 197–204 (2009). https://doi.org/10.3130/JAABE.8.197

[44] Wei, B., He, X., Wu, W., Wu, C., He, J.: Research on the flexural behavior of polypropylene fiber reinforced concrete beams with hybrid reinforcement of GFRP and steel bars. Mater. Struct. 57(4), 66 (2024). https://doi.org/10.1617/s11527-024-02343-9

[45] Park, Y., Kim, Y.H., Lee, S.-H.: Long-term flexural behaviors of GFRP reinforced concrete beams under accelerated aging. Polymers 6(6), 1773–1793 (2014). https://doi.org/10.3390/polym6061773

[46] Escórcio, P., França, P.M.: Experimental study of rehabilitation using GFRP bars to replace steel in RC beams. Eng. Struct. 128, 166–183 (2016). http://hdl.handle.net/10400.13/3468

[47] Ji, J., Zhang, R., Yu, C., He, L., Ren, H., Jiang, L.: Flexural behavior of simply supported beams with gradient concrete and GFRP bars. Front. Mater. 8, 693905 (2021). https://doi.org/10.3389/fmats.2021.693905

[48] Leung, H.Y.: Flexural capacity of concrete beams reinforced with steel and FRP bars. J. Civ. Eng. Manag. 10(3), 209–215 (2004). https://doi.org/10.3846/13923730.2004.9636308

[49] Ahmed, H.Q., Jaf, D.K., Yaseen, S.A.: Flexural capacity and behavior of geopolymer concrete beams reinforced with GFRP bars. Int. J. Concr. Struct. Mater. 14(1), 14 (2020). https://doi.org/10.1186/s40069-019-0389-1

[50] Thiagarajan, G.: Experimental and analytical behavior of carbon fiber-based rods as flexural reinforcement. J. Compos. Constr. 7(1), 64–72 (2003). https://doi.org/10.1061/(ASCE)1090-0268(2003)7:1(64)

[51] Sijavandi, K., Sharbatdar, M.K., Kheyroddin, A.: Experimental evaluation of flexural behavior of high-performance FRC beams using GFRP and high-strength steel bars. Struct. 33, 4256–4268 (2021). https://doi.org/10.1016/j.istruc.2021.07.020

[52] Maranan, G., Manalo, A., Benmokrane, B., Karunasena, W., Mendis, P., Nguyen, T.: Flexural behavior of geopolymer-concrete beams reinforced with GFRP and steel hybrids. Eng. Struct. 182, 141–152 (2019). https://doi.org/10.1016/j.engstruct.2018.12.073

[53] Wang, H., Belarbi, A.: Ductility characteristics of FRC beams reinforced with FRP rebars. Constr. Build. Mater. 25, 2391–2401 (2011). https://doi.org/10.1016/j.conbuildmat.2010.11.040

[54] Karabulut, M.: Machine learning-driven flexural performance prediction and experimental investigation of GFRP bar-reinforced concrete beams. Polymers 17(6), 713 (2025). https://doi.org/10.3390/polym17060713

[55] Ahmed, H.Q., Jaf, D.K., Yaseen, S.A.: Comparison of flexural performance and behavior of fly-ash-based geopolymer concrete beams reinforced with CFRP and GFRP bars. Adv. Mater. Sci. Eng. 2020(1), 3495276 (2020). https://doi.org/10.1155/2020/3495276

[56] Abdelkarim, O.I., Ahmed, E.A., Mohamed, H.M., Benmokrane, B.: Flexural strength and serviceability of concrete beams reinforced with deformed GFRP bars. Eng. Struct. 186, 282–296 (2019). DOI:10.1016/j.engstruct.2019.02.024

[57] Yang, J.-M., Min, K.-H., Shin, H.-O., Yoon, Y.-S.: Effect of steel and synthetic fibers on flexural behavior of high-strength concrete beams reinforced with FRP bars. Compos. Part B: Eng. 43(3), 1077–1086 (2012). https://doi.org/10.1016/j.compositesb.2012.01.044

[58] Qu, W., Zhang, X., Huang, H.: Flexural behavior of concrete beams reinforced with hybrid (GFRP and steel) bars. J. Compos. Constr. 13(5), 350–359 (2009). https://doi.org/10.1061/(ASCE)CC.1943-5614.0000035

[59] Kabashi, N., Avdyli, B., Krasniqi, E., Këpuska, A.: Comparative approach to flexural behavior of beams reinforced with GFRP, CFRP, and steel bars. Civ. Eng. J. 6(1), 50–59 (2020). https://doi.org/10.28991/cej-2020-03091452

[60] Lau, D., Pam, H.J.: Experimental study of hybrid FRP reinforced concrete beams. Eng. Struct. 32(12), 3857–3865 (2010). https://doi.org/10.1016/j.engstruct.2010.08.028

[61] Alhoubi, Y., Mahaini, Z., Abed, F.: Flexural performance of BFRP-reinforced UHPC beams compared to steel and GFRP. Sustainability 14(22), 15139 (2022). https://doi.org/10.3390/su142215139

[62] Xiao, S.-H., Lin, J.-X., Li, L.-J., Guo, Y.-C., Zeng, J.-J., Xie, Z.-H., Wei, F.-F., Li, M.: Experimental study on flexural behavior of concrete beam reinforced with GFRP and steel-fiber composite bars. J. Build. Eng. 43, 103087 (2021). https://doi.org/10.1016/j.jobe.2021.103087

[63] Almusallam, T.H., Elsanadedy, H.M., Al-Salloum, Y.A., Alsayed, S.H.: Experimental and numerical investigation for flexural strengthening of RC beams using NSM steel or GFRP bars. Constr. Build. Mater. 40, 145–161 (2013). https://doi.org/10.1016/j.conbuildmat.2012.09.107

[64] Moazzenchi, S., Vatani Oskouei, A.: Comparative experimental study on flexural behavior of geopolymer concrete beams reinforced with FRP bars. J. Rehabil. Civ. Eng. 11(1), 21–42 (2023). DOI 10.22075/jrce.2022.25157.1569

[65] Omrani, M.H., Dehestani, M., Yousefpour, H.: Flexural behavior of lightweight concrete beams reinforced with GFRP bars and prestressed with steel strands. Struct. Concr. 22(1), 69–80 (2021). https://doi.org/10.1002/suco.201900342

[66] Kusnadi, R., Djamaluddin, A.B., Muhiddin, A., Irmawaty, R.: Flexural behaviour of GFRP bar reinforced concrete beams without cover using GFRP sheets as shear reinforcement. Int. J. Adv. Res. Eng. Technol. 11(6), 518–524 (2020).

[67] Chen, X., Kong, X., Fu, Y., Sun, W., Guan, R.: Experimental and theoretical study on flexural behavior of recycled concrete beams reinforced with GFRP bars. J. Renew. Mater. 9(6), 1169–1188 (2021). https://doi.org/10.32604/jrm.2021.014809

[68] Elnemr, A., Ahmed, E., ElSafty, A., Benmokrane, B.: Evaluation of flexural strength and serviceability of concrete beams reinforced with different types of GFRP bars. Eng. Struct. 173 (2018). https://doi.org/10.1016/j.engstruct.2018.06.089

[69] Refaai, M.A., El-Mahdy, O., Hamdy, G.: Experimental and analytical investigation of FRP reinforced concrete beams in flexure. Eng. Res. J. (Shoubra) 53(1), 17–22 (2024). https://doi.org/10.21608/erjsh.2023.229098.1206

[70] Kumar, G.G., Herbert Sinduja, J.: Experimental and analytical investigation of concrete beams reinforced with hybrid bars (steel and GFRP). *Int. Res. J. Eng. Technol.* 6(1), 676–682 (2019).

[71] Elsayed, A., Ahmed, M., Hassan, H.: Behavior of beams reinforced with different types of bars made of glass fiber reinforced polymer (GFRP), carbon fiber reinforced polymer (CFRP), and high tensile steel (HTS) under static loading. *IOSR J. Mech. Civ. Eng.* 12(4), 66–97 (2015).

[72] Li, V.C., Wang, S.: Flexural behaviors of GFRP-reinforced engineered cementitious composite beams. Mater. J. 99(1), 11–21 (2002). https://doi.org/10.14359/11311

[73] Gouda, O., Asadian, A., Galal, K.: Flexural and serviceability behavior of concrete beams reinforced with ribbed GFRP bars. J. Compos. Constr. 26(5), 04022064 (2022). DOI:10.1061/(ASCE)CC.1943-5614.0001253

[74] Y.-S. Yoon, J.-M. Yang, K.-H. Min, and H.-O. Shin, Flexural strength and deflection characteristics of high-strength concrete beams with hybrid FRP and steel bar reinforcement. In: 10th International symposium on fiber-reinforced polymer reinforcement for concrete structures 2011, FRPRC-10, in conjunction with the ACI Spring 2011 Convention, Farmington Hills, MI 48331, United States, American Concrete Institute. (275), 1–22 (2011).

[75] Abed, F., Al-Mimar, M., Ahmed, S.: Performance of BFRP RC beams using high-strength concrete. Compos. Part C: Open Access 4, 100107 (2021). https://doi.org/10.1016/j.jcomc.2021.100107

[76] Rafi, M.M., Nadjai, A., Ali, F., Talamona, D.: Aspects of CFRP reinforced concrete beam behavior in bending. Constr. Build. Mater. 22(3), 277–285 (2008). https://doi.org/10.1016/j.conbuildmat.2006.08.014

[77] Liu, X., Sun, Y., Wu, T.: Flexural capacity and deflection of FR lightweight aggregate concrete beams reinforced with GFRP bars. Sensors 19(4), 873 (2019). https://doi.org/10.3390/s19040873

[78] El-Salakawy, E., Kassem, C., Benmokrane, B.: Flexural behaviour of concrete beams reinforced with carbon FRP composite bars. 4th Struct. Spec. Conf. CSCE, Montréal, Canada (2002).

[79] Sun, Z., Yang, Y., Qin, W., Ren, S., Wu, G.: Experimental study on flexural behavior of concrete beams reinforced by steel-fiber reinforced polymer composite bars. J. Reinf. Plast. Compos. 31(24), 1737–1745 (2012). https://doi.org/10.1177/0731684412456446

[80] Ahmed, H.Q., Jaf, D.K., Yaseen, S.A.: Flexural strength and failure of geopolymer concrete beams reinforced with CFRP bars. Constr. Build. Mater. 231, 117185 (2020). https://doi.org/10.1016/j.conbuildmat.2019.117185

[81] Zhu, H., Li, C., Cheng, S., Yuan, J.: Flexural performance of concrete beams reinforced with continuous FRP bars and discrete steel fibers under cyclic loads. Polymers 14(7), 1399 (2022). https://doi.org/10.3390/polym14071399

[82] Abed, F., Alhafiz, A.R.: Effect of basalt fibers on flexural behavior of concrete beams reinforced with BFRP bars. Compos. Struct. 215, 23–34 (2019). https://doi.org/10.1016/j.compstruct.2019.02.050

[83] Alkhraisha, H., Mhanna, H., Tello, N., Abed, F.: Serviceability and flexural behavior of concrete beams reinforced with BFRP bars exposed to harsh conditions. Polymers 12(9), 2110 (2020). https://doi.org/10.3390/polym12092110

[84] Shamass, R., Cashell, K.: Experimental investigation into flexural behavior of BFRP reinforced concrete members. Eng. Struct. 220, 110950 (2020). https://doi.org/10.1016/j.engstruct.2020.110950

[85] Protchenko, K., Młodzik, K., Urbański, M., Szmigiera, E., Garbacz, A.: Numerical estimation of concrete beams reinforced with FRP bars. MATEC Web Conf. 86, 02011 (2016). https://doi.org/10.1051/matecconf/20168602011

[86] Zhu, H., Li, Z., Chen, Q., Cheng, S., Li, C., Zhou, X.: A New Analytical model for deflection of BFRP bar and steel fiber reinforced concrete beams under cyclic loading. Polymers 14(9), 1797 (2022). https://doi.org/10.3390/polym14091797

[87] Elgabbas, F., Vincent, P., Ahmed, E.A., Benmokrane, B.: Experimental testing of basalt-FRP bars in concrete beams. Compos. Part B: Eng. 91, 205–218 (2016). https://doi.org/10.1016/j.compositesb.2016.01.045

[88] Elgabbas, F., Ahmed, E.A., Benmokrane, B.: Flexural behavior of concrete beams reinforced with ribbed BFRP bars under static loads. J. Compos. Constr. 21(3), 04016098 (2017). DOI:10.1061/(ASCE)CC.1943-5614.0000752

[89] Pawłowski, D., Szumigała, M.: Flexural behaviour of full-scale BFRP RC beams – experimental and numerical studies. Procedia Eng. 108, 518–525 (2015). https://doi.org/10.1016/j.proeng.2015.06.114