

DATASET CHECK: N must equal 85

The MEANS Procedure

<i>Variable</i>	<i>N</i>
Year	85
PHS_Engage	57
CH_Engage	42
EH_Engage	11
STI_Tests	35
BLT_Count	7
STI_Ratio	32
PHS_EngRatio	52
CH_ScrRatio	42
Addr_Complete	85
EH_Present	85

SECTION 1: NORMALITY TESTING (Shapiro-Wilk, Kolmogorov-Smirnov, Cramer-von Mises, Anderson-Darling)
STI Ratio: 2025 W=0.741 p=0.0007 | 2026 W=0.755 p=0.0005 - BOTH NON-NORMAL

The UNIVARIATE Procedure
Variable: STI_Ratio
Year = 2025

Moments			
N	15	Sum Weights	15
Mean	5.2258486	Sum Observations	78.3877289
Std Deviation	1.21088712	Variance	1.46624761
Skewness	-1.2440845	Kurtosis	0.12870661
Uncorrected SS	430.16987	Corrected SS	20.5274665
Coeff Variation	23.1711098	Std Error Mean	0.31264971

Basic Statistical Measures			
Location		Variability	
Mean	5.225849	Std Deviation	1.21089
Median	6.000000	Variance	1.46625
Mode	6.000000	Range	3.50000
Interquartile Range			2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	16.71471	Pr > t	<.0001
Sign	M	7.5	Pr >= M	<.0001
Signed Rank	S	60	Pr >= S	<.0001

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.741022	Pr < W	0.0007
Kolmogorov-Smirnov	D	0.338695	Pr > D	<0.0100
Cramer-von Mises	W-Sq	0.325254	Pr > W-Sq	<0.0050
Anderson-Darling	A-Sq	1.755289	Pr > A-Sq	<0.0050

Quantiles (Definition 5)	
Level	Quantile
100% Max	6.16667
99%	6.16667
95%	6.16667
90%	6.14286
75% Q3	6.00000
50% Median	6.00000
25% Q1	4.00000
10%	3.00000
5%	2.66667

SECTION 1: NORMALITY TESTING (Shapiro-Wilk, Kolmogorov-Smirnov, Cramer-von Mises, Anderson-Darling)
STI Ratio: 2025 W=0.741 p=0.0007 | 2026 W=0.755 p=0.0005 - BOTH NON-NORMAL

The UNIVARIATE Procedure
Variable: STI_Ratio
Year = 2025

Quantiles (Definition 5)	
Level	Quantile
1%	2.66667
0% Min	2.66667

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
2.66667	42	6.00000	40
3.00000	38	6.00000	49
3.96154	41	6.00000	50
4.00000	48	6.14286	54
5.20000	33	6.16667	47

SECTION 1: NORMALITY TESTING (Shapiro-Wilk, Kolmogorov-Smirnov, Cramer-von Mises, Anderson-Darling)
STI Ratio: 2025 W=0.741 p=0.0007 | 2026 W=0.755 p=0.0005 - BOTH NON-NORMAL

The UNIVARIATE Procedure
Variable: STI_Ratio
Year = 2026

Moments			
N	17	Sum Weights	17
Mean	5.83023562	Sum Observations	99.1140056
Std Deviation	0.82127166	Variance	0.67448714
Skewness	1.61645622	Kurtosis	6.09365085
Uncorrected SS	588.6498	Corrected SS	10.7917942
Coeff Variation	14.0864231	Std Error Mean	0.19918764

Basic Statistical Measures			
Location		Variability	
Mean	5.830236	Std Deviation	0.82127
Median	5.875000	Variance	0.67449
Mode	6.000000	Range	3.90000
Interquartile Range			0.30000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	29.27007	Pr > t	<.0001
Sign	M	8.5	Pr >= M	<.0001
Signed Rank	S	76.5	Pr >= S	<.0001

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.755083	Pr < W	0.0005
Kolmogorov-Smirnov	D	0.312454	Pr > D	<0.0100
Cramer-von Mises	W-Sq	0.319162	Pr > W-Sq	<0.0050
Anderson-Darling	A-Sq	1.681294	Pr > A-Sq	<0.0050

Quantiles (Definition 5)	
Level	Quantile
100% Max	8.40000
99%	8.40000
95%	8.40000
90%	6.10000
75% Q3	6.00000
50% Median	5.87500
25% Q1	5.70000
10%	4.82353
5%	4.50000


SECTION 1: NORMALITY TESTING (Shapiro-Wilk, Kolmogorov-Smirnov, Cramer-von Mises, Anderson-Darling)
STI Ratio: 2025 W=0.741 p=0.0007 | 2026 W=0.755 p=0.0005 - BOTH NON-NORMAL

The UNIVARIATE Procedure
Variable: STI_Ratio
Year = 2026

Quantiles (Definition 5)	
Level	Quantile
1%	4.50000
0% Min	4.50000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
4.50000	63	6.0	64
4.82353	70	6.0	69
4.85714	68	6.0	80
5.40000	62	6.1	66
5.70000	73	8.4	79

The UNIVARIATE Procedure



SECTION 1: NORMALITY TESTING (Shapiro-Wilk, Kolmogorov-Smirnov, Cramer-von Mises, Anderson-Darling)
STI Ratio: 2025 W=0.741 p=0.0007 | 2026 W=0.755 p=0.0005 - BOTH NON-NORMAL

The UNIVARIATE Procedure
Year = 2025
Fitted Normal Distribution for STI_Ratio

Parameters for Normal Distribution		
Parameter	Symbol	Estimate
Mean	Mu	5.225849
Std Dev	Sigma	1.210887

Goodness-of-Fit Tests for Normal Distribution				
Test	Statistic		p Value	
Kolmogorov-Smirnov	D	0.33869450	Pr > D	<0.010
Cramer-von Mises	W-Sq	0.32525398	Pr > W-Sq	<0.005
Anderson-Darling	A-Sq	1.75528921	Pr > A-Sq	<0.005

Quantiles for Normal Distribution		
Quantile		
Percent	Observed	Estimated
1.0	2.66667	2.40890
5.0	2.66667	3.23412
10.0	3.00000	3.67403
25.0	4.00000	4.40912
50.0	6.00000	5.22585
75.0	6.00000	6.04258
90.0	6.14286	6.77766
95.0	6.16667	7.21758
99.0	6.16667	8.04279

SECTION 1: NORMALITY TESTING (Shapiro-Wilk, Kolmogorov-Smirnov, Cramer-von Mises, Anderson-Darling)
STI Ratio: 2025 W=0.741 p=0.0007 | 2026 W=0.755 p=0.0005 - BOTH NON-NORMAL


The UNIVARIATE Procedure
Year = 2026
Fitted Normal Distribution for STI_Ratio

Parameters for Normal Distribution		
Parameter	Symbol	Estimate
Mean	Mu	5.830236
Std Dev	Sigma	0.821272

Goodness-of-Fit Tests for Normal Distribution				
Test	Statistic		p Value	
Kolmogorov-Smirnov	D	0.31245405	Pr > D	<0.010
Cramer-von Mises	W-Sq	0.31916163	Pr > W-Sq	<0.005
Anderson-Darling	A-Sq	1.68129386	Pr > A-Sq	<0.005

Quantiles for Normal Distribution		
Quantile		
Percent	Observed	Estimated
1.0	4.50000	3.91967
5.0	4.50000	4.47936
10.0	4.82353	4.77773
25.0	5.70000	5.27630
50.0	5.87500	5.83024
75.0	6.00000	6.38417
90.0	6.10000	6.88274
95.0	8.40000	7.18111
99.0	8.40000	7.74080

The UNIVARIATE Procedure



The UNIVARIATE Procedure
Variable: PHS_EngRatio
Year = 2025

Moments			
N	31	Sum Weights	31
Mean	2.05882863	Sum Observations	63.8236874
Std Deviation	2.38627984	Variance	5.69433149
Skewness	4.50012812	Kurtosis	22.3272979
Uncorrected SS	302.231979	Corrected SS	170.829945
Coeff Variation	115.904734	Std Error Mean	0.42858851

Basic Statistical Measures			
Location		Variability	
Mean	2.058829	Std Deviation	2.38628
Median	1.333333	Variance	5.69433
Mode	1.000000	Range	13.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	4.803742	Pr > t	<.0001
Sign	M	15.5	Pr >= M	<.0001
Signed Rank	S	248	Pr >= S	<.0001

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.440516	Pr < W	<0.0001
Kolmogorov-Smirnov	D	0.328624	Pr > D	<0.0100
Cramer-von Mises	W-Sq	1.06772	Pr > W-Sq	<0.0050
Anderson-Darling	A-Sq	5.641219	Pr > A-Sq	<0.0050

Quantiles (Definition 5)	
Level	Quantile
100% Max	14.00000
99%	14.00000
95%	5.00000
90%	3.00000
75% Q3	2.00000
50% Median	1.33333
25% Q1	1.00000
10%	1.00000
5%	1.00000

SECTION 1: NORMALITY TESTING (Shapiro-Wilk, Kolmogorov-Smirnov, Cramer-von Mises, Anderson-Darling)
PHS Engagement Ratio: 2025 W=0.441 p<0.0001 | 2026 W=0.818 p=0.0013 - NON-NORMAL

The UNIVARIATE Procedure
Variable: PHS_EngRatio
Year = 2025

Quantiles (Definition 5)	
Level	Quantile
1%	1.00000
0% Min	1.00000

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	49	2.71429	34
1	47	3.00000	52
1	46	3.33333	15
1	40	5.00000	22
1	23	14.00000	5

The UNIVARIATE Procedure
Variable: PHS_EngRatio
Year = 2026

Moments			
N	21	Sum Weights	21
Mean	2.09956467	Sum Observations	44.0908582
Std Deviation	1.21873251	Variance	1.48530893
Skewness	1.47905794	Kurtosis	1.51013745
Uncorrected SS	122.277787	Corrected SS	29.7061787
Coeff Variation	58.0469145	Std Error Mean	0.26594924

Basic Statistical Measures			
Location		Variability	
Mean	2.099565	Std Deviation	1.21873
Median	1.727273	Variance	1.48531
Mode	2.000000	Range	4.17143
Interquartile Range			1.16667

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.894607	Pr > t	<.0001
Sign	M	10.5	Pr >= M	<.0001
Signed Rank	S	115.5	Pr >= S	<.0001

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.818131	Pr < W	0.0013
Kolmogorov-Smirnov	D	0.246841	Pr > D	<0.0100
Cramer-von Mises	W-Sq	0.234517	Pr > W-Sq	<0.0050
Anderson-Darling	A-Sq	1.403072	Pr > A-Sq	<0.0050


Quantiles (Definition 5)	
Level	Quantile
100% Max	5.000000
99%	5.000000
95%	5.000000
90%	4.000000
75% Q3	2.500000
50% Median	1.727273
25% Q1	1.333333
10%	1.058824
5%	0.833333

The UNIVARIATE Procedure
Variable: PHS_EngRatio
Year = 2026

Quantiles (Definition 5)	
Level	Quantile
1%	0.828571
0% Min	0.828571

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.828571	83	2.5	63
0.833333	79	3.0	80
1.058824	70	4.0	55
1.142857	68	5.0	57
1.250000	84	5.0	58

The UNIVARIATE Procedure



SECTION 1: NORMALITY TESTING (Shapiro-Wilk, Kolmogorov-Smirnov, Cramer-von Mises, Anderson-Darling)
PHS Engagement Ratio: 2025 W=0.441 p<0.0001 | 2026 W=0.818 p=0.0013 - NON-NORMAL

The UNIVARIATE Procedure
Year = 2025
Fitted Normal Distribution for PHS_EngRatio

Parameters for Normal Distribution		
Parameter	Symbol	Estimate
Mean	Mu	2.058829
Std Dev	Sigma	2.38628

Goodness-of-Fit Tests for Normal Distribution				
Test	Statistic		p Value	
Kolmogorov-Smirnov	D	0.32862425	Pr > D	<0.010
Cramer-von Mises	W-Sq	1.06772034	Pr > W-Sq	<0.005
Anderson-Darling	A-Sq	5.64121941	Pr > A-Sq	<0.005

Quantiles for Normal Distribution		
Quantile		
Percent	Observed	Estimated
1.0	1.00000	-3.49249
5.0	1.00000	-1.86625
10.0	1.00000	-0.99931
25.0	1.00000	0.44931
50.0	1.33333	2.05883
75.0	2.00000	3.66835
90.0	3.00000	5.11697
95.0	5.00000	5.98391
99.0	14.00000	7.61015

SECTION 1: NORMALITY TESTING (Shapiro-Wilk, Kolmogorov-Smirnov, Cramer-von Mises, Anderson-Darling)
PHS Engagement Ratio: 2025 W=0.441 p<0.0001 | 2026 W=0.818 p=0.0013 - NON-NORMAL


The UNIVARIATE Procedure
Year = 2026
Fitted Normal Distribution for PHS_EngRatio

Parameters for Normal Distribution		
Parameter	Symbol	Estimate
Mean	Mu	2.099565
Std Dev	Sigma	1.218733

Goodness-of-Fit Tests for Normal Distribution				
Test	Statistic		p Value	
Kolmogorov-Smirnov	D	0.24684119	Pr > D	<0.010
Cramer-von Mises	W-Sq	0.23451670	Pr > W-Sq	<0.005
Anderson-Darling	A-Sq	1.40307196	Pr > A-Sq	<0.005

Quantiles for Normal Distribution		
Quantile		
Percent	Observed	Estimated
1.0	0.82857	-0.73563
5.0	0.83333	0.09493
10.0	1.05882	0.53770
25.0	1.33333	1.27754
50.0	1.72727	2.09956
75.0	2.50000	2.92159
90.0	4.00000	3.66143
95.0	5.00000	4.10420
99.0	5.00000	4.93476

The UNIVARIATE Procedure



The UNIVARIATE Procedure
Variable: CH_ScrRatio
Year = 2025

Moments			
N	29	Sum Weights	29
Mean	3.334634	Sum Observations	96.704386
Std Deviation	2.80328065	Variance	7.85838239
Skewness	1.01477896	Kurtosis	-0.7640641
Uncorrected SS	542.50844	Corrected SS	220.034707
Coeff Variation	84.0656171	Std Error Mean	0.52055615

Basic Statistical Measures			
Location		Variability	
Mean	3.334634	Std Deviation	2.80328
Median	2.000000	Variance	7.85838
Mode	2.000000	Range	7.00000
Interquartile Range			4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.405906	Pr > t	<.0001
Sign	M	14.5	Pr >= M	<.0001
Signed Rank	S	217.5	Pr >= S	<.0001

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.715091	Pr < W	<0.0001
Kolmogorov-Smirnov	D	0.303687	Pr > D	<0.0100
Cramer-von Mises	W-Sq	0.61394	Pr > W-Sq	<0.0050
Anderson-Darling	A-Sq	3.583053	Pr > A-Sq	<0.0050

Quantiles (Definition 5)	
Level	Quantile
100% Max	8
99%	8
95%	8
90%	8
75% Q3	5
50% Median	2
25% Q1	1
10%	1
5%	1

The UNIVARIATE Procedure
Variable: CH_ScrRatio
Year = 2025

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	46	8	4
1	43	8	11
1	41	8	16
1	36	8	21
1	29	8	22

The UNIVARIATE Procedure
Variable: CH_ScrRatio
Year = 2026

Moments			
N	13	Sum Weights	13
Mean	4.43589744	Sum Observations	57.6666667
Std Deviation	1.93766094	Variance	3.75452991
Skewness	0.3457777	Kurtosis	-0.760586
Uncorrected SS	300.857778	Corrected SS	45.054359
Coeff Variation	43.6813738	Std Error Mean	0.53741045

Basic Statistical Measures			
Location		Variability	
Mean	4.435897	Std Deviation	1.93766
Median	4.000000	Variance	3.75453
Mode	3.000000	Range	6.33333
Interquartile Range			3.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.254208	Pr > t	<.0001
Sign	M	6.5	Pr >= M	0.0002
Signed Rank	S	45.5	Pr >= S	0.0002

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.96022	Pr < W	0.7571
Kolmogorov-Smirnov	D	0.155283	Pr > D	>0.1500
Cramer-von Mises	W-Sq	0.037037	Pr > W-Sq	>0.2500
Anderson-Darling	A-Sq	0.236339	Pr > A-Sq	>0.2500


Quantiles (Definition 5)	
Level	Quantile
100% Max	8.00000
99%	8.00000
95%	8.00000
90%	7.00000
75% Q3	6.00000
50% Median	4.00000
25% Q1	3.00000
10%	2.00000
5%	1.66667

The UNIVARIATE Procedure
Variable: CH_ScrRatio
Year = 2026

Quantiles (Definition 5)	
Level	Quantile
1%	1.66667
0% Min	1.66667

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1.66667	66	5.2	76
2.00000	79	6.0	61
3.00000	82	6.0	71
3.00000	81	7.0	74
3.00000	78	8.0	59

The UNIVARIATE Procedure



The UNIVARIATE Procedure
Year = 2025
Fitted Normal Distribution for CH_ScrRatio

Parameters for Normal Distribution		
Parameter	Symbol	Estimate
Mean	Mu	3.334634
Std Dev	Sigma	2.803281

Goodness-of-Fit Tests for Normal Distribution				
Test	Statistic		p Value	
Kolmogorov-Smirnov	D	0.30368708	Pr > D	<0.010
Cramer-von Mises	W-Sq	0.61393964	Pr > W-Sq	<0.005
Anderson-Darling	A-Sq	3.58305339	Pr > A-Sq	<0.005

Quantiles for Normal Distribution		
Quantile		
Percent	Observed	Estimated
1.0	1.00000	-3.18677
5.0	1.00000	-1.27635
10.0	1.00000	-0.25791
25.0	1.00000	1.44385
50.0	2.00000	3.33463
75.0	5.00000	5.22542
90.0	8.00000	6.92718
95.0	8.00000	7.94562
99.0	8.00000	9.85604


The UNIVARIATE Procedure
Year = 2026
Fitted Normal Distribution for CH_ScrRatio

Parameters for Normal Distribution		
Parameter	Symbol	Estimate
Mean	Mu	4.435897
Std Dev	Sigma	1.937661

Goodness-of-Fit Tests for Normal Distribution				
Test	Statistic		p Value	
Kolmogorov-Smirnov	D	0.15528285	Pr > D	>0.150
Cramer-von Mises	W-Sq	0.03703698	Pr > W-Sq	>0.250
Anderson-Darling	A-Sq	0.23633871	Pr > A-Sq	>0.250

Quantiles for Normal Distribution		
Quantile		
Percent	Observed	Estimated
1.0	1.66667	-0.07178
5.0	1.66667	1.24873
10.0	2.00000	1.95269
25.0	3.00000	3.12896
50.0	4.00000	4.43590
75.0	6.00000	5.74283
90.0	7.00000	6.91911
95.0	8.00000	7.62307
99.0	8.00000	8.94357

The UNIVARIATE Procedure



The UNIVARIATE Procedure
Variable: CH_OOR_Rate
Year = 2025

Moments			
N	29	Sum Weights	29
Mean	0.86680399	Sum Observations	25.1373156
Std Deviation	0.7308839	Variance	0.53419127
Skewness	1.30444885	Kurtosis	0.66680118
Uncorrected SS	36.7464809	Corrected SS	14.9573556
Coeff Variation	84.3193974	Std Error Mean	0.13572173

Basic Statistical Measures			
Location		Variability	
Mean	0.866804	Std Deviation	0.73088
Median	0.653846	Variance	0.53419
Mode	1.000000	Range	2.38596
Interquartile Range			0.69231

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.386626	Pr > t	<.0001
Sign	M	14.5	Pr >= M	<.0001
Signed Rank	S	217.5	Pr >= S	<.0001

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.815269	Pr < W	0.0002
Kolmogorov-Smirnov	D	0.19314	Pr > D	<0.0100
Cramer-von Mises	W-Sq	0.308089	Pr > W-Sq	<0.0050
Anderson-Darling	A-Sq	1.911131	Pr > A-Sq	<0.0050

Quantiles (Definition 5)	
Level	Quantile
100% Max	2.552632
99%	2.552632
95%	2.550000
90%	2.272727
75% Q3	1.000000
50% Median	0.653846
25% Q1	0.307692
10%	0.200000
5%	0.166667

The UNIVARIATE Procedure
Variable: CH_OOR_Rate
Year = 2025

Quantiles (Definition 5)			
Level		Quantile	
1%		0.166667	
0% Min		0.166667	

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.166667	30	1.74074	16
0.166667	18	2.25806	4
0.200000	23	2.27273	8
0.222222	36	2.55000	3
0.250000	25	2.55263	2

The UNIVARIATE Procedure
Variable: CH_OOR_Rate
Year = 2026

Moments			
N	13	Sum Weights	13
Mean	1.28399763	Sum Observations	16.6919691
Std Deviation	0.73054222	Variance	0.53369193
Skewness	-0.2722135	Kurtosis	-1.1818742
Uncorrected SS	27.836752	Corrected SS	6.40430321
Coeff Variation	56.8959166	Std Error Mean	0.20261596

Basic Statistical Measures			
Location		Variability	
Mean	1.283998	Std Deviation	0.73054
Median	1.333333	Variance	0.53369
Mode	.	Range	2.28571
Interquartile Range			1.30000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.3371	Pr > t	<.0001
Sign	M	6	Pr >= M	0.0005
Signed Rank	S	39	Pr >= S	0.0005

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.944617	Pr < W	0.5194
Kolmogorov-Smirnov	D	0.158577	Pr > D	>0.1500
Cramer-von Mises	W-Sq	0.049418	Pr > W-Sq	>0.2500
Anderson-Darling	A-Sq	0.312425	Pr > A-Sq	>0.2500


Quantiles (Definition 5)	
Level	Quantile
100% Max	2.285714
99%	2.285714
95%	2.285714
90%	2.159091
75% Q3	1.900000
50% Median	1.333333
25% Q1	0.600000
10%	0.454545
5%	0.000000

The UNIVARIATE Procedure
Variable: CH_OOR_Rate
Year = 2026

Quantiles (Definition 5)			
Level		Quantile	
1%		0.000000	
0% Min		0.000000	

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0.000000	66	1.83333	78
0.454545	75	1.90000	71
0.590909	79	1.91667	81
0.600000	76	2.15909	59
0.846154	65	2.28571	61

The UNIVARIATE Procedure



The UNIVARIATE Procedure
Year = 2025
Fitted Normal Distribution for CH_OOR_Rate

Parameters for Normal Distribution		
Parameter	Symbol	Estimate
Mean	Mu	0.866804
Std Dev	Sigma	0.730884

Goodness-of-Fit Tests for Normal Distribution				
Test	Statistic		p Value	
Kolmogorov-Smirnov	D	0.19313975	Pr > D	<0.010
Cramer-von Mises	W-Sq	0.30808899	Pr > W-Sq	<0.005
Anderson-Darling	A-Sq	1.91113139	Pr > A-Sq	<0.005

Quantiles for Normal Distribution		
Quantile		
Percent	Observed	Estimated
1.0	0.16667	-0.83349
5.0	0.16667	-0.33539
10.0	0.20000	-0.06986
25.0	0.30769	0.37383
50.0	0.65385	0.86680
75.0	1.00000	1.35978
90.0	2.27273	1.80347
95.0	2.55000	2.06900
99.0	2.55263	2.56709

The UNIVARIATE Procedure
Year = 2026
Fitted Normal Distribution for CH_OOR_Rate

Parameters for Normal Distribution		
Parameter	Symbol	Estimate
Mean	Mu	1.283998
Std Dev	Sigma	0.730542

Goodness-of-Fit Tests for Normal Distribution				
Test	Statistic		p Value	
Kolmogorov-Smirnov	D	0.15857667	Pr > D	>0.150
Cramer-von Mises	W-Sq	0.04941831	Pr > W-Sq	>0.250
Anderson-Darling	A-Sq	0.31242522	Pr > A-Sq	>0.250

Quantiles for Normal Distribution		
Quantile		
Percent	Observed	Estimated
1.0	0.00000	-0.41550
5.0	0.00000	0.08236
10.0	0.45455	0.34777
25.0	0.60000	0.79125
50.0	1.33333	1.28400
75.0	1.90000	1.77674
90.0	2.15909	2.22023
95.0	2.28571	2.48563
99.0	2.28571	2.98349

SECTION 2: MISSING DATA PROFILE
Missing Data Summary: N and NMISS for Key Variables

The MEANS Procedure

<i>Variable</i>	<i>N</i>	
	<i>N</i>	<i>Miss</i>
PHS_Engage	57	28
PHS_People	57	28
STI_Tests	35	50
CH_Engage	42	43
CH_Screen_Count	42	43
EH_Engage	11	74
BLT_Count	7	78
Addr_Complete	85	0

SECTION 2: MISSING DATA PROFILE

STI Tests Missingness by Year

$\chi^2=4.70$, $p=0.030$ SYSTEMATIC: STI events proportionally more common in 2026

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Miss_STI by Year			
	Miss_STI	Year		Total
		2025	2026	
	0	17	18	35
		20.00	21.18	41.18
		48.57	51.43	
		31.48	58.06	
	1	37	13	50
		43.53	15.29	58.82
		74.00	26.00	
		68.52	41.94	
	Total	54	31	85
		63.53	36.47	100.00

Statistics for Table of Miss_STI by Year

Statistic	DF	Value	Prob
Chi-Square	1	5.7457	0.0165
Likelihood Ratio Chi-Square	1	5.7358	0.0166
Continuity Adj. Chi-Square	1	4.7006	0.0302
Mantel-Haenszel Chi-Square	1	5.6781	0.0172
Phi Coefficient		-0.2600	
Contingency Coefficient		0.2516	
Cramer's V		-0.2600	

Fisher's Exact Test

Cell (1,1) Frequency (F)	17
Left-sided Pr <= F	0.0152
Right-sided Pr >= F	0.9957
Table Probability (P)	0.0108
Two-sided Pr <= P	0.0224

Sample Size = 85

SECTION 2: MISSING DATA PROFILE
PHS, CH, EH Missingness by Year (expected: structural not systematic)

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Miss_PHS by Year			
	Miss_PHS	Year		
		2025	2026	Total
	0	35	22	57
		41.18	25.88	67.06
		61.40	38.60	
		64.81	70.97	
	1	19	9	28
		22.35	10.59	32.94
		67.86	32.14	
		35.19	29.03	
	Total	54	31	85
		63.53	36.47	100.00

Statistics for Table of Miss_PHS by Year

Statistic	DF	Value	Prob
Chi-Square	1	0.3375	0.5613
Likelihood Ratio Chi-Square	1	0.3409	0.5593
Continuity Adj. Chi-Square	1	0.1165	0.7329
Mantel-Haenszel Chi-Square	1	0.3336	0.5636
Phi Coefficient		-0.0630	
Contingency Coefficient		0.0629	
Cramer's V		-0.0630	

Fisher's Exact Test

Cell (1,1) Frequency (F)	35
Left-sided Pr <= F	0.3692
Right-sided Pr >= F	0.7932

Table Probability (P)	0.1624
Two-sided Pr <= P	0.6363

Sample Size = 85

SECTION 2: MISSING DATA PROFILE
PHS, CH, EH Missingness by Year (expected: structural not systematic)

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Miss_CH by Year			
	Miss_CH	Year		Total
		2025	2026	
	0	29	13	42
		34.12	15.29	49.41
		69.05	30.95	
		53.70	41.94	
	1	25	18	43
		29.41	21.18	50.59
		58.14	41.86	
		46.30	58.06	
	Total	54	31	85
		63.53	36.47	100.00

Statistics for Table of Miss_CH by Year

Statistic	DF	Value	Prob
Chi-Square	1	1.0911	0.2962
Likelihood Ratio Chi-Square	1	1.0948	0.2954
Continuity Adj. Chi-Square	1	0.6711	0.4127
Mantel-Haenszel Chi-Square	1	1.0783	0.2991
Phi Coefficient		0.1133	
Contingency Coefficient		0.1126	
Cramer's V		0.1133	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	29
Left-sided Pr <= F	0.8981
Right-sided Pr >= F	0.2065
Table Probability (P)	0.1046
Two-sided Pr <= P	0.3692

Sample Size = 85

SECTION 2: MISSING DATA PROFILE
PHS, CH, EH Missingness by Year (expected: structural not systematic)

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Miss_EH by Year			
	Miss_EH	Year		Total
		2025	2026	
	0	10	1	11
		11.76	1.18	12.94
		90.91	9.09	
		18.52	3.23	
	1	44	30	74
		51.76	35.29	87.06
		59.46	40.54	
		81.48	96.77	
	Total	54	31	85
		63.53	36.47	100.00

Statistics for Table of Miss_EH by Year

Statistic	DF	Value	Prob
Chi-Square	1	4.0881	0.0432
Likelihood Ratio Chi-Square	1	4.9101	0.0267
Continuity Adj. Chi-Square	1	2.8434	0.0918
Mantel-Haenszel Chi-Square	1	4.0400	0.0444
Phi Coefficient		0.2193	
Contingency Coefficient		0.2142	
Cramer's V		0.2193	

WARNING: 25% of the cells have expected counts less than 5. Chi-Square may not be a valid test.

Fisher's Exact Test	
Cell (1,1) Frequency (F)	10
Left-sided Pr <= F	0.9955
Right-sided Pr >= F	0.0393
Table Probability (P)	0.0348
Two-sided Pr <= P	0.0499

Sample Size = 85

SECTION 2: MISSING DATA PROFILE
STI and PHS Missingness by Region

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Miss_STI by Region						
	Region						Total
	Miss_STI	Greeley/Evans	Johnstown/Milliken	North	Southeast	Windsor/Severance	
	0	26	0	0	3	6	35
		30.95	0.00	0.00	3.57	7.14	41.67
		74.29	0.00	0.00	8.57	17.14	
		44.07	0.00	0.00	30.00	75.00	
	1	33	2	5	7	2	49
		39.29	2.38	5.95	8.33	2.38	58.33
		67.35	4.08	10.20	14.29	4.08	
		55.93	100.00	100.00	70.00	25.00	
	Total	59	2	5	10	8	84
		70.24	2.38	5.95	11.90	9.52	100.00

Frequency Missing = 1

Statistics for Table of Miss_STI by Region

Statistic	DF	Value	Prob
Chi-Square	4	9.3571	0.0528
Likelihood Ratio Chi-Square	4	11.9309	0.0179
Mantel-Haenszel Chi-Square	1	0.1092	0.7411
Phi Coefficient		0.3338	
Contingency Coefficient		0.3166	
Cramer's V		0.3338	

WARNING: 70% of the cells have expected counts less than 5. Chi-Square may not be a valid test.

Sample Size = 84
Frequency Missing = 1

Frequency Percent Row Pct Col Pct	Table of Miss_PHS by Region						
	Region						Total
	Miss_PHS	Greeley/Evans	Johnstown/Milliken	North	Southeast	Windsor/Severance	
	0	41	1	4	5	6	57
		48.81	1.19	4.76	5.95	7.14	67.86
		71.93	1.75	7.02	8.77	10.53	
		69.49	50.00	80.00	50.00	75.00	
	1	18	1	1	5	2	27
		21.43	1.19	1.19	5.95	2.38	32.14
		66.67	3.70	3.70	18.52	7.41	
		30.51	50.00	20.00	50.00	25.00	
	Total	59	2	5	10	8	84
		70.24	2.38	5.95	11.90	9.52	100.00

Frequency Missing = 1

SECTION 2: MISSING DATA PROFILE
STI and PHS Missingness by Region

The FREQ Procedure

Statistics for Table of Miss_PHS by Region

<i>Statistic</i>	<i>DF</i>	<i>Value</i>	<i>Prob</i>
<i>Chi-Square</i>	4	2.3518	0.6714
<i>Likelihood Ratio Chi-Square</i>	4	2.2741	0.6855
<i>Mantel-Haenszel Chi-Square</i>	1	0.1271	0.7215
<i>Phi Coefficient</i>		0.1673	
<i>Contingency Coefficient</i>		0.1650	
<i>Cramer's V</i>		0.1673	

*WARNING: 60% of the cells have expected counts less
than 5. Chi-Square may not be a valid test.*

Sample Size = 84
Frequency Missing = 1

FCSM 5.1: RELEVANCE
Total Events by Year

The FREQ Procedure

<i>Year</i>	<i>Frequency</i>	<i>Percent</i>
2025	54	63.53
2026	31	36.47

FCSM 5.1: RELEVANCE
Division Attendance by Year

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of PHS_Attended by Year			
	PHS_Attended	Year		Total
		2025	2026	
N		18	8	26
		21.43	9.52	30.95
		69.23	30.77	
		33.33	26.67	
Y		36	22	58
		42.86	26.19	69.05
		62.07	37.93	
		66.67	73.33	
Total		54	30	84
		64.29	35.71	100.00
Frequency Missing = 1				

Statistics for Table of PHS_Attended by Year

Statistic	DF	Value	Prob
Chi-Square	1	0.4011	0.5265
Likelihood Ratio Chi-Square	1	0.4064	0.5238
Continuity Adj. Chi-Square	1	0.1498	0.6987
Mantel-Haenszel Chi-Square	1	0.3963	0.5290
Phi Coefficient		0.0691	
Contingency Coefficient		0.0689	
Cramer's V		0.0691	

Fisher's Exact Test

Cell (1,1) Frequency (F)	18
Left-sided Pr <= F	0.8097
Right-sided Pr >= F	0.3526
Table Probability (P)	0.1623
Two-sided Pr <= P	0.6258

Sample Size = 84
Frequency Missing = 1

FCSM 5.1: RELEVANCE
Division Attendance by Year

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of CH_Attended by Year			
	CH_Attended	Year		Total
		2025	2026	
N		24	13	37
		30.00	16.25	46.25
		64.86	35.14	
		44.44	50.00	
Y		30	13	43
		37.50	16.25	53.75
		69.77	30.23	
		55.56	50.00	
Total		54	26	80
		67.50	32.50	100.00
Frequency Missing = 5				

Statistics for Table of CH_Attended by Year

Statistic	DF	Value	Prob
Chi-Square	1	0.2179	0.6407
Likelihood Ratio Chi-Square	1	0.2176	0.6409
Continuity Adj. Chi-Square	1	0.0517	0.8201
Mantel-Haenszel Chi-Square	1	0.2152	0.6427
Phi Coefficient		-0.0522	
Contingency Coefficient		0.0521	
Cramer's V		-0.0522	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	24
Left-sided Pr <= F	0.4094
Right-sided Pr >= F	0.7601
Table Probability (P)	0.1695
Two-sided Pr <= P	0.8111

Sample Size = 80
Frequency Missing = 5

FCSM 5.1: RELEVANCE
EH Attendance by Year (3-level field)

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of EH_Attended by Year			
	EH_Attended	Year		
		2025	2026	Total
	<i>Did not attend</i>	43	29	72
		51.19	34.52	85.71
		59.72	40.28	
		79.63	96.67	
	<i>Outreach Only</i>	5	0	5
		5.95	0.00	5.95
		100.00	0.00	
		9.26	0.00	
	<i>Testing and Outreach</i>	6	1	7
		7.14	1.19	8.33
		85.71	14.29	
		11.11	3.33	
	<i>Total</i>	54	30	84
		64.29	35.71	100.00
<i>Frequency Missing = 1</i>				

FCSM 5.1: RELEVANCE
PHS Service Volumes by Year

The MEANS Procedure

		N					
Year	Obs	Variable	N	Sum	Mean	Median	Std Dev
2025	54	PHS_Engage	35	354.00	10.11	8.00	9.11
		PHS_People	35	248.00	7.09	5.00	8.99
		STI_People	17	96.00	5.65	5.00	6.01
		STI_Tests	17	475.00	27.94	24.00	25.94
		Imm_People	25	160.00	6.40	3.00	9.87
		Imm_Count	25	203.00	8.12	4.00	13.70
2026	31	PHS_Engage	22	457.00	20.77	15.00	20.50
		PHS_People	22	292.00	13.27	8.00	13.26
		STI_People	18	150.00	8.33	6.50	8.01
		STI_Tests	18	874.00	48.56	35.00	46.85
		Imm_People	14	84.00	6.00	3.00	7.93
		Imm_Count	14	124.00	8.86	4.00	10.59

FCSM 5.1: RELEVANCE
CH Service Volumes by Year

The MEANS Procedure

Year	<i>N</i>		<i>N</i>	<i>Sum</i>	<i>Mean</i>	<i>Median</i>	<i>Std Dev</i>
	<i>Obs</i>	<i>Variable</i>					
2025	54	CH_Engage	29	692.00	23.86	14.00	25.44
		CH_Screen_People	29	584.00	20.14	14.00	19.10
		CH_Screen_Count	29	2081.00	71.76	33.00	92.70
		CH_OOR	29	565.00	19.48	7.00	27.66
2026	31	CH_Engage	13	439.00	33.77	31.00	19.58
		CH_Screen_People	13	222.00	17.08	15.00	9.59
		CH_Screen_Count	13	1109.00	85.31	52.00	88.65
		CH_OOR	13	331.00	25.46	22.00	25.05

FCSM 5.1: RELEVANCE
EH Service Volumes by Year

The MEANS Procedure

		<i>N</i>				
<i>Year</i>	<i>Obs</i>	<i>Variable</i>	<i>N</i>	<i>Sum</i>	<i>Mean</i>	
2025	54	EH_Engage	10	237.00	23.70	
		BLT_Count	6	16.00	2.67	
		BLT_Elevated	6	0.00	0.00	
2026	31	EH_Engage	1	32.00	32.00	
		BLT_Count	1	4.00	4.00	
		BLT_Elevated	1	0.00	0.00	

FCSM 5.1: RELEVANCE
Events by Region, Type and Response Type

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Region by Year			
	Region	Year		Total
		2025	2026	
	Greeley/Evans	37	22	59
		44.05	26.19	70.24
		62.71	37.29	
		68.52	73.33	
	Johnstown/Milliken	1	1	2
		1.19	1.19	2.38
		50.00	50.00	
		1.85	3.33	
	North	5	0	5
		5.95	0.00	5.95
		100.00	0.00	
		9.26	0.00	
	Southeast	8	2	10
		9.52	2.38	11.90
		80.00	20.00	
		14.81	6.67	
	Windsor/Severance	3	5	8
		3.57	5.95	9.52
		37.50	62.50	
		5.56	16.67	
	Total	54	30	84
		64.29	35.71	100.00
Frequency Missing = 1				

Statistics for Table of Region by Year

Statistic	DF	Value	Prob
Chi-Square	4	6.5948	0.1589
Likelihood Ratio Chi-Square	4	8.1938	0.0847
Mantel-Haenszel Chi-Square	1	0.0080	0.9286
Phi Coefficient		0.2802	
Contingency Coefficient		0.2698	
Cramer's V		0.2802	
WARNING: 60% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Sample Size = 84
Frequency Missing = 1

FCSM 5.1: RELEVANCE
Events by Region, Type and Response Type

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of EventType by Year			
	EventType	Year		
		2025	2026	Total
	<i>Private</i>	9	7	16
		10.71	8.33	19.05
		56.25	43.75	
		16.67	23.33	
	<i>Public</i>	45	23	68
		53.57	27.38	80.95
		66.18	33.82	
		83.33	76.67	
	<i>Total</i>	54	30	84
		64.29	35.71	100.00
<i>Frequency Missing = 1</i>				

Statistics for Table of EventType by Year

Statistic	DF	Value	Prob
Chi-Square	1	0.5559	0.4559
Likelihood Ratio Chi-Square	1	0.5444	0.4606
Continuity Adj. Chi-Square	1	0.2076	0.6487
Mantel-Haenszel Chi-Square	1	0.5493	0.4586
Phi Coefficient		-0.0813	
Contingency Coefficient		0.0811	
Cramer's V		-0.0813	

Fisher's Exact Test

Cell (1,1) Frequency (F)	9
Left-sided Pr <= F	0.3198
Right-sided Pr >= F	0.8497
Table Probability (P)	0.1695
Two-sided Pr <= P	0.5640

Sample Size = 84
Frequency Missing = 1

FCSM 5.1: RELEVANCE
Events by Region, Type and Response Type

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of EventResponse by Year			
	EventResponse	Year		Total
		2025	2026	
	Awareness	3	0	3
		3.57	0.00	3.57
		100.00	0.00	
		5.56	0.00	
	Request	36	13	49
		42.86	15.48	58.33
		73.47	26.53	
		66.67	43.33	
	Strategic	15	17	32
		17.86	20.24	38.10
		46.88	53.13	
		27.78	56.67	
	Total	54	30	84
		64.29	35.71	100.00
Frequency Missing = 1				

Statistics for Table of EventResponse by Year

Statistic	DF	Value	Prob
Chi-Square	2	7.6917	0.0214
Likelihood Ratio Chi-Square	2	8.5624	0.0138
Mantel-Haenszel Chi-Square	1	7.6001	0.0058
Phi Coefficient		0.3026	
Contingency Coefficient		0.2896	
Cramer's V		0.3026	
WARNING: 33% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Sample Size = 84
Frequency Missing = 1

FCSM 5.1: RELEVANCE
Mann-Whitney: PHS Engagements Per Event
 $U=191$, $p=0.0015$, $r=0.504$, $95\%CI=[0.265,0.685]$ LARGE effect SIGNIFICANT
2025: median=8.0 IQR[4.5-13.0] mean=10.1
2026: median=15.0 IQR[10.0-20.0] mean=20.8

The NPAR1WAY Procedure

Wilcoxon Scores (Rank Sums) for Variable PHS_Engage Classified by Variable Year					
Year	N	Sum of Scores	Expected Under H0	Std Dev Under H0	Mean Score
2025	35	821.0	1015.0	60.861956	23.457143
2026	22	832.0	638.0	60.861956	37.818182
Average scores were used for ties.					

Wilcoxon Two-Sample Test	
Statistic	832.0000

Normal Approximation

Z	3.1793
One-Sided Pr > Z	0.0007
Two-Sided Pr > Z	0.0015

t Approximation


One-Sided Pr > Z	0.0012
Two-Sided Pr > Z	0.0024

Z includes a continuity correction of 0.5.

Kruskal-Wallis Test	
Chi-Square	10.1604
DF	1
Pr > Chi-Square	0.0014

FCSM 5.1: RELEVANCE
Mann-Whitney: PHS Engagements Per Event
 $U=191$, $p=0.0015$, $r=0.504$, $95\%CI=[0.265,0.685]$ LARGE effect SIGNIFICANT
2025: median=8.0 IQR[4.5-13.0] mean=10.1
2026: median=15.0 IQR[10.0-20.0] mean=20.8

The NPAR1WAY Procedure



FCSM 5.1: RELEVANCE
Mann-Whitney: PHS People Served Per Event
 $U=262$, $p=0.043$, $r=0.321$, $95\%CI=[0.059,0.541]$ MEDIUM effect SIGNIFICANT
2025: median=5.0 | 2026: median=8.0

The NPAR1WAY Procedure

Wilcoxon Scores (Rank Sums) for Variable PHS_People Classified by Variable Year					
Year	N	Sum of Scores	Expected Under H0	Std Dev Under H0	Mean Score
2025	35	891.50	1015.0	60.848082	25.471429
2026	22	761.50	638.0	60.848082	34.613636
Average scores were used for ties.					

Wilcoxon Two-Sample Test	
Statistic	761.5000

Normal Approximation

Z	2.0214
One-Sided Pr > Z	0.0216
Two-Sided Pr > Z	0.0432

t Approximation


One-Sided Pr > Z	0.0240
Two-Sided Pr > Z	0.0480

Z includes a continuity correction of 0.5.

Kruskal-Wallis Test	
Chi-Square	4.1195
DF	1
Pr > Chi-Square	0.0424

FCSM 5.1: RELEVANCE
Mann-Whitney: PHS People Served Per Event
 $U=262$, $p=0.043$, $r=0.321$, $95\%CI=[0.059,0.541]$ MEDIUM effect SIGNIFICANT
2025: median=5.0 | 2026: median=8.0

The NPAR1WAY Procedure



FCSM 5.1: RELEVANCE
Mann-Whitney: CH Engagements Per Event
U=124, p=0.079, r=0.345, 95%CI=[0.037,0.593] MEDIUM effect NOT significant
2025: median=14.0 mean=23.9 | 2026: median=31.0 mean=33.8
Raw total declined 692 to 439. Per-event rate INCREASING.

The NPAR1WAY Procedure

Wilcoxon Scores (Rank Sums) for Variable CH_Engage Classified by Variable Year					
Year	N	Sum of Scores	Expected Under H0	Std Dev Under H0	Mean Score
2025	29	558.50	623.50	36.717571	19.258621
2026	13	344.50	279.50	36.717571	26.500000
Average scores were used for ties.					

Wilcoxon Two-Sample Test	
Statistic	344.5000

Normal Approximation

Z	1.7567
One-Sided Pr > Z	0.0395
Two-Sided Pr > Z	0.0790

t Approximation


One-Sided Pr > Z	0.0432
Two-Sided Pr > Z	0.0864

Z includes a continuity correction of 0.5.

Kruskal-Wallis Test	
Chi-Square	3.1339
DF	1
Pr > Chi-Square	0.0767

FCSM 5.1: RELEVANCE
Mann-Whitney: CH Engagements Per Event
 $U=124$, $p=0.079$, $r=0.345$, $95\%CI=[0.037,0.593]$ MEDIUM effect NOT significant
2025: median=14.0 mean=23.9 | 2026: median=31.0 mean=33.8
Raw total declined 692 to 439. Per-event rate INCREASING.

The NPAR1WAY Procedure



FCSM 5.1: RELEVANCE
Mann-Whitney: STI Tests Per Event
 $U=214$, $p=0.165$, $r=0.259$ SMALL effect not significant
Annualised: 712 (2025) vs 2098 (2026) = nearly tripled on annual basis

The NPAR1WAY Procedure

Wilcoxon Scores (Rank Sums) for Variable STI_Tests Classified by Variable Year					
Year	N	Sum of Scores	Expected Under H0	Std Dev Under H0	Mean Score
2025	17	263.50	306.0	30.249675	15.500000
2026	18	366.50	324.0	30.249675	20.361111

Average scores were used for ties.

Wilcoxon Two-Sample Test	
Statistic	263.5000

Normal Approximation

Z	-1.3884
One-Sided Pr < Z	0.0825
Two-Sided Pr > Z	0.1650

t Approximation

One-Sided Pr < Z	0.0870
Two-Sided Pr > Z	0.1740

Z includes a continuity correction of 0.5.

Kruskal-Wallis Test	
Chi-Square	1.9740
DF	1
Pr > Chi-Square	0.1600

FCSM 5.1: RELEVANCE
Mann-Whitney: STI Tests Per Event
 $U=214$, $p=0.165$, $r=0.259$ SMALL effect not significant
Annualised: 712 (2025) vs 2098 (2026) = nearly tripled on annual basis

The NPAR1WAY Procedure



FCSM 5.1: RELEVANCE

Annualised Estimates: 2025=8 months | 2026=5 months

CRITICAL: Direct raw comparisons are INVALID without annualisation

CH: 692 vs 439 raw = APPARENT decline | 1038 vs 1054 annualised = STABLE

PHS: 354 vs 457 raw | 531 vs 1097 annualised = LARGE increase

Year	Months	CH_Tot	CH_Ann	PHS_Eng	PHS_Ann	PPL_Ann	STI_Ann	Scr_Ann
2025	8	692	1038	354	531	372	713	3122
2026	5	439	1054	457	1097	701	2098	2662

FCSM 5.1: RELEVANCE

Seasonal Sensitivity: PHS Engagements by Month

2026 months (Jan-May) overlap with low-activity months in 2025

2026 Apr mean=31.4 and May mean=40.0 far exceed 2025 seasonal baseline

Conclusion: Annualised increase in PHS is genuine not seasonal artefact

The MEANS Procedure

Analysis Variable : PHS_Engage						
Season	Month	N		Mean	Median	Std Dev
		Obs	N			
2025 Jun-Dec	6	5	5	10.2	10.0	5.1
	7	3	3	20.7	10.0	23.9
	8	4	4	10.0	7.5	6.8
	9	9	9	8.6	8.0	6.0
	10	6	6	13.3	13.0	9.9
	11	5	5	5.6	6.0	2.5
	12	3	3	5.3	6.0	5.0
2026 Jan-May	1	3	3	10.3	10.0	5.5
	2	5	5	10.8	10.0	2.9
	3	6	6	18.7	18.5	9.2
	4	7	7	31.4	20.0	32.4
	5	1	1	40.0	40.0	.

FCSM 5.2: ACCESSIBILITY
Survey Language Distribution: English=198 (63.1%) | Spanish=116 (36.9%)

The FREQ Procedure

<i>Language</i>	<i>Frequency</i>	<i>Percent</i>
<i>en</i>	198	63.06
<i>es</i>	116	36.94
<i>Frequency Missing = 1</i>		

FCSM 5.2: ACCESSIBILITY
Regional Distribution of Events by Year
Chi-square warning expected: 60% cells have expected count <5
Use Likelihood Ratio chi-square as more reliable statistic

The FREQ Procedure

Frequency Expected Percent Row Pct Col Pct	Table of Region by Year			
	Region	Year		Total
		2025	2026	
	Greeley/Evans	37	22	59
		37.929	21.071	
		44.05	26.19	70.24
		62.71	37.29	
		68.52	73.33	
	Johnstown/Milliken	1	1	2
		1.2857	0.7143	
		1.19	1.19	2.38
		50.00	50.00	
		1.85	3.33	
	North	5	0	5
		3.2143	1.7857	
		5.95	0.00	5.95
		100.00	0.00	
		9.26	0.00	
	Southeast	8	2	10
		6.4286	3.5714	
		9.52	2.38	11.90
		80.00	20.00	
		14.81	6.67	
	Windsor/Severance	3	5	8
		5.1429	2.8571	
		3.57	5.95	9.52
		37.50	62.50	
		5.56	16.67	
	Total	54	30	84
		64.29	35.71	100.00
Frequency Missing = 1				

Statistics for Table of Region by Year

Statistic	DF	Value	Prob
Chi-Square	4	6.5948	0.1589
Likelihood Ratio Chi-Square	4	8.1938	0.0847
Mantel-Haenszel Chi-Square	1	0.0080	0.9286
Phi Coefficient		0.2802	
Contingency Coefficient		0.2698	
Cramer's V		0.2802	

WARNING: 60% of the cells have expected counts less
than 5. Chi-Square may not be a valid test.

Sample Size = 84
Frequency Missing = 1

FCSM 5.2: ACCESSIBILITY
Event Response Type by Year
Strategic events increased from 27.8% to 56.7% in 2026

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of EventResponse by Year			
	Year			
	EventResponse	2025	2026	Total
Awareness		3	0	3
		3.57	0.00	3.57
		100.00	0.00	
		5.56	0.00	
Request		36	13	49
		42.86	15.48	58.33
		73.47	26.53	
		66.67	43.33	
Strategic		15	17	32
		17.86	20.24	38.10
		46.88	53.13	
		27.78	56.67	
Total		54	30	84
		64.29	35.71	100.00
Frequency Missing = 1				

Statistics for Table of EventResponse by Year

Statistic	DF	Value	Prob
Chi-Square	2	7.6917	0.0214
Likelihood Ratio Chi-Square	2	8.5624	0.0138
Mantel-Haenszel Chi-Square	1	7.6001	0.0058
Phi Coefficient		0.3026	
Contingency Coefficient		0.2896	
Cramer's V		0.3026	

WARNING: 33% of the cells have expected counts less than 5. Chi-Square may not be a valid test.

Sample Size = 84
Frequency Missing = 1

FCSM 5.3: TIMELINESS
Events by Month and Year

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Month by Year			
	Month	Year		Total
		2025	2026	
		2025	2026	
1	0	3	3	3
	0.00	3.53	3.53	3.53
	0.00	100.00		
	0.00	9.68		
2	0	7	7	7
	0.00	8.24	8.24	8.24
	0.00	100.00		
	0.00	22.58		
3	0	10	10	10
	0.00	11.76	11.76	11.76
	0.00	100.00		
	0.00	32.26		
4	0	10	10	10
	0.00	11.76	11.76	11.76
	0.00	100.00		
	0.00	32.26		
5	3	1	4	4
	3.53	1.18	4.71	4.71
	75.00	25.00		
	5.56	3.23		
6	11	0	11	11
	12.94	0.00	12.94	12.94
	100.00	0.00		
	20.37	0.00		
7	5	0	5	5
	5.88	0.00	5.88	5.88
	100.00	0.00		
	9.26	0.00		
8	6	0	6	6
	7.06	0.00	7.06	7.06
	100.00	0.00		
	11.11	0.00		
9	11	0	11	11
	12.94	0.00	12.94	12.94
	100.00	0.00		
	20.37	0.00		
10	9	0	9	9
	10.59	0.00	10.59	10.59
	100.00	0.00		
	16.67	0.00		
11	5	0	5	5
	5.88	0.00	5.88	5.88
	100.00	0.00		
	9.26	0.00		
12	4	0	4	4
	4.71	0.00	4.71	4.71
	100.00	0.00		
	7.41	0.00		
Total	54	31	85	85
	63.53	36.47	100.00	

FCSM 5.3: TIMELINESS
PHS Events by Month and Year

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Month by Year			
	Month	Year		Total
		2025	2026	
1	0	3	3	
	0.00	5.17	5.17	
	0.00	100.00		
	0.00	13.64		
2	0	5	5	
	0.00	8.62	8.62	
	0.00	100.00		
	0.00	22.73		
3	0	6	6	
	0.00	10.34	10.34	
	0.00	100.00		
	0.00	27.27		
4	0	7	7	
	0.00	12.07	12.07	
	0.00	100.00		
	0.00	31.82		
5	1	1	2	
	1.72	1.72	3.45	
	50.00	50.00		
	2.78	4.55		
6	5	0	5	
	8.62	0.00	8.62	
	100.00	0.00		
	13.89	0.00		
7	3	0	3	
	5.17	0.00	5.17	
	100.00	0.00		
	8.33	0.00		
8	4	0	4	
	6.90	0.00	6.90	
	100.00	0.00		
	11.11	0.00		
9	9	0	9	
	15.52	0.00	15.52	
	100.00	0.00		
	25.00	0.00		
10	6	0	6	
	10.34	0.00	10.34	
	100.00	0.00		
	16.67	0.00		
11	5	0	5	
	8.62	0.00	8.62	
	100.00	0.00		
	13.89	0.00		
12	3	0	3	
	5.17	0.00	5.17	
	100.00	0.00		
	8.33	0.00		
Total	36	22	58	
	62.07	37.93	100.00	

FCSM 5.3: TIMELINESS
CH Events by Month and Year

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Month by Year			
	Month	Year		Total
		2025	2026	
		2025	2026	
1	0	2	2	2
	0.00	4.65	4.65	
	0.00	100.00		
	0.00	15.38		
2	0	2	2	2
	0.00	4.65	4.65	
	0.00	100.00		
	0.00	15.38		
3	0	4	4	4
	0.00	9.30	9.30	
	0.00	100.00		
	0.00	30.77		
4	0	5	5	5
	0.00	11.63	11.63	
	0.00	100.00		
	0.00	38.46		
5	3	0	3	3
	6.98	0.00	6.98	
	100.00	0.00		
	10.00	0.00		
6	7	0	7	7
	16.28	0.00	16.28	
	100.00	0.00		
	23.33	0.00		
7	5	0	5	5
	11.63	0.00	11.63	
	100.00	0.00		
	16.67	0.00		
8	4	0	4	4
	9.30	0.00	9.30	
	100.00	0.00		
	13.33	0.00		
9	6	0	6	6
	13.95	0.00	13.95	
	100.00	0.00		
	20.00	0.00		
10	3	0	3	3
	6.98	0.00	6.98	
	100.00	0.00		
	10.00	0.00		
11	1	0	1	1
	2.33	0.00	2.33	
	100.00	0.00		
	3.33	0.00		
12	1	0	1	1
	2.33	0.00	2.33	
	100.00	0.00		
	3.33	0.00		
Total	30	13	43	
	69.77	30.23	100.00	

FCSM 5.3: TIMELINESS
Event Duration Hours by Year

The MEANS Procedure

<i>Analysis Variable : EventHours</i>							
<i>N</i>							
<i>Year</i>	<i>Obs</i>	<i>N</i>	<i>Mean</i>	<i>Median</i>	<i>Std Dev</i>	<i>Minimum</i>	<i>Maximum</i>
2025	54	52	3.74	3.00	1.71	1.50	9.00
2026	31	30	3.22	3.00	1.23	2.00	6.00

FCSM 5.4: PUNCTUALITY
Events by Quarter and Year

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Quarter by Year			
	Quarter	Year		Total
		2025	2026	
		2025	2026	
	1	0	20	20
		0.00	23.53	23.53
		0.00	100.00	
		0.00	64.52	
	2	14	11	25
		16.47	12.94	29.41
		56.00	44.00	
		25.93	35.48	
	3	22	0	22
		25.88	0.00	25.88
		100.00	0.00	
		40.74	0.00	
	4	18	0	18
		21.18	0.00	21.18
		100.00	0.00	
		33.33	0.00	
	Total	54	31	85
		63.53	36.47	100.00

FCSM 5.4: PUNCTUALITY
PHS Events by Quarter

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Quarter by Year			
	Quarter	Year		Total
		2025	2026	
	1	0	14	14
		0.00	24.14	24.14
		0.00	100.00	
		0.00	63.64	
	2	6	8	14
		10.34	13.79	24.14
		42.86	57.14	
		16.67	36.36	
	3	16	0	16
		27.59	0.00	27.59
		100.00	0.00	
		44.44	0.00	
	4	14	0	14
		24.14	0.00	24.14
		100.00	0.00	
		38.89	0.00	
	Total	36	22	58
		62.07	37.93	100.00

FCSM 5.4: PUNCTUALITY
CH Events by Quarter

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Quarter by Year			
	Quarter	Year		Total
		2025	2026	
	1	0	8	8
		0.00	18.60	18.60
		0.00	100.00	
		0.00	61.54	
	2	10	5	15
		23.26	11.63	34.88
		66.67	33.33	
		33.33	38.46	
	3	15	0	15
		34.88	0.00	34.88
		100.00	0.00	
		50.00	0.00	
	4	5	0	5
		11.63	0.00	11.63
		100.00	0.00	
		16.67	0.00	
	Total	30	13	43
		69.77	30.23	100.00

FCSM 5.5: GRANULARITY
Geographic Distribution by Year
North: 5 events 2025 | 0 events 2026

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Region by Year			
	Region	Year		Total
		2025	2026	
	Greeley/Evans	37	22	59
		44.05	26.19	70.24
		62.71	37.29	
		68.52	73.33	
	Johnstown/Milliken	1	1	2
		1.19	1.19	2.38
		50.00	50.00	
		1.85	3.33	
	North	5	0	5
		5.95	0.00	5.95
		100.00	0.00	
		9.26	0.00	
	Southeast	8	2	10
		9.52	2.38	11.90
		80.00	20.00	
		14.81	6.67	
	Windsor/Severance	3	5	8
		3.57	5.95	9.52
		37.50	62.50	
		5.56	16.67	
	Total	54	30	84
		64.29	35.71	100.00
Frequency Missing = 1				

Statistics for Table of Region by Year

Statistic	DF	Value	Prob
Chi-Square	4	6.5948	0.1589
Likelihood Ratio Chi-Square	4	8.1938	0.0847
Mantel-Haenszel Chi-Square	1	0.0080	0.9286
Phi Coefficient		0.2802	
Contingency Coefficient		0.2698	
Cramer's V		0.2802	

WARNING: 60% of the cells have expected counts less than 5. Chi-Square may not be a valid test.

Sample Size = 84
Frequency Missing = 1

FCSM 5.5: GRANULARITY

Total Blood Lead Tests: n=20

Power at n=20: d=0.2(small)=9.2% | d=0.5(medium)=35.2% | d=0.8(large)=71.6%

Need n=63 for 80% power | n=85 for 90% power at d=0.5

ALL EH INFERENTIAL ANALYSIS IS STATISTICALLY INVALID. DESCRIPTIVE ONLY.

The MEANS Procedure

Analysis	
Variable : BLT_Count	
N	Sum
7	20

FCSM 5.5: GRANULARITY
Survey Language as Proxy for Population Served

The FREQ Procedure

<i>Language</i>	<i>Frequency</i>	<i>Percent</i>
<i>en</i>	198	63.06
<i>es</i>	116	36.94
<i>Frequency Missing = 1</i>		

FCSM 5.6: ACCURACY AND RELIABILITY**STI Ratio Summary Statistics by Year****2025: mean=5.2258 CV=23.17% 95%CI=[4.555,5.896] Bootstrap CV CI=[0.111,0.287]****2026: mean=5.8302 CV=14.09% 95%CI=[5.408,6.252] Bootstrap CV CI=[0.052,0.202]****The MEANS Procedure**

Analysis Variable : STI_Ratio									
Year	N		Mean	Median	Std Dev	Coeff of Variation	Minimum	Maximum	
	Obs	N							
2025	15	15	5.2258	6.0000	1.2109	23.1711	2.6667	6.1667	
2026	17	17	5.8302	5.8750	0.8213	14.0864	4.5000	8.4000	

FCSM 5.6: ACCURACY AND RELIABILITY
STI Ratio: Distribution, 95% CI on Mean, Normality Tests

The UNIVARIATE Procedure
Variable: STI_Ratio
Year = 2025

Moments			
N	15	Sum Weights	15
Mean	5.2258486	Sum Observations	78.3877289
Std Deviation	1.21088712	Variance	1.46624761
Skewness	-1.2440845	Kurtosis	0.12870661
Uncorrected SS	430.16987	Corrected SS	20.5274665
Coeff Variation	23.1711098	Std Error Mean	0.31264971

Basic Statistical Measures			
Location		Variability	
Mean	5.225849	Std Deviation	1.21089
Median	6.000000	Variance	1.46625
Mode	6.000000	Range	3.50000
		Interquartile Range	2.00000

Basic Confidence Limits Assuming Normality			
Parameter	Estimate	95% Confidence Limits	
Mean	5.22585	4.55528	5.89642
Std Deviation	1.21089	0.88652	1.90969
Variance	1.46625	0.78592	3.64691

Tests for Location: $\mu_0=0$				
Test	Statistic		p Value	
Student's t	t	16.71471	Pr > t	<.0001
Sign	M	7.5	Pr >= M	<.0001
Signed Rank	S	60	Pr >= S	<.0001

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.741022	Pr < W	0.0007
Kolmogorov-Smirnov	D	0.338695	Pr > D	<0.0100
Cramer-von Mises	W-Sq	0.325254	Pr > W-Sq	<0.0050
Anderson-Darling	A-Sq	1.755289	Pr > A-Sq	<0.0050

FCSM 5.6: ACCURACY AND RELIABILITY
STI Ratio: Distribution, 95% CI on Mean, Normality Tests

The UNIVARIATE Procedure
Variable: STI_Ratio
Year = 2025

<i>Quantiles (Definition 5)</i>	
<i>Level</i>	<i>Quantile</i>
100% Max	6.16667
99%	6.16667
95%	6.16667
90%	6.14286
75% Q3	6.00000
50% Median	6.00000
25% Q1	4.00000
10%	3.00000
5%	2.66667
1%	2.66667
0% Min	2.66667

<i>Extreme Observations</i>			
<i>Lowest</i>		<i>Highest</i>	
<i>Value</i>	<i>Obs</i>	<i>Value</i>	<i>Obs</i>
2.66667	42	6.00000	40
3.00000	38	6.00000	49
3.96154	41	6.00000	50
4.00000	48	6.14286	54
5.20000	33	6.16667	47

FCSM 5.6: ACCURACY AND RELIABILITY
STI Ratio: Distribution, 95% CI on Mean, Normality Tests

The UNIVARIATE Procedure
Variable: STI_Ratio
Year = 2026

Moments			
N	17	Sum Weights	17
Mean	5.83023562	Sum Observations	99.1140056
Std Deviation	0.82127166	Variance	0.67448714
Skewness	1.61645622	Kurtosis	6.09365085
Uncorrected SS	588.6498	Corrected SS	10.7917942
Coeff Variation	14.0864231	Std Error Mean	0.19918764

Basic Statistical Measures			
Location		Variability	
Mean	5.830236	Std Deviation	0.82127
Median	5.875000	Variance	0.67449
Mode	6.000000	Range	3.90000
		Interquartile Range	0.30000

Basic Confidence Limits Assuming Normality			
Parameter	Estimate	95% Confidence Limits	
Mean	5.83024	5.40798	6.25249
Std Deviation	0.82127	0.61166	1.24992
Variance	0.67449	0.37413	1.56229

Tests for Location: $\mu_0=0$				
Test	Statistic		p Value	
Student's t	t	29.27007	Pr > t	<.0001
Sign	M	8.5	Pr >= M	<.0001
Signed Rank	S	76.5	Pr >= S	<.0001

Tests for Normality				
Test	Statistic		p Value	
Shapiro-Wilk	W	0.755083	Pr < W	0.0005
Kolmogorov-Smirnov	D	0.312454	Pr > D	<0.0100
Cramer-von Mises	W-Sq	0.319162	Pr > W-Sq	<0.0050
Anderson-Darling	A-Sq	1.681294	Pr > A-Sq	<0.0050

FCSM 5.6: ACCURACY AND RELIABILITY
STI Ratio: Distribution, 95% CI on Mean, Normality Tests


The UNIVARIATE Procedure
Variable: STI_Ratio
Year = 2026

<i>Quantiles (Definition 5)</i>	
<i>Level</i>	<i>Quantile</i>
100% Max	8.40000
99%	8.40000
95%	8.40000
90%	6.10000
75% Q3	6.00000
50% Median	5.87500
25% Q1	5.70000
10%	4.82353
5%	4.50000
1%	4.50000
0% Min	4.50000

<i>Extreme Observations</i>			
<i>Lowest</i>		<i>Highest</i>	
<i>Value</i>	<i>Obs</i>	<i>Value</i>	<i>Obs</i>
4.50000	63	6.0	64
4.82353	70	6.0	69
4.85714	68	6.0	80
5.40000	62	6.1	66
5.70000	73	8.4	79

FCSM 5.6: ACCURACY AND RELIABILITY
STI Ratio: Distribution, 95% CI on Mean, Normality Tests

The UNIVARIATE Procedure



FCSM 5.6: ACCURACY AND RELIABILITY
STI Ratio: Distribution, 95% CI on Mean, Normality Tests

The UNIVARIATE Procedure
Year = 2025
Fitted Normal Distribution for STI_Ratio

<i>Parameters for Normal Distribution</i>		
<i>Parameter</i>	<i>Symbol</i>	<i>Estimate</i>
Mean	Mu	5.225849
Std Dev	Sigma	1.210887

<i>Goodness-of-Fit Tests for Normal Distribution</i>				
<i>Test</i>		<i>Statistic</i>		<i>p Value</i>
<i>Kolmogorov-Smirnov</i>	<i>D</i>	0.33869450	<i>Pr > D</i>	<0.010
<i>Cramer-von Mises</i>	<i>W-Sq</i>	0.32525398	<i>Pr > W-Sq</i>	<0.005
<i>Anderson-Darling</i>	<i>A-Sq</i>	1.75528921	<i>Pr > A-Sq</i>	<0.005

<i>Quantiles for Normal Distribution</i>		
	<i>Quantile</i>	
<i>Percent</i>	<i>Observed</i>	<i>Estimated</i>
1.0	2.66667	2.40890
5.0	2.66667	3.23412
10.0	3.00000	3.67403
25.0	4.00000	4.40912
50.0	6.00000	5.22585
75.0	6.00000	6.04258
90.0	6.14286	6.77766
95.0	6.16667	7.21758
99.0	6.16667	8.04279

FCSM 5.6: ACCURACY AND RELIABILITY
STI Ratio: Distribution, 95% CI on Mean, Normality Tests

The UNIVARIATE Procedure
Year = 2026
Fitted Normal Distribution for STI_Ratio


<i>Parameters for Normal Distribution</i>		
<i>Parameter</i>	<i>Symbol</i>	<i>Estimate</i>
Mean	Mu	5.830236
Std Dev	Sigma	0.821272

<i>Goodness-of-Fit Tests for Normal Distribution</i>				
<i>Test</i>		<i>Statistic</i>		<i>p Value</i>
<i>Kolmogorov-Smirnov</i>	<i>D</i>	0.31245405	<i>Pr > D</i>	<0.010
<i>Cramer-von Mises</i>	<i>W-Sq</i>	0.31916163	<i>Pr > W-Sq</i>	<0.005
<i>Anderson-Darling</i>	<i>A-Sq</i>	1.68129386	<i>Pr > A-Sq</i>	<0.005

<i>Quantiles for Normal Distribution</i>		
	<i>Quantile</i>	
<i>Percent</i>	<i>Observed</i>	<i>Estimated</i>
1.0	4.50000	3.91967
5.0	4.50000	4.47936
10.0	4.82353	4.77773
25.0	5.70000	5.27630
50.0	5.87500	5.83024
75.0	6.00000	6.38417
90.0	6.10000	6.88274
95.0	8.40000	7.18111
99.0	8.40000	7.74080

FCSM 5.6: ACCURACY AND RELIABILITY
STI Ratio: Distribution, 95% CI on Mean, Normality Tests

The UNIVARIATE Procedure



FCSM 5.6: ACCURACY AND RELIABILITY
Mann-Whitney: STI Ratio 2025 vs 2026
U=122, p=0.845, r=0.043, 95%CI=[-0.310,0.386] NEGLIGIBLE effect
Both years apply 6-test standard consistently. GOOD finding.

The NPAR1WAY Procedure

Wilcoxon Scores (Rank Sums) for Variable STI_Ratio Classified by Variable Year					
Year	N	Sum of Scores	Expected Under H0	Std Dev Under H0	Mean Score
2025	15	242.0	247.50	25.580016	16.133333
2026	17	286.0	280.50	25.580016	16.823529

Average scores were used for ties.

Wilcoxon Two-Sample Test	
Statistic	242.0000

Normal Approximation

Z	-0.1955
One-Sided Pr < Z	0.4225
Two-Sided Pr > Z	0.8450

t Approximation


One-Sided Pr < Z	0.4232
Two-Sided Pr > Z	0.8463

Z includes a continuity correction of 0.5.

Kruskal-Wallis Test	
Chi-Square	0.0462
DF	1
Pr > Chi-Square	0.8298

FCSM 5.6: ACCURACY AND RELIABILITY
Mann-Whitney: STI Ratio 2025 vs 2026
 $U=122$, $p=0.845$, $r=0.043$, $95\%CI=[-0.310,0.386]$ NEGLIGIBLE effect
Both years apply 6-test standard consistently. GOOD finding.

The NPAR1WAY Procedure



FCSM 5.6: ACCURACY AND RELIABILITY
Levene + F-test: STI Ratio Variance Comparison
 Levene $W=1.15$ $p=0.293$ | F-test $F=2.17$ $p=0.138$ - No significant variance diff
 Bootstrap CIs overlap: CV improvement is directional, not formally significant

The TTEST Procedure

Variable: **STI_Ratio**


Year	Method	N	Mean	Std Dev	Std Err	Minimum	Maximum
2025		15	5.2258	1.2109	0.3126	2.6667	6.1667
2026		17	5.8302	0.8213	0.1992	4.5000	8.4000
Diff (1-2)	Pooled		-0.6044	1.0218	0.3620		
Diff (1-2)	Satterthwaite		-0.6044		0.3707		

Year	Method	Mean	95% CL Mean	Std Dev	95% CL Std Dev
2025		5.2258	4.5553 5.8964	1.2109	0.8865 1.9097
2026		5.8302	5.4080 6.2525	0.8213	0.6117 1.2499
Diff (1-2)	Pooled	-0.6044	-1.3436 0.1348	1.0218	0.8165 1.3657
Diff (1-2)	Satterthwaite	-0.6044	-1.3692 0.1604		

Method	Variances	DF	t Value	Pr > t
Pooled	Equal	30	-1.67	0.1054
Satterthwaite	Unequal	24.185	-1.63	0.1160

Equality of Variances


Method	Num DF	Den DF	F Value	Pr > F
Folded F	14	16	2.17	0.1384



FCSM 5.6: ACCURACY AND RELIABILITY
Levene + F-test: STI Ratio Variance Comparison
Levene $W=1.15$ $p=0.293$ | F-test $F=2.17$ $p=0.138$ - No significant variance diff
Bootstrap CIs overlap: CV improvement is directional, not formally significant

The TTEST Procedure

Variable: STI_Ratio



FCSM 5.6: ACCURACY AND RELIABILITY
PHS Engagement Ratio Summary Statistics by Year
2025: CV=115.9% Bootstrap CI=[24.5%,218.7%] - VERY HIGH variability
2026: CV=58.0% Bootstrap CI=[28.5%,80.4%] - Improving

The MEANS Procedure

Analysis Variable : PHS_EngRatio									
Year	Obs	N	Mean	Median	Std Dev	Coeff of Variation	Minimum	Maximum	
2025	31	31	2.0588	1.3333	2.3863	115.9047	1.0000	14.0000	
2026	21	21	2.0996	1.7273	1.2187	58.0469	0.8286	5.0000	

FCSM 5.6: ACCURACY AND RELIABILITY
PHS Engagement Ratio: Distribution and 95% CI

The UNIVARIATE Procedure
Variable: PHS_EngRatio
Year = 2025

<i>Moments</i>			
<i>N</i>	31	<i>Sum Weights</i>	31
<i>Mean</i>	2.05882863	<i>Sum Observations</i>	63.8236874
<i>Std Deviation</i>	2.38627984	<i>Variance</i>	5.69433149
<i>Skewness</i>	4.50012812	<i>Kurtosis</i>	22.3272979
<i>Uncorrected SS</i>	302.231979	<i>Corrected SS</i>	170.829945
<i>Coeff Variation</i>	115.904734	<i>Std Error Mean</i>	0.42858851

<i>Basic Statistical Measures</i>			
<i>Location</i>		<i>Variability</i>	
<i>Mean</i>	2.058829	<i>Std Deviation</i>	2.38628
<i>Median</i>	1.333333	<i>Variance</i>	5.69433
<i>Mode</i>	1.000000	<i>Range</i>	13.00000
<i>Interquartile Range</i>			1.00000

<i>Basic Confidence Limits Assuming Normality</i>			
<i>Parameter</i>	<i>Estimate</i>	<i>95% Confidence Limits</i>	
<i>Mean</i>	2.05883	1.18353	2.93412
<i>Std Deviation</i>	2.38628	1.90690	3.18968
<i>Variance</i>	5.69433	3.63629	10.17404

<i>Tests for Location: Mu0=0</i>				
<i>Test</i>	<i>Statistic</i>		<i>p Value</i>	
<i>Student's t</i>	<i>t</i>	4.803742	<i>Pr > t </i>	<.0001
<i>Sign</i>	<i>M</i>	15.5	<i>Pr >= M </i>	<.0001
<i>Signed Rank</i>	<i>S</i>	248	<i>Pr >= S </i>	<.0001

<i>Tests for Normality</i>				
<i>Test</i>	<i>Statistic</i>		<i>p Value</i>	
<i>Shapiro-Wilk</i>	<i>W</i>	0.440516	<i>Pr < W</i>	<0.0001
<i>Kolmogorov-Smirnov</i>	<i>D</i>	0.328624	<i>Pr > D</i>	<0.0100
<i>Cramer-von Mises</i>	<i>W-Sq</i>	1.06772	<i>Pr > W-Sq</i>	<0.0050
<i>Anderson-Darling</i>	<i>A-Sq</i>	5.641219	<i>Pr > A-Sq</i>	<0.0050

FCSM 5.6: ACCURACY AND RELIABILITY
PHS Engagement Ratio: Distribution and 95% CI

The UNIVARIATE Procedure
Variable: PHS_EngRatio
Year = 2025

<i>Quantiles (Definition 5)</i>	
<i>Level</i>	<i>Quantile</i>
100% Max	14.00000
99%	14.00000
95%	5.00000
90%	3.00000
75% Q3	2.00000
50% Median	1.33333
25% Q1	1.00000
10%	1.00000
5%	1.00000
1%	1.00000
0% Min	1.00000

<i>Extreme Observations</i>			
<i>Lowest</i>		<i>Highest</i>	
<i>Value</i>	<i>Obs</i>	<i>Value</i>	<i>Obs</i>
1	49	2.71429	34
1	47	3.00000	52
1	46	3.33333	15
1	40	5.00000	22
1	23	14.00000	5

FCSM 5.6: ACCURACY AND RELIABILITY
PHS Engagement Ratio: Distribution and 95% CI

The UNIVARIATE Procedure
Variable: PHS_EngRatio
Year = 2026

<i>Moments</i>			
<i>N</i>	21	<i>Sum Weights</i>	21
<i>Mean</i>	2.09956467	<i>Sum Observations</i>	44.0908582
<i>Std Deviation</i>	1.21873251	<i>Variance</i>	1.48530893
<i>Skewness</i>	1.47905794	<i>Kurtosis</i>	1.51013745
<i>Uncorrected SS</i>	122.277787	<i>Corrected SS</i>	29.7061787
<i>Coeff Variation</i>	58.0469145	<i>Std Error Mean</i>	0.26594924

<i>Basic Statistical Measures</i>			
<i>Location</i>		<i>Variability</i>	
<i>Mean</i>	2.099565	<i>Std Deviation</i>	1.21873
<i>Median</i>	1.727273	<i>Variance</i>	1.48531
<i>Mode</i>	2.000000	<i>Range</i>	4.17143
		<i>Interquartile Range</i>	1.16667

<i>Basic Confidence Limits Assuming Normality</i>			
<i>Parameter</i>	<i>Estimate</i>	<i>95% Confidence Limits</i>	
<i>Mean</i>	2.09956	1.54480	2.65433
<i>Std Deviation</i>	1.21873	0.93240	1.75993
<i>Variance</i>	1.48531	0.86937	3.09737

<i>Tests for Location: Mu0=0</i>				
<i>Test</i>	<i>Statistic</i>		<i>p Value</i>	
<i>Student's t</i>	<i>t</i>	7.894607	<i>Pr > t </i>	<.0001
<i>Sign</i>	<i>M</i>	10.5	<i>Pr >= M </i>	<.0001
<i>Signed Rank</i>	<i>S</i>	115.5	<i>Pr >= S </i>	<.0001

<i>Tests for Normality</i>				
<i>Test</i>	<i>Statistic</i>		<i>p Value</i>	
<i>Shapiro-Wilk</i>	<i>W</i>	0.818131	<i>Pr < W</i>	0.0013
<i>Kolmogorov-Smirnov</i>	<i>D</i>	0.246841	<i>Pr > D</i>	<0.0100
<i>Cramer-von Mises</i>	<i>W-Sq</i>	0.234517	<i>Pr > W-Sq</i>	<0.0050
<i>Anderson-Darling</i>	<i>A-Sq</i>	1.403072	<i>Pr > A-Sq</i>	<0.0050

FCSM 5.6: ACCURACY AND RELIABILITY
PHS Engagement Ratio: Distribution and 95% CI


The UNIVARIATE Procedure
Variable: PHS_EngRatio
Year = 2026

<i>Quantiles (Definition 5)</i>	
<i>Level</i>	<i>Quantile</i>
100% Max	5.000000
99%	5.000000
95%	5.000000
90%	4.000000
75% Q3	2.500000
50% Median	1.727273
25% Q1	1.333333
10%	1.058824
5%	0.833333
1%	0.828571
0% Min	0.828571

<i>Extreme Observations</i>			
<i>Lowest</i>		<i>Highest</i>	
<i>Value</i>	<i>Obs</i>	<i>Value</i>	<i>Obs</i>
0.828571	83	2.5	63
0.833333	79	3.0	80
1.058824	70	4.0	55
1.142857	68	5.0	57
1.250000	84	5.0	58

FCSM 5.6: ACCURACY AND RELIABILITY
PHS Engagement Ratio: Distribution and 95% CI

The UNIVARIATE Procedure



FCSM 5.6: ACCURACY AND RELIABILITY
PHS Engagement Ratio: Distribution and 95% CI

The UNIVARIATE Procedure
Year = 2025
Fitted Normal Distribution for PHS_EngRatio

<i>Parameters for Normal Distribution</i>		
<i>Parameter</i>	<i>Symbol</i>	<i>Estimate</i>
Mean	Mu	2.058829
Std Dev	Sigma	2.38628

<i>Goodness-of-Fit Tests for Normal Distribution</i>				
<i>Test</i>		<i>Statistic</i>		<i>p Value</i>
<i>Kolmogorov-Smirnov</i>	<i>D</i>	0.32862425	<i>Pr > D</i>	<0.010
<i>Cramer-von Mises</i>	<i>W-Sq</i>	1.06772034	<i>Pr > W-Sq</i>	<0.005
<i>Anderson-Darling</i>	<i>A-Sq</i>	5.64121941	<i>Pr > A-Sq</i>	<0.005

<i>Quantiles for Normal Distribution</i>		
	<i>Quantile</i>	
<i>Percent</i>	<i>Observed</i>	<i>Estimated</i>
1.0	1.00000	-3.49249
5.0	1.00000	-1.86625
10.0	1.00000	-0.99931
25.0	1.00000	0.44931
50.0	1.33333	2.05883
75.0	2.00000	3.66835
90.0	3.00000	5.11697
95.0	5.00000	5.98391
99.0	14.00000	7.61015

FCSM 5.6: ACCURACY AND RELIABILITY
PHS Engagement Ratio: Distribution and 95% CI

The UNIVARIATE Procedure
Year = 2026
Fitted Normal Distribution for PHS_EngRatio


<i>Parameters for Normal Distribution</i>		
<i>Parameter</i>	<i>Symbol</i>	<i>Estimate</i>
Mean	Mu	2.099565
Std Dev	Sigma	1.218733

<i>Goodness-of-Fit Tests for Normal Distribution</i>				
<i>Test</i>		<i>Statistic</i>		<i>p Value</i>
<i>Kolmogorov-Smirnov</i>	<i>D</i>	0.24684119	<i>Pr > D</i>	<0.010
<i>Cramer-von Mises</i>	<i>W-Sq</i>	0.23451670	<i>Pr > W-Sq</i>	<0.005
<i>Anderson-Darling</i>	<i>A-Sq</i>	1.40307196	<i>Pr > A-Sq</i>	<0.005

<i>Quantiles for Normal Distribution</i>		
	<i>Quantile</i>	
<i>Percent</i>	<i>Observed</i>	<i>Estimated</i>
1.0	0.82857	-0.73563
5.0	0.83333	0.09493
10.0	1.05882	0.53770
25.0	1.33333	1.27754
50.0	1.72727	2.09956
75.0	2.50000	2.92159
90.0	4.00000	3.66143
95.0	5.00000	4.10420
99.0	5.00000	4.93476

FCSM 5.6: ACCURACY AND RELIABILITY
PHS Engagement Ratio: Distribution and 95% CI

The UNIVARIATE Procedure



FCSM 5.6: ACCURACY AND RELIABILITY
Mann-Whitney: PHS Engagement Ratio 2025 vs 2026
U=246, p=0.139, r=0.244, 95%CI=[-0.035,0.488] SMALL effect not significant
Direction: improving. Not yet statistically confirmed.

The NPAR1WAY Procedure

Wilcoxon Scores (Rank Sums) for Variable PHS_EngRatio Classified by Variable Year					
Year	N	Sum of Scores	Expected Under H0	Std Dev Under H0	Mean Score
2025	31	742.0	821.50	53.417251	23.935484
2026	21	636.0	556.50	53.417251	30.285714
Average scores were used for ties.					

Wilcoxon Two-Sample Test	
Statistic	636.0000

Normal Approximation

Z	1.4789
One-Sided Pr > Z	0.0696
Two-Sided Pr > Z	0.1392

t Approximation


One-Sided Pr > Z	0.0727
Two-Sided Pr > Z	0.1453

Z includes a continuity correction of 0.5.

Kruskal-Wallis Test	
Chi-Square	2.2150
DF	1
Pr > Chi-Square	0.1367

FCSM 5.6: ACCURACY AND RELIABILITY
Mann-Whitney: PHS Engagement Ratio 2025 vs 2026
 $U=246$, $p=0.139$, $r=0.244$, $95\%CI=[-0.035,0.488]$ SMALL effect not significant
Direction: improving. Not yet statistically confirmed.

The NPAR1WAY Procedure



FCSM 5.6: ACCURACY AND RELIABILITY

F-test: PHS Engagement Ratio Variance Comparison

Levene W=0.075 p=0.786 (not significant)

F-test F=3.834 p=0.003 SIGNIFICANT: variance significantly reduced in 2026

Interpretation: PHS engagement definition applied more consistently in 2026

The TTEST Procedure

Variable: PHS_EngRatio


Year	Method	N	Mean	Std Dev	Std Err	Minimum	Maximum
2025		31	2.0588	2.3863	0.4286	1.0000	14.0000
2026		21	2.0996	1.2187	0.2659	0.8286	5.0000
Diff (1-2)	Pooled		-0.0407	2.0027	0.5660		
Diff (1-2)	Satterthwaite		-0.0407		0.5044		

Year	Method	Mean	95% CL Mean	Std Dev	95% CL Std Dev
2025		2.0588	1.1835 2.9341	2.3863	1.9069 3.1897
2026		2.0996	1.5448 2.6543	1.2187	0.9324 1.7599
Diff (1-2)	Pooled	-0.0407	-1.1776 1.0961	2.0027	1.6757 2.4895
Diff (1-2)	Satterthwaite	-0.0407	-1.0554 0.9739		

Method	Variances	DF	t Value	Pr > t
Pooled	Equal	50	-0.07	0.9429
Satterthwaite	Unequal	47.08	-0.08	0.9360

Equality of Variances

Method	Num DF	Den DF	F Value	Pr > F
Folded F	30	20	3.83	0.0027



FCSM 5.6: ACCURACY AND RELIABILITY

F-test: PHS Engagement Ratio Variance Comparison


Levene $W=0.075$ $p=0.786$ (not significant)

F-test $F=3.834$ $p=0.003$ SIGNIFICANT: variance significantly reduced in 2026

Interpretation: PHS engagement definition applied more consistently in 2026

The TTEST Procedure

Variable: PHS_EngRatio



FCSM 5.6: ACCURACY AND RELIABILITY
CH Screening Ratio Summary Statistics by Year
2025: CV=84.1% Bootstrap CI=[54.1%,118.1%]
2026: CV=43.7% Bootstrap CI=[25.9%,57.6%] - Substantially reduced
High CV appropriate - 8 tests offered, different combos at different events

The MEANS Procedure

Analysis Variable : CH_ScrRatio								
Year	Obs	N	Mean	Median	Std Dev	Coeff of Variation	Minimum	Maximum
2025	29	29	3.3346	2.0000	2.8033	84.0656	1.0000	8.0000
2026	13	13	4.4359	4.0000	1.9377	43.6814	1.6667	8.0000

FCSM 5.6: ACCURACY AND RELIABILITY
Mann-Whitney: CH Screening Ratio 2025 vs 2026
U=118, p=0.053, r=0.374, 95%CI=[0.068,0.616] MEDIUM effect, borderline
More tests per person screened in 2026

The NPAR1WAY Procedure

Wilcoxon Scores (Rank Sums) for Variable CH_ScrRatio Classified by Variable Year					
Year	N	Sum of Scores	Expected Under H0	Std Dev Under H0	Mean Score
2025	29	553.0	623.50	36.222318	19.068966
2026	13	350.0	279.50	36.222318	26.923077
Average scores were used for ties.					

Wilcoxon Two-Sample Test	
Statistic	350.0000

Normal Approximation

Z	1.9325
One-Sided Pr > Z	0.0266
Two-Sided Pr > Z	0.0533

t Approximation


One-Sided Pr > Z	0.0301
Two-Sided Pr > Z	0.0602

Z includes a continuity correction of 0.5.

Kruskal-Wallis Test	
Chi-Square	3.7881
DF	1
Pr > Chi-Square	0.0516

FCSM 5.6: ACCURACY AND RELIABILITY
Mann-Whitney: CH Screening Ratio 2025 vs 2026
 $U=118$, $p=0.053$, $r=0.374$, $95\%CI=[0.068,0.616]$ MEDIUM effect, borderline
More tests per person screened in 2026

The NPAR1WAY Procedure



FCSM 5.6: ACCURACY AND RELIABILITY
CH Out-of-Range Rate by Year
2025: mean=0.867 CV=82.9% Bootstrap CI=[50.3%,121.1%]
2026: mean=1.284 CV=54.7% Bootstrap CI=[34.1%,79.7%]

The MEANS Procedure

Analysis Variable : CH_OOR_Rate								
Year	Obs	N	Mean	Median	Std Dev	Coeff of Variation	Minimum	Maximum
2025	29	29	0.8668	0.6538	0.7309	84.3194	0.1667	2.5526
2026	13	13	1.2840	1.3333	0.7305	56.8959	0.0000	2.2857

FCSM 5.6: ACCURACY AND RELIABILITY
Mann-Whitney: CH OOR Rate 2025 vs 2026
U=122, p=0.073, r=0.353, 95%CI=[0.045,0.599] MEDIUM effect, borderline
OOOR rate increasing in 2026: more abnormal results per person screened

The NPAR1WAY Procedure

Wilcoxon Scores (Rank Sums) for Variable CH_OOR_Rate Classified by Variable Year					
Year	N	Sum of Scores	Expected Under H0	Std Dev Under H0	Mean Score
2025	29	557.0	623.50	36.745882	19.206897
2026	13	346.0	279.50	36.745882	26.615385
Average scores were used for ties.					

Wilcoxon Two-Sample Test	
Statistic	346.0000

Normal Approximation

Z	1.7961
One-Sided Pr > Z	0.0362
Two-Sided Pr > Z	0.0725

t Approximation


One-Sided Pr > Z	0.0399
Two-Sided Pr > Z	0.0798

Z includes a continuity correction of 0.5.

Kruskal-Wallis Test	
Chi-Square	3.2751
DF	1
Pr > Chi-Square	0.0703

FCSM 5.6: ACCURACY AND RELIABILITY
Mann-Whitney: CH OOR Rate 2025 vs 2026
 $U=122$, $p=0.073$, $r=0.353$, $95\%CI=[0.045,0.599]$ MEDIUM effect, borderline
OOR rate increasing in 2026: more abnormal results per person screened

The NPAR1WAY Procedure



FCSM 5.6: ACCURACY AND RELIABILITY
Events Where OOR Count Exceeds People Screened
1=Yes. Confirms OOR counts RESULTS not PEOPLE. Anomaly resolved.

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of OOR_Exceeds by Year			
	OOR_Exceeds	Year		Total
		2025	2026	
	0	22	5	27
		52.38	11.90	64.29
		81.48	18.52	
		75.86	38.46	
	1	7	8	15
		16.67	19.05	35.71
		46.67	53.33	
		24.14	61.54	
	Total	29	13	42
		69.05	30.95	100.00

FCSM 5.6: ACCURACY AND RELIABILITY**PHS Staff Hours vs Event Hours****Staff hours consistently exceed event hours: multiple staff attending each event****The MEANS Procedure**

		<i>N</i>						
Year	Obs	Variable	<i>N</i>	Mean	Median	Std Dev	Minimum	Maximum
2025	36	PHS_StaffHours	34	14.662	13.000	7.404	4.000	40.000
		EventHours	34	3.156	3.000	1.239	2.000	7.000
		PHS_HrsRatio	34	4.664	4.500	1.436	2.000	8.000
2026	22	PHS_StaffHours	22	12.136	12.000	5.410	4.000	23.000
		EventHours	22	3.023	3.000	1.258	2.000	6.000
		PHS_HrsRatio	22	4.036	4.000	1.059	2.000	6.000

FCSM 5.6: ACCURACY AND RELIABILITY
CH Staff Hours vs Event Hours

The MEANS Procedure

Year	N		N	Mean	Median	Std Dev	Minimum	Maximum
	Obs	Variable						
2025	30	CH_StaffHours	30	6.583	5.500	4.558	0.000	18.000
		EventHours	30	4.333	4.000	1.940	2.000	9.000
		CH_HrsRatio	30	1.548	1.267	0.847	0.000	3.000
2026	13	CH_StaffHours	13	7.769	7.000	5.403	2.000	18.000
		EventHours	12	3.500	4.000	1.087	2.000	5.000
		CH_HrsRatio	12	2.083	2.000	1.084	1.000	4.000

FCSM 5.6: ACCURACY AND RELIABILITY**EH Staff Hours vs Event Hours****EH mean ratio=3.92 vs PHS mean=4.37 vs CH mean=1.55****Documentation conflict: EH Read Me includes travel. PHS/CH Read Me: onsite only.****Both PHS and EH show ratios >1. Resolution requires cross-division meeting.****The MEANS Procedure**

N								
Year	Obs	Variable	N	Mean	Median	Std Dev	Minimum	Maximum
2025	11	EH_StaffHours	10	11.700	8.000	8.138	4.000	30.000
		EventHours	11	3.045	2.500	1.665	1.500	7.000
		EH_HrsRatio	10	3.915	3.600	1.447	2.000	6.667
2026	1	EH_StaffHours	1	18.000	18.000	.	18.000	18.000
		EventHours	1	6.000	6.000	.	6.000	6.000
		EH_HrsRatio	1	3.000	3.000	.	3.000	3.000

FCSM 5.6: ACCURACY AND RELIABILITY
EH Attended Events: Full Detail (n=11 events)

<i>Year</i>	<i>EventDate</i>	<i>EventName</i>	<i>EH_Attended</i>	<i>EH_Engage</i>	<i>BLT_Count</i>	<i>EH_StaffHours</i>	<i>EventHours</i>	<i>EH_HrsRatio</i>
2025	05/07/2025	Thriving Weld Quarterly Meeting	Outreach Only	6	.	4	2	2
2025	06/12/2025	Family Center Community Resource	Testing and Outreach	12	2	8	2	4
2025	07/12/2025	CBOCES Family Education Program Resource Event	Testing and Outreach	30	7	8	2.5	3.2
2025	07/27/2025	Weld County Fair Family Day	Testing and Outreach	34	3	30	7	4.2857142857
2025	08/06/2025	Centennial Library Back to School Storytime	Testing and Outreach	1	0	12	2	6
2025	08/19/2025	Ault National Night Out	Outreach Only	30	.	7	2.5	2.8
2025	09/02/2025	Collaboration with Weld Food Bank	Outreach Only	5	.	20	3	6.6666666667
2025	09/06/2025	Trapper Days/Tomato Days	Outreach Only	100	.	16	5	3.2
2025	09/13/2025	Fall Festival in Hudson	Outreach Only	.	.	.	4	.
2025	09/26/2025	Treatment Courts	Testing and Outreach	10	0	6	2	3
2025	10/14/2025	CEEN Lead Screening	Testing and Outreach	9	4	6	1.5	4
2026	04/11/2026	NOCO Children's Festival	Testing and Outreach	32	4	18	6	3

SECTION 3: SPEARMAN CORRELATIONS WITH 95% CI
CH: Staff Count and Event Duration vs Service Outputs
CH Staff vs Screenings: $r=0.683$ 95%CI=[0.471,0.820] $p<0.001$ * $n=40$**
CH Staff vs Engagements: $r=0.445$ 95%CI=[0.163,0.660] $p=0.003$ ** $n=42$
Event Hours vs CH Engagements: $r=0.389$ 95%CI=[0.092,0.622] $p=0.012$ * $n=41$

The CORR Procedure

4 Variables: CH_Staff CH_Engage CH_Screen_Count EventHours				
Spearman Correlation Coefficients				
Prob > r under H0: Rho=0				
Number of Observations				
	CH_Staff	CH_Engage	CH_Screen_Count	EventHours
CH_Staff	1.00000	0.44482	0.68251	0.26905
		0.0032	<.0001	0.0849
	43	42	40	42
CH_Engage	0.44482	1.00000	0.74131	0.38881
	0.0032		<.0001	0.0120
	42	42	40	41
CH_Screen_Count	0.68251	0.74131	1.00000	0.18763
	<.0001	<.0001		0.2527
	40	40	40	39
EventHours	0.26905	0.38881	0.18763	1.00000
	0.0849	0.0120	0.2527	
	42	41	39	42

SECTION 3: SPEARMAN CORRELATIONS WITH 95% CI
PHS: Staff Count and Event Duration vs Service Outputs
PHS Staff vs STI Tests: $r=0.565$ 95%CI=[0.286,0.756] $p<0.001$ * $n=35$**
PHS Staff vs People: $r=0.325$ 95%CI=[0.071,0.540] $p=0.014$ * $n=57$
PHS Staff vs Engage: $r=0.257$ 95%CI=[-0.004,0.485] $p=0.054$ ns $n=57$

The CORR Procedure

5 Variables: PHS_Staff PHS_Engage PHS_People STI_Tests EventHours

Spearman Correlation Coefficients					
Prob > r under H0: Rho=0					
Number of Observations					
	PHS_Staff	PHS_Engage	PHS_People	STI_Tests	EventHours
PHS_Staff	1.00000	0.25697	0.32520	0.56511	0.17505
		0.0537	0.0136	0.0004	0.1969
	58	57	57	35	56
PHS_Engage	0.25697	1.00000	0.83886	0.81114	-0.01901
	0.0537		<.0001	<.0001	0.8904
	57	57	57	35	55
PHS_People	0.32520	0.83886	1.00000	0.95497	0.06080
	0.0136	<.0001		<.0001	0.6592
	57	57	57	35	55
STI_Tests	0.56511	0.81114	0.95497	1.00000	0.08260
	0.0004	<.0001	<.0001		0.6371
	35	35	35	35	35
EventHours	0.17505	-0.01901	0.06080	0.08260	1.00000
	0.1969	0.8904	0.6592	0.6371	
	56	55	55	35	56

SECTION 3: SPEARMAN CORRELATIONS WITH 95% CI

PHS vs CH Engagements at Co-Attended Events

$r=0.599$ 95%CI=[0.183,0.833] $p=0.009$ ** $n=18$

Divisions track together: high PHS events also produce high CH engagement

The CORR Procedure

2 Variables: PHS_Engage CH_Engage

Spearman Correlation Coefficients, $N = 18$

Prob > $|r|$ under H_0 : $Rho=0$

	PHS_Engage	CH_Engage
PHS_Engage	1.00000	0.59895 0.0086
CH_Engage	0.59895 0.0086	1.00000

SECTION 4: KRUSKAL-WALLIS BY REGION
Kruskal-Wallis: PHS Engagements by Region
H=17.243 (SAS, all events) / H=16.685 (Python, PHS_Engage>0)
p=0.0017 | Epsilon-squared=0.263 LARGE effect

The NPAR1WAY Procedure


*Wilcoxon Scores (Rank Sums) for Variable PHS_Engage
Classified by Variable Region*

<i>Region</i>	<i>N</i>	<i>Sum of Scores</i>	<i>Expected Under H0</i>	<i>Std Dev Under H0</i>	<i>Mean Score</i>
<i>North</i>	4	74.00	116.0	31.935114	18.500000
<i>Greeley/Evans</i>	41	1419.50	1189.0	56.176213	34.621951
<i>Johnstown/Milliken</i>	1	18.50	29.0	16.413249	18.500000
<i>Southeast</i>	5	65.50	145.0	35.366104	13.100000
<i>Windsor/Severance</i>	6	75.50	174.0	38.367301	12.583333

Average scores were used for ties.

Kruskal-Wallis Test

<i>Chi-Square</i>	17.2433
<i>DF</i>	4
<i>Pr > Chi-Square</i>	0.0017



SECTION 4: KRUSKAL-WALLIS BY REGION
PHS Engagements by Region: Descriptive Statistics
Greeley/Evans: median=12.0 | Southeast: median=5.0 | Windsor: median=5.5

The MEANS Procedure

Analysis Variable : PHS_Engage							
Region	N		Mean	Median	Std Dev	Minimum	Maximum
	Obs	N					
Greeley/Evans	41	41	17.49	12.00	16.93	0.00	100.00
Johnstown/Milliken	1	1	7.00	7.00	.	7.00	7.00
North	4	4	7.25	6.50	5.74	2.00	14.00
Southeast	5	5	5.40	5.00	2.61	2.00	8.00
Windsor/Severance	6	6	5.17	5.50	2.32	2.00	8.00

SECTION 4: KRUSKAL-WALLIS BY REGION
PHS Engagements by Region: Descriptive Statistics
Greeley/Evans: median=12.0 | Southeast: median=5.0 | Windsor: median=5.5

DUNN'S POST-HOC TEST WITH BONFERRONI CORRECTION (verified in Python)

Comparison	z	p_raw	p_Bonf	Significant?
Greeley/Evans vs Windsor/Severance	3.021	0.0025	0.0151	* YES
Greeley/Evans vs Southeast	2.740	0.0061	0.0369	* YES
Greeley/Evans vs North	1.856	0.0635	0.3807	ns NO
North vs Southeast	0.486	0.6272	1.0000	ns NO
North vs Windsor/Severance	0.540	0.5895	1.0000	ns NO
Southeast vs Windsor/Severance	0.037	0.9703	1.0000	ns NO

INTERPRETATION:

Greeley/Evans significantly higher than Windsor/Severance (p=0.015)

Greeley/Evans significantly higher than Southeast (p=0.037)

No other pairwise differences significant

Greeley/Evans is the high-engagement region. All others are similar.


SECTION 4: KRUSKAL-WALLIS BY REGION
Kruskal-Wallis: CH Engagements by Region
 $H=3.286$, $p=0.511$ NOT significant - CH engagement consistent across regions

The NPAR1WAY Procedure

Wilcoxon Scores (Rank Sums) for Variable CH_Engage Classified by Variable Region					
Region	N	Sum of Scores	Expected Under H0	Std Dev Under H0	Mean Score
Greeley/Evans	31	645.50	651.0	32.904889	20.822581
Southeast	6	131.50	126.0	27.082530	21.916667
North	1	2.50	21.0	11.819785	2.500000
Windsor/Severance	2	52.00	42.0	16.505431	26.000000
Johnstown/Miliken	1	29.50	21.0	11.819785	29.500000

Average scores were used for ties.

Kruskal-Wallis Test	
Chi-Square	3.2857
DF	4
Pr > Chi-Square	0.5112



FCSM 5.7: COHERENCE
Address Completeness by Year
2025: 37/54 = 68.5% complete | 2026: 7/31 = 22.6% complete
Continuity-corrected $\chi^2=14.856$, $p<0.0001$ **HIGHLY SIGNIFICANT** decline
Effect size: $\phi=-0.443$ (medium-large) | $OR=0.091$ (year 2026 vs 2025)

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Addr_Complete by Year			
	Addr_Complete	Year		Total
		2025	2026	
0		17	24	41
		20.00	28.24	48.24
		41.46	58.54	
		31.48	77.42	
1		37	7	44
		43.53	8.24	51.76
		84.09	15.91	
		68.52	22.58	
Total		54	31	85
		63.53	36.47	100.00

Statistics for Table of Addr_Complete by Year

Statistic	DF	Value	Prob
Chi-Square	1	16.6448	<.0001
Likelihood Ratio Chi-Square	1	17.3381	<.0001
Continuity Adj. Chi-Square	1	14.8559	0.0001
Mantel-Haenszel Chi-Square	1	16.4490	<.0001
Phi Coefficient		-0.4425	
Contingency Coefficient		0.4047	
Cramer's V		-0.4425	

Fisher's Exact Test	
Cell (1,1) Frequency (F)	17
Left-sided Pr <= F	<.0001
Right-sided Pr >= F	1.0000
Table Probability (P)	<.0001
Two-sided Pr <= P	<.0001

Sample Size = 85

FCSM 5.7: COHERENCE
Address Completeness by Region
chi2=3.735, p=0.443 NOT significant (70% cells <5: chi2 unreliable)
Interpretation: Year drives missingness, not region per chi2
Logistic regression (below) tests both jointly with MAR conclusion

The FREQ Procedure

Frequency Expected Percent Row Pct Col Pct	Table of Addr_Complete by Region						
	Region						Total
	Addr_Complete	Greeley/Evans	Johnstown/Milliken	North	Southeast	Windsor/Severance	
	0	29	1	4	3	3	40
		28.095	0.9524	2.381	4.7619	3.8095	
		34.52	1.19	4.76	3.57	3.57	47.62
		72.50	2.50	10.00	7.50	7.50	
		49.15	50.00	80.00	30.00	37.50	
	1	30	1	1	7	5	44
		30.905	1.0476	2.619	5.2381	4.1905	
		35.71	1.19	1.19	8.33	5.95	52.38
		68.18	2.27	2.27	15.91	11.36	
		50.85	50.00	20.00	70.00	62.50	
Total		59	2	5	10	8	84
		70.24	2.38	5.95	11.90	9.52	100.00

Frequency Missing = 1

Statistics for Table of Addr_Complete by Region

Statistic	DF	Value	Prob
Chi-Square	4	3.7349	0.4431
Likelihood Ratio Chi-Square	4	3.9048	0.4190
Mantel-Haenszel Chi-Square	1	0.6218	0.4304
Phi Coefficient		0.2109	
Contingency Coefficient		0.2063	
Cramer's V		0.2109	

WARNING: 70% of the cells have expected counts less than 5. Chi-Square may not be a valid test.

Sample Size = 84
Frequency Missing = 1

FCSM 5.7: COHERENCE
Logistic Regression: Address Missingness MAR Test
Outcome: Addr_Complete=1 | Reference: Greeley/Evans, Year 2025
Diagnostics: Hosmer-Lemeshow $\chi^2=0.361$ $p=0.948$ GOOD FIT
C-statistic (AUC)=0.777 FAIR discrimination | McFadden $R^2=0.211$

LOGISTIC REGRESSION CLASSIFICATION TABLE (cutpoint=0.50)

Sensitivity=81.8% | Specificity=67.5% | Overall Accuracy=75.0%

TP=36 FP=13 TN=27 FN=8

KEY FINDING: Year OR=0.091 [0.029,0.289] $p<0.001$

Interpretation: In 2026, odds of having complete address are 91% LOWER than 2025, after controlling for region.

Year is the primary driver of address missingness.

Conclusion: Missingness is MAR (Missing At Random) not MCAR.

FCSM 5.7: COHERENCE
Mann-Whitney: CH Engagements Per Event
U=124, p=0.079, r=0.345, 95%CI=[0.037,0.593] MEDIUM effect not significant
Per-event rate INCREASING 23.9 to 33.8 despite lower raw total
Annualised: 1038 (2025) vs 1054 (2026) = NO programme decline

The NPAR1WAY Procedure

Wilcoxon Scores (Rank Sums) for Variable CH_Engage Classified by Variable Year					
Year	N	Sum of Scores	Expected Under H0	Std Dev Under H0	Mean Score
2025	29	558.50	623.50	36.717571	19.258621
2026	13	344.50	279.50	36.717571	26.500000
Average scores were used for ties.					

Wilcoxon Two-Sample Test	
Statistic	344.5000

Normal Approximation

Z	1.7567
One-Sided Pr > Z	0.0395
Two-Sided Pr > Z	0.0790

t Approximation


One-Sided Pr > Z	0.0432
Two-Sided Pr > Z	0.0864

Z includes a continuity correction of 0.5.

Kruskal-Wallis Test	
Chi-Square	3.1339
DF	1
Pr > Chi-Square	0.0767

FCSM 5.7: COHERENCE
Mann-Whitney: CH Engagements Per Event
 $U=124$, $p=0.079$, $r=0.345$, $95\%CI=[0.037,0.593]$ MEDIUM effect not significant
Per-event rate INCREASING 23.9 to 33.8 despite lower raw total
Annualised: 1038 (2025) vs 1054 (2026) = NO programme decline

The NPAR1WAY Procedure



FCSM 5.7: COHERENCE
EH Attendance Field: 3-Level vs PHS/CH Binary Y/N
Coherence threat: EH field cannot be directly compared to PHS/CH attendance

The FREQ Procedure

<i>Frequency Percent Row Pct Col Pct</i>	<i>Table of EH_Attended by Year</i>			
	<i>EH_Attended</i>	<i>Year</i>		<i>Total</i>
		<i>2025</i>	<i>2026</i>	
<i>Did not attend</i>		43	29	72
		51.19	34.52	85.71
		59.72	40.28	
		79.63	96.67	
<i>Outreach Only</i>		5	0	5
		5.95	0.00	5.95
		100.00	0.00	
		9.26	0.00	
<i>Testing and Outreach</i>		6	1	7
		7.14	1.19	8.33
		85.71	14.29	
		11.11	3.33	
<i>Total</i>		54	30	84
		64.29	35.71	100.00
<i>Frequency Missing = 1</i>				

FCSM 5.7: COHERENCE
Events by Region and Year
North: 5 events 2025 | 0 events 2026 (unexplained absence)

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Region by Year			
	Region	Year		Total
		2025	2026	
	<i>Greeley/Evans</i>	37	22	59
		44.05	26.19	70.24
		62.71	37.29	
		68.52	73.33	
	<i>Johnstown/Milliken</i>	1	1	2
		1.19	1.19	2.38
		50.00	50.00	
		1.85	3.33	
	<i>North</i>	5	0	5
		5.95	0.00	5.95
		100.00	0.00	
		9.26	0.00	
	<i>Southeast</i>	8	2	10
		9.52	2.38	11.90
		80.00	20.00	
		14.81	6.67	
	<i>Windsor/Severance</i>	3	5	8
		3.57	5.95	9.52
		37.50	62.50	
		5.56	16.67	
	<i>Total</i>	54	30	84
		64.29	35.71	100.00
<i>Frequency Missing = 1</i>				

FCSM 5.8: SCIENTIFIC INTEGRITY

STI Ratio CV: Consistency of 6-Test Standard

2025 CV=23.17% Bootstrap CI=[11.1%, 28.7%]

2026 CV=14.09% Bootstrap CI=[5.2%, 20.2%]

CIs overlap. CV declining but not formally significant (Levene $p=0.293$)

The MEANS Procedure

Analysis Variable : STI_Ratio					
Year	N				
	Obs	N	Mean	Std Dev	Coeff of Variation
2025	15	15	5.2258	1.2109	23.1711
2026	17	17	5.8302	0.8213	14.0864

FCSM 5.8: SCIENTIFIC INTEGRITY
PHS Engagement Ratio CV: Construct Validity Check
2025 CV=115.9% Bootstrap CI=[24.5%, 218.7%] - HIGHLY VARIABLE
2026 CV=58.0% Bootstrap CI=[28.5%, 80.4%] - Substantially improved
F-test: $F=3.834$ $p=0.003$ SIGNIFICANT - variance formally reduced in 2026

The MEANS Procedure

Analysis Variable : PHS_EngRatio					
Year	N Obs	N	Mean	Std Dev	Coeff of Variation
2025	31	31	2.0588	2.3863	115.9047
2026	21	21	2.0996	1.2187	58.0469

FCSM 5.8: SCIENTIFIC INTEGRITY
CH Screening Ratio CV
2025 CV=84.1% | 2026 CV=43.7% | Substantial reduction
High CV appropriate - reflects genuine event-type variation

The MEANS Procedure

Analysis Variable : CH_ScrRatio					
Year	N		Mean	Std Dev	Coeff of Variation
Obs					
2025	29	29	3.3346	2.8033	84.0656
2026	13	13	4.4359	1.9377	43.6814

FCSM 5.8: SCIENTIFIC INTEGRITY
Mann-Whitney: PHS Engagement Ratio Year Comparison
U=246, p=0.139, r=0.244 - Not significant
But F-test on variances IS significant (p=0.003) - consistency improving

The NPAR1WAY Procedure

<i>Wilcoxon Scores (Rank Sums) for Variable PHS_EngRatio Classified by Variable Year</i>					
<i>Year</i>	<i>N</i>	<i>Sum of Scores</i>	<i>Expected Under H0</i>	<i>Std Dev Under H0</i>	<i>Mean Score</i>
2025	31	742.0	821.50	53.417251	23.935484
2026	21	636.0	556.50	53.417251	30.285714

Average scores were used for ties.

<i>Wilcoxon Two-Sample Test</i>	
<i>Statistic</i>	636.0000

Normal Approximation

<i>Z</i>	1.4789
<i>One-Sided Pr > Z</i>	0.0696
<i>Two-Sided Pr > Z </i>	0.1392

t Approximation


<i>One-Sided Pr > Z</i>	0.0727
<i>Two-Sided Pr > Z </i>	0.1453

Z includes a continuity correction of 0.5.

<i>Kruskal-Wallis Test</i>	
<i>Chi-Square</i>	2.2150
<i>DF</i>	1
<i>Pr > Chi-Square</i>	0.1367

FCSM 5.8: SCIENTIFIC INTEGRITY
Mann-Whitney: PHS Engagement Ratio Year Comparison
 $U=246$, $p=0.139$, $r=0.244$ - Not significant
But F-test on variances IS significant ($p=0.003$) - consistency improving

The NPAR1WAY Procedure



FCSM 5.9: CREDIBILITY
STI Ratio All 32 Events: Confirms 6-Test Standard
Overall: mean=5.547 95%CI=[5.168,5.926] median=6.000 mode=6.000
Median and mode at 6.0 confirms standard. Mean slightly below due to lower ratios
at early events before full standardisation.

The UNIVARIATE Procedure
Variable: STI_Ratio

Moments			
<i>N</i>	32	<i>Sum Weights</i>	32
<i>Mean</i>	5.5469292	<i>Sum Observations</i>	177.501735
<i>Std Deviation</i>	1.05080791	<i>Variance</i>	1.10419726
<i>Skewness</i>	-0.7375166	<i>Kurtosis</i>	2.8480618
<i>Uncorrected SS</i>	1018.81967	<i>Corrected SS</i>	34.2301151
<i>Coeff Variation</i>	18.9439575	<i>Std Error Mean</i>	0.18575835

Basic Statistical Measures			
Location		Variability	
<i>Mean</i>	5.546929	<i>Std Deviation</i>	1.05081
<i>Median</i>	6.000000	<i>Variance</i>	1.10420
<i>Mode</i>	6.000000	<i>Range</i>	5.73333
		<i>Interquartile Range</i>	0.77500

Basic Confidence Limits Assuming Normality			
<i>Parameter</i>	<i>Estimate</i>	<i>95% Confidence Limits</i>	
<i>Mean</i>	5.54693	5.16807	5.92579
<i>Std Deviation</i>	1.05081	0.84244	1.39703
<i>Variance</i>	1.10420	0.70970	1.95169

Tests for Location: Mu0=0				
<i>Test</i>	<i>Statistic</i>		<i>p Value</i>	
<i>Student's t</i>	<i>t</i>	29.861	<i>Pr > t </i>	<.0001
<i>Sign</i>	<i>M</i>	16	<i>Pr >= M </i>	<.0001
<i>Signed Rank</i>	<i>S</i>	264	<i>Pr >= S </i>	<.0001

Quantiles (Definition 5)	
<i>Level</i>	<i>Quantile</i>
100% Max	8.40000
99%	8.40000
95%	6.16667
90%	6.10000
75% Q3	6.00000
50% Median	6.00000
25% Q1	5.22500
10%	4.00000

FCSM 5.9: CREDIBILITY**STI Ratio All 32 Events: Confirms 6-Test Standard****Overall: mean=5.547 95%CI=[5.168,5.926] median=6.000 mode=6.000****Median and mode at 6.0 confirms standard. Mean slightly below due to lower ratios at early events before full standardisation.****The UNIVARIATE Procedure
Variable: STI_Ratio**

Quantiles (Definition 5)


<i>Level</i>	<i>Quantile</i>
5%	3.00000
1%	2.66667
0% Min	2.66667

Extreme Observations

<i>Lowest</i>		<i>Highest</i>	
<i>Value</i>	<i>Obs</i>	<i>Value</i>	<i>Obs</i>
2.66667	42	6.00000	80
3.00000	38	6.10000	66
3.96154	41	6.14286	54
4.00000	48	6.16667	47
4.50000	63	8.40000	79

FCSM 5.9: CREDIBILITY
STI Ratio All 32 Events: Confirms 6-Test Standard
Overall: mean=5.547 95%CI=[5.168,5.926] median=6.000 mode=6.000
Median and mode at 6.0 confirms standard. Mean slightly below due to lower ratios
at early events before full standardisation.

The UNIVARIATE Procedure



FCSM 5.9: CREDIBILITY
STI Ratio All 32 Events: Confirms 6-Test Standard
Overall: mean=5.547 95%CI=[5.168,5.926] median=6.000 mode=6.000
Median and mode at 6.0 confirms standard. Mean slightly below due to lower ratios
at early events before full standardisation.

The UNIVARIATE Procedure
Fitted Normal Distribution for STI_Ratio

<i>Parameters for Normal Distribution</i>		
<i>Parameter</i>	<i>Symbol</i>	<i>Estimate</i>
Mean	Mu	5.546929
Std Dev	Sigma	1.050808

<i>Goodness-of-Fit Tests for Normal Distribution</i>				
<i>Test</i>		<i>Statistic</i>		<i>p Value</i>
Kolmogorov-Smirnov	D	0.24642164	<i>Pr > D</i>	<0.010
Cramer-von Mises	W-Sq	0.59648801	<i>Pr > W-Sq</i>	<0.005
Anderson-Darling	A-Sq	3.03623437	<i>Pr > A-Sq</i>	<0.005

<i>Quantiles for Normal Distribution</i>		
	<i>Quantile</i>	
<i>Percent</i>	<i>Observed</i>	<i>Estimated</i>
1.0	2.66667	3.10238
5.0	3.00000	3.81850
10.0	4.00000	4.20026
25.0	5.22500	4.83817
50.0	6.00000	5.54693
75.0	6.00000	6.25569
90.0	6.10000	6.89359
95.0	6.16667	7.27535
99.0	8.40000	7.99147

FCSM 5.9: CREDIBILITY
EH Attendance by Event Type

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of EH_Attended by EventType			
	EventType			
	EH_Attended	Private	Public	Total
<i>Did not attend</i>	15	56	71	
	18.07	67.47	85.54	
	21.13	78.87		
	93.75	83.58		
<i>Outreach Only</i>	0	5	5	
	0.00	6.02	6.02	
	0.00	100.00		
	0.00	7.46		
<i>Testing and Outreach</i>	1	6	7	
	1.20	7.23	8.43	
	14.29	85.71		
	6.25	8.96		
<i>Total</i>	16	67	83	
	19.28	80.72	100.00	
<i>Frequency Missing = 2</i>				

FCSM 5.9: CREDIBILITY
Fisher Exact Test: EH Attendance by Event Type
p=0.837 NOT significant
EH does not preferentially attend public vs private events
EH withdrawal in 2026 is strategic decision, not event-type driven

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of EH_Attended by EventType			
	EventType			Total
	EH_Attended	Private	Public	
Did not attend	15	56	71	
	18.07	67.47	85.54	
	21.13	78.87		
	93.75	83.58		
Outreach Only	0	5	5	
	0.00	6.02	6.02	
	0.00	100.00		
	0.00	7.46		
Testing and Outreach	1	6	7	
	1.20	7.23	8.43	
	14.29	85.71		
	6.25	8.96		
Total	16	67	83	
	19.28	80.72	100.00	
Frequency Missing = 1				

Statistics for Table of EH_Attended by EventType

Statistic	DF	Value	Prob
Chi-Square	2	1.4622	0.4814
Likelihood Ratio Chi-Square	2	2.4146	0.2990
Mantel-Haenszel Chi-Square	1	0.6126	0.4338
Phi Coefficient		0.1327	
Contingency Coefficient		0.1316	
Cramer's V		0.1327	
WARNING: 50% of the cells have expected counts less than 5. Chi-Square may not be a valid test.			

Fisher's Exact Test	
Table Probability (P)	0.1238
Pr <= P	0.8371

Sample Size = 83
Frequency Missing = 1

FCSM 5.9: CREDIBILITY
Narcan Column Entries by Year
2025: 6 entries | 2026: 0 entries

Low count intentional: recorded only when full harm reduction education delivered

The FREQ Procedure

Frequency Percent Row Pct Col Pct	Table of Narcan_YN by Year			
	Narcan_YN	Year		Total
		2025	2026	
N		47	26	73
		59.49	32.91	92.41
		64.38	35.62	
		88.68	100.00	
Y		6	0	6
		7.59	0.00	7.59
		100.00	0.00	
		11.32	0.00	
Total		53	26	79
		67.09	32.91	100.00
Frequency Missing = 6				

FCSM 5.9: CREDIBILITY
CH Screening Ratio Max=8.0 Confirms 8-Test Standard
Mean=3.676, Median=2.711, Maximum=8.000
Maximum of 8.0 exactly equals the 8-test standard - anomaly resolved

The MEANS Procedure

Analysis Variable : CH_ScrRatio					
N	Mean	Median	Std Dev	Minimum	Maximum
42	3.676	2.711	2.594	1.000	8.000

FCSM 5.9: CREDIBILITY

OOA Anomaly Resolved

15 of 42 screening events (35.7%) have OOR count > people screened

Confirmed: column counts individual test RESULTS not individual PEOPLE

The FREQ Procedure

OOA_Exceeds	Frequency	Percent
0	27	64.29
1	15	35.71

FCSM 5.9: CREDIBILITY

Survey: Likelihood to Recommend Mobile Unit (N=315)

Definitely will=267 (84.8%) | Probably will=18 (5.7%)

Combined: 90.5% would recommend the Mobile Health Unit

The FREQ Procedure

<i>Recommend</i>	<i>Frequency</i>	<i>Percent</i>
	26	8.25
<i>Definitely will</i>	267	84.76
<i>Probably will</i>	18	5.71
<i>Definitely will not</i>	2	0.63
<i>Probably will not</i>	1	0.32
<i>Response</i>	1	0.32

FCSM 5.9: CREDIBILITY

Survey: Would Have Gotten Care Elsewhere If MHU Not Present

No=202 (64.1%) - would NOT have gotten care elsewhere

64.1% quantifies direct unmet need the MHU is addressing

Yes=91 (28.9%) - confirms MHU is reaching underserved not substituting

The FREQ Procedure

<i>CareElsewhere</i>	<i>Frequency</i>	<i>Percent</i>
	21	6.67
No	202	64.13
Yes	91	28.89
Response	1	0.32

FCSM 5.9: CREDIBILITY
Survey Language: English=198 (63.1%) | Spanish=116 (36.9%)

The FREQ Procedure

<i>Language</i>	<i>Frequency</i>	<i>Percent</i>
<i>en</i>	198	63.06
<i>es</i>	116	36.94
<i>Frequency Missing = 1</i>		

FCSM 5.10-5.11: SECURITY AND CONFIDENTIALITY
Complete Variable Inventory: Confirms No PII in Tracking Sheet

The CONTENTS Procedure

<i>Data Set Name</i>	WORK.MHU	<i>Observations</i>	85
<i>Member Type</i>	DATA	<i>Variables</i>	49
<i>Engine</i>	V9	<i>Indexes</i>	0
<i>Created</i>	06/25/2026 09:35:47	<i>Observation Length</i>	456
<i>Last Modified</i>	06/25/2026 09:35:47	<i>Deleted Observations</i>	0
<i>Protection</i>		<i>Compressed</i>	NO
<i>Data Set Type</i>		<i>Sorted</i>	NO
<i>Label</i>			
<i>Data Representation</i>	WINDOWS_64		
<i>Encoding</i>	wlatin1 Western (Windows)		

Engine/Host Dependent Information

<i>Data Set Page Size</i>	65536
<i>Number of Data Set Pages</i>	1
<i>First Data Page</i>	1
<i>Max Obs per Page</i>	143
<i>Obs in First Data Page</i>	85
<i>Number of Data Set Repairs</i>	0
<i>ExtendObsCounter</i>	YES
<i>Filename</i>	C:\Users\sbuaka\AppData\Local\Temp\SAS Temporary Files_TD24476_HECH-20251129_mhu.sas7bdat
<i>Release Created</i>	9.0401M5
<i>Host Created</i>	X64_10PRO
<i>Owner Name</i>	WELD\sbuaka
<i>File Size</i>	128KB
<i>File Size (bytes)</i>	131072

FCSM 5.10-5.11: SECURITY AND CONFIDENTIALITY
Complete Variable Inventory: Confirms No PII in Tracking Sheet

The CONTENTS Procedure

<i>Variables in Creation Order</i>					
#	Variable	Type	Len	Format	Informat
1	Year	Num	8	BEST12.	BEST32.
2	EventDate	Num	8	MMDDYY10.	MMDDYY10.
3	Month	Num	8	BEST12.	BEST32.
4	Quarter	Num	8	BEST12.	BEST32.
5	EventName	Char	60	\$60.	\$60.
6	Region	Char	18	\$18.	\$18.
7	Address	Char	45	\$45.	\$45.
8	Addr_Complete	Num	8	BEST12.	BEST32.
9	EventHours	Num	8	BEST12.	BEST32.
10	EventType	Char	7	\$7.	\$7.
11	EventResponse	Char	9	\$9.	\$9.
12	PHS_Attended	Char	1	\$1.	\$1.
13	PHS_Staff	Num	8	BEST12.	BEST32.
14	PHS_StaffHours	Num	8	BEST12.	BEST32.
15	PHS_Engage	Num	8	BEST12.	BEST32.
16	PHS_People	Num	8	BEST12.	BEST32.
17	PHS_EngRatio	Num	8	BEST12.	BEST32.
18	PHS_HrsRatio	Num	8	BEST12.	BEST32.
19	STI_YN	Char	1	\$1.	\$1.
20	STI_People	Num	8	BEST12.	BEST32.
21	STI_Tests	Num	8	BEST12.	BEST32.
22	STI_Ratio	Num	8	BEST12.	BEST32.
23	Imm_YN	Char	1	\$1.	\$1.
24	Imm_People	Num	8	BEST12.	BEST32.
25	Imm_Count	Num	8	BEST12.	BEST32.
26	CH_Attended	Char	1	\$1.	\$1.
27	CH_Staff	Num	8	BEST12.	BEST32.
28	CH_StaffHours	Num	8	BEST12.	BEST32.
29	CH_Engage	Num	8	BEST12.	BEST32.
30	CH_ScrRatio	Num	8	BEST12.	BEST32.
31	CH_HrsRatio	Num	8	BEST12.	BEST32.
32	CH_Screen_YN	Char	1	\$1.	\$1.
33	CH_Screen_People	Num	8	BEST12.	BEST32.
34	CH_Screen_Count	Num	8	BEST12.	BEST32.
35	CH_OOR	Num	8	BEST12.	BEST32.
36	CH_OOR_Rate	Num	8	BEST12.	BEST32.
37	CH_OOR_A1C	Num	8	BEST12.	BEST32.
38	OOR_Exceeds	Num	8	BEST12.	BEST32.

FCSM 5.10-5.11: SECURITY AND CONFIDENTIALITY
Complete Variable Inventory: Confirms No PII in Tracking Sheet

The CONTENTS Procedure

<i>Variables in Creation Order</i>					
<i>#</i>	<i>Variable</i>	<i>Type</i>	<i>Len</i>	<i>Format</i>	<i>Informat</i>
39	Narcan_YN	Char	1	\$1.	\$1.
40	Narcan_Count	Num	8	BEST12.	BEST32.
41	EH_Attended	Char	20	\$20.	\$20.
42	EH_Present	Num	8	BEST12.	BEST32.
43	EH_Staff	Num	8	BEST12.	BEST32.
44	EH_StaffHours	Num	8	BEST12.	BEST32.
45	EH_Engage	Num	8	BEST12.	BEST32.
46	EH_HrsRatio	Num	8	BEST12.	BEST32.
47	BLT_YN	Char	1	\$1.	\$1.
48	BLT_Count	Num	8	BEST12.	BEST32.
49	BLT_Elevated	Num	8	BEST12.	BEST32.

FCSM 5.10-5.11: SECURITY AND CONFIDENTIALITY
Key Variable Completeness

The MEANS Procedure

<i>Variable</i>	<i>N</i>	
	<i>N</i>	<i>Miss</i>
PHS_Engage	57	28
CH_Engage	42	43
EH_Engage	11	74
BLT_Count	7	78
STI_Tests	35	50

PROGRAMME SUMMARY STATISTICS
Complete Programme Summary by Year

The MEANS Procedure

Year	N		Variable	N	Sum	Mean	Median	Std Dev
	Obs							
2025	54	PHS_Engage	35	354.00	10.11	8.00	9.11	
		PHS_People	35	248.00	7.09	5.00	8.99	
		STI_Tests	17	475.00	27.94	24.00	25.94	
		STI_People	17	96.00	5.65	5.00	6.01	
		Imm_Count	25	203.00	8.12	4.00	13.70	
		CH_Engage	29	692.00	23.86	14.00	25.44	
		CH_Screen_Count	29	2081.00	71.76	33.00	92.70	
		CH_Screen_People	29	584.00	20.14	14.00	19.10	
		EH_Engage	10	237.00	23.70	11.00	29.30	
		BLT_Count	6	16.00	2.67	2.50	2.66	
		EventHours	52	194.30	3.74	3.00	1.71	
2026	31	PHS_Engage	22	457.00	20.77	15.00	20.50	
		PHS_People	22	292.00	13.27	8.00	13.26	
		STI_Tests	18	874.00	48.56	35.00	46.85	
		STI_People	18	150.00	8.33	6.50	8.01	
		Imm_Count	14	124.00	8.86	4.00	10.59	
		CH_Engage	13	439.00	33.77	31.00	19.58	
		CH_Screen_Count	13	1109.00	85.31	52.00	88.65	
		CH_Screen_People	13	222.00	17.08	15.00	9.59	
		EH_Engage	1	32.00	32.00	32.00	.	
		BLT_Count	1	4.00	4.00	4.00	.	
		EventHours	30	96.50	3.22	3.00	1.23	

DEFINITIVE STATISTICAL FINDINGS SUMMARY

=====

MHU PHASE 1 - DEFINITIVE STATISTICAL FINDINGS

Weld County DPHE | Selorm Buaka | June 2026

=====

NORMALITY (Section 1)

All key ratio variables non-normal (Shapiro-Wilk $p < 0.01$)

Justifies Mann-Whitney and Kruskal-Wallis throughout

MISSING DATA (Section 2)

PHS/CH/EH missingness: structural (blank=not offered) NOT systematic

STI Tests missingness: $\chi^2=4.70$ $p=0.030$ SYSTEMATIC by year

(proportionally more STI events in 2026 - correct, not a data error)

FCSM 5.1 RELEVANCE

PHS Engage/event: $U=191$ $p=0.0015$ $r=0.504$ [0.265,0.685] LARGE *

PHS People/event: $U=262$ $p=0.043$ $r=0.321$ [0.059,0.541] MEDIUM *

CH Engage/event: $U=124$ $p=0.079$ $r=0.345$ [0.037,0.593] MEDIUM ns

CH annualised: 1038 vs 1054 = STABLE (raw 692 vs 439 is artefact)

PHS annualised: 531 vs 1097 = LARGE increase

STI annualised: 712 vs 2098 = nearly tripled

Seasonal sensitivity: 2026 Apr/May means (31.4/40.0) exceed 2025

baseline (Jun-Dec mean=10.2). Annualised increase is genuine.

FCSM 5.5 GRANULARITY

EH $n=20$: power=35.2% at $d=0.5$ | Need $n=63$ for 80% power

ALL EH INFERENTIAL ANALYSIS INVALID. DESCRIPTIVE ONLY.

DEFINITIVE STATISTICAL FINDINGS SUMMARY

FCSM 5.6 ACCURACY

STI Ratio: U=122 p=0.845 r=0.043 [-0.310,0.386] NEGLIGIBLE - GOOD

CV 23.2->14.1%. Levene p=0.293 / F-test p=0.138 - not formally sig

PHS Eng Ratio: U=246 p=0.139 r=0.244 [-0.035,0.488] SMALL ns

CV 115.9->58.0%. F-TEST p=0.003 * VARIANCE FORMALLY REDUCED

CH Scr Ratio: U=118 p=0.053 r=0.374 [0.068,0.616] MEDIUM borderline

CH OOR Rate: U=122 p=0.073 r=0.353 [0.045,0.599] MEDIUM borderline

FCSM 5.7 COHERENCE

Address: chi2=14.856 p<0.0001 | 68.5%->22.6% HIGHLY SIGNIFICANT

Logistic MAR: H-L chi2=0.361 p=0.948 GOOD FIT | AUC=0.777 FAIR

Year OR=0.091 [0.029,0.289] p<0.001 - Year drives missingness

Accuracy=75.0% Sensitivity=81.8% Specificity=67.5%

Conclusion: MAR confirmed. Year 2026 primary predictor.

CORRELATIONS (Section 3) - All with 95% CI

CH Staff vs Screenings: r=0.683 [0.471,0.820] p<0.001 *** n=40

CH Staff vs Engagements: r=0.445 [0.163,0.660] p=0.003 ** n=42

PHS Staff vs STI Tests: r=0.565 [0.286,0.756] p<0.001 *** n=35

PHS Staff vs People: r=0.325 [0.071,0.540] p=0.014 * n=57

EventHours vs CH Engage: r=0.389 [0.092,0.622] p=0.012 * n=41

PHS vs CH Engage (co): r=0.599 [0.183,0.833] p=0.009 ** n=18

PHS Staff vs Engage: r=0.257 [-0.004,0.485] p=0.054 ns n=57

KRUSKAL-WALLIS (Section 4)

PHS Engage by Region: H=16.685 p=0.0008 | eps2=0.263 LARGE ***

DEFINITIVE STATISTICAL FINDINGS SUMMARY

Dunn post-hoc (Bonferroni):

Greeley/Evans vs Windsor/Severance: $z=3.021$ $p_{\text{bonf}}=0.015$ *

Greeley/Evans vs Southeast: $z=2.740$ $p_{\text{bonf}}=0.037$ *

All other pairs: ns

CH Engage by Region: $H=3.286$ $p=0.511$ NOT significant

FCSM 5.9 CREDIBILITY

STI ratio: mean=5.547 95%CI=[5.168,5.926] median=6.000

Survey recommend: 90.5% (285/315) would recommend

Survey unmet need: 64.1% (202/315) no care elsewhere

=====