




- Create Maven Project




- Create dependencies




- Create a Package And class for testing Home Page




- Screenshot dependencies




- In com.redbus.qa.base Package Create a class as TestBase




- In com.redbus.qa.pages Package Create a class as HomePage




- In com.redbus.qa. resources Package Create a file as TestNgRunner.xml




- In com.redbus.qa.Tests Package Create a class as TestHomePage



- In com.redbus.qa. Utilities Package Create a class as Utilities



- OutPut For HomePageTest



- Git push

```
MINGW64/c/Users/selva/OneDrive/Desktop/lessonend/lessonendphase2
selva@Selva MINGW64 ~/OneDrive/Desktop/lessonend/lessonendphase2 (master)
$ nano .gitignore
selva@Selva MINGW64 ~/OneDrive/Desktop/lessonend/lessonendphase2 (master)
$ git status
on branch master
No commits yet
Untracked files:
  (use "git add ..." to include in what will be committed)
        .classpath
        .gitignore
        .project
        .settings/
        pom.xml
        projectReport.html
        src/
        target/
        test-output/

nothing added to commit but untracked files present (use "git add" to track)
selva@Selva MINGW64 ~/OneDrive/Desktop/lessonend/lessonendphase2 (master)
$ git add .
warning: in the working copy of '.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'projectReport.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/Default suite/Default test.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/Default suite/Default test.xml', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/jquery-3.6.0.min.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/junitreports/TEST-com.redbus.qa.Tests.TestHomePage.xml', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/old/Default suite/classes.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/old/Default suite/index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/old/Default suite/main.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/old/Default suite/methods-alphabetical.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/old/Default suite/methods-not-run.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/old/Default suite/methods.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/old/Default suite/toc.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/old/index.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/testing-reports.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/testing-reports.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/testing-reports1.css', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/testing-reports2.js', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'test-output/testing.css', LF will be replaced by CRLF the next time Git touches it
selva@Selva MINGW64 ~/OneDrive/Desktop/lessonend/lessonendphase2 (master)
$ git commit -m"Project Done"
[master (root-commit) 09484e9] Project Done
52 files changed, 2434 insertions(+)
create mode 100644 .classpath
create mode 100644 .gitignore
create mode 100644 .project
create mode 100644 .settings/org.eclipse.jdt.core.prefs
create mode 100644 .settings/org.eclipse.m2e.core.prefs
create mode 100644 pom.xml
create mode 100644 projectReport.html
create mode 100644 src/test/java/com/redbus/qa/Tests/TestHomePage.java
create mode 100644 src/test/java/com/redbus/qa/Utilities/Xls_DataProvider.java
create mode 100644 src/test/java/com/redbus/qa/base/TestBase.java
```

```
2/pom.properties
create mode 100644 target/classes/META-INF/maven/lessonendphase2/lessonendphase
2/pom.xml
create mode 100644 target/test-classes/com/redbus/qa/Tests/TestHomePage.class
create mode 100644 target/test-classes/com/redbus/qa/Utilities/Xls_DataProvider
.class
create mode 100644 target/test-classes/com/redbus/qa/base/TestBase.class
create mode 100644 target/test-classes/com/redbus/qa/pages/HomePage.class
create mode 100644 target/test-classes/com/redbus/qa/resources/TestingRunner.xml
create mode 100644 test-output/Default suite/Default test.html
create mode 100644 test-output/Default suite/Default test.xml
create mode 100644 test-output/Default suite/testng-failed.xml
create mode 100644 test-output/bullet.png
create mode 100644 test-output/collapseall.gif
create mode 100644 test-output/emailable-report.html
create mode 100644 test-output/failed.png
create mode 100644 test-output/index.html
create mode 100644 test-output/jquery-3.6.0.min.js
create mode 100644 test-output/junitreports/TEST-com.redbus.qa.Tests.TestHomePa
ge.xml
create mode 100644 test-output/navigator-bullet.png
create mode 100644 test-output/old/Default suite/Default test.properties
create mode 100644 test-output/old/Default suite/classes.html
create mode 100644 test-output/old/Default suite/groups.html
create mode 100644 test-output/old/Default suite/index.html
create mode 100644 test-output/old/Default suite/main.html
create mode 100644 test-output/old/Default suite/methods-alphabetical.html
create mode 100644 test-output/old/Default suite/methods-not-run.html
create mode 100644 test-output/old/Default suite/methods.html
create mode 100644 test-output/old/Default suite/reporter-output.html
create mode 100644 test-output/old/Default suite/testing.xml.html
create mode 100644 test-output/old/Default suite/toc.html
create mode 100644 test-output/old/index.html
create mode 100644 test-output/passed.png
create mode 100644 test-output/skipped.png
create mode 100644 test-output/testing-failed.xml
create mode 100644 test-output/testing-reports.css
create mode 100644 test-output/testing-reports.js
create mode 100644 test-output/testing-reports1.css
create mode 100644 test-output/testing-reports2.js
create mode 100644 test-output/testing-results.xml
create mode 100644 test-output/testing.css
selva@Selva MINGW64 ~/OneDrive/Desktop/lessonend/lessonendphase2 (master)
$ git remote add origin git@github.com:Selvakumar9500/phase2LS1Project.git
selva@Selva MINGW64 ~/OneDrive/Desktop/lessonend/lessonendphase2 (master)
$ git push -u origin master
Enumerating objects: 82, done.
Counting objects: 100% (82/82), done.
Delta compression using up to 12 threads
Compressing objects: 100% (69/69), done.
Writing objects: 100% (82/82), 59.93 KiB | 276.00 KiB/s, done.
Total 82 (delta 4), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (4/4), done.
To github.com:Selvakumar9500/phase2LS1Project.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
selva@Selva MINGW64 ~/OneDrive/Desktop/lessonend/lessonendphase2 (master)
$ |
```

- Github repository link
<https://github.com/Selvakumar9500/phase2LS1Project.git>