


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Validate Offers section	2 m 18.319 s	1	0	1	0	6	0	0	6
Validate Offers section	2 m 31.033 s	1	0	1	0	6	0	0	6
Launch MakeMyTrip Website	4 m 20.156 s	4	0	4	0	17	5	3	9
Validate the Menu options available in the Home Page	4 m 31.037 s	5	1	4	0	33	7	2	24

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Validate Offers section	Verify Offers Section
2		Validate user is able to switch to frames
3	Launch MakeMyTrip Website	Book bus functionality for different locations
4		Book bus functionality for different locations
5		MakeMyTrip page is loaded
6		Book hotel at Bangalore
7	Validate the Menu options available in the Home Page	User is able to change Country/Currency/Language
8		User is able to change Country/Currency/Language
9		User is able to change Country/Currency/Language
10		User is able to change Country/Currency/Language


TAG	Scenario Feature		Scenario					
Name	T	P	F	S	T	P	F	S
@SmokeTest	2	0	2	0	1	0	1	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	<u>Validate Offers section</u>	1	0	1	0	2 m 18.319 s
2	Validate Offers section	1	0	1	0	2 m 31.033 s
3	Launch MakeMyTrip Website	4	0	4	0	4 m 20.156 s
4	Validate the Menu options available in the Home Page	5	1	4	0	4 m 31.037 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Validate Offers section	Verify Offers Section	6	0	0	6	2 m 18.302 s
2		Validate user is able to switch to frames	6	0	0	6	2 m 31.033 s
3	Launch MakeMyTrip Website	Book bus functionality for different locations	5	1	1	3	3 m 14.318 s
4		Book bus functionality for different locations	5	3	1	1	4 m 20.130 s
5		MakeMyTrip page is loaded	3	0	0	3	2 m 18.029 s
6		Book hotel at Bangalore	4	1	1	2	2 m 43.952 s
7	Validate the Menu options available in the Home Page	User is able to change Country/Currency/Language	7	0	0	7	2 m 24.085 s
8		User is able to change Country/Currency/Language	7	1	1	5	3 m 27.798 s
9		User is able to change Country/Currency/Language	7	0	0	7	2 m 24.062 s
10		User is able to change Country/Currency/Language	7	1	1	5	3 m 7.576 s


SCENARIOS SUMMARY -- 7




#	#	Feature Name	Scenario Name	T	P	F	S	Duration
1	11	Validate the Menu options available in the Home Page	<u>User selects MyBiz Menu</u>	5	5	0	0	1 m 59.666 s

DETAILED SECTION -- 8 --

Validate Offers section



Verify Offers Section




#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	2 m 18.205 s
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.4' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:161)	FAILED	2 m 18.205 s
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:155)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:150)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:132) at org.openga.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127)</init></init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:127)</init>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:28) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:19)</init>		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.001 s
2	And The Account Creation page is loaded	SKIPPED	0.001 s
3	Given The user has navigated to Offers section	SKIPPED	0.001 s
4	And The user has clicked on Trains tab	SKIPPED	0.000 s
5	When The user clicks on an Book Now in Offer	SKIPPED	0.000 s
6	Then The Offer has to load in a new tab	SKIPPED	0.001 s

Validate Offers section

Scenarios		Steps	
Total - 1		Total - 6	
Pass - 0	1	Pass - 0	6
Fail - 1		Fail - 0	
Skip - 0		Skip - 6	
	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1. Total - 6 Pass - 0 Fail - 0

Validate user is able to switch to frames



#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	2 m 30.792 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port. Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.4' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}}]]		

DETAILED SECTION -- 10 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:155)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:150)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:132)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:127)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:112)</init>		
	at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:28)		
	at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:19)		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.102 s
2	And User has navigated to "Flights" tab	SKIPPED	0.001 s
3	Given The user is able to see Myra icon	SKIPPED	0.002 s
4	And The user has clicked on it	SKIPPED	0.001 s
5	When The Chat window is opened	SKIPPED	0.001 s
6	Then user should be able to type in any questions	SKIPPED	0.001 s

Launch MakeMyTrip Website



Book bus functionality for different locations


DETAILED SECTION -- 11 --



Given The browser is launched with "https://www.makemytrip.com" And User has navigated to "Bus" tab org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@data-cy='closeModal'] For documentation on this please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.opselenium.firefox.FirefoxDriver Command: [938e2546-1d40-4aa9-8692-e8d2666c1c8d, findElement {using=xpath, value=//span[@datacy='closeModal']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: fmoz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 270 moz:profile: C:\Users\MUTHUS~1.RAJ\AppDa, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {imp pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10) Session	'4.21.0', penqa. alse, 20,	1 m 32.578 s 12.605 s
org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@data-cy='closeModal'] For documentation on this please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.opselenium.firefox.FirefoxDriver Command: [938e2546-1d40-4aa9-8692-e8d2666c1c8d, findElement {using=xpath, value=//span[@data-cy='closeModal']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: fmoz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 270 moz:profile: C:\Users\MUTHUS~1.RAJ\AppDa, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {imp	error, '4.21.0', penqa alse, 20,	12.605 s
please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.ol selenium.firefox.FirefoxDriver Command: [938e2546-1d40-4aa9-8692-e8d2666c1c8d, findElement {using=xpath, value=//span[@datacy='closeModal']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: f. moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 270 moz:profile: C:\Users\MUTHUS~1.RAJ\AppDa, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {imp	'4.21.0', penqa. alse, 20,	
at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:359) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.work.framework.Pages.HomePage.closePopup(HomePage.java:32) at com.work.framework.Pages.HomePage.closePopup(HomePage.java:32) at com.work.framework.StepDefinitions.StepDef.user_has_navigated_to_tab(StepDef.java:67) at ?.User has navigated to "Bus" tab(file:///C./Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/src/test/resources/fe	atures/	

#	Step / Hook Details	Status	Duration
3	When The user enters "Bangalore" location and "Hyderabad" location	SKIPPED	0.003 s
4	And I click on Search	SKIPPED	0.001 s
5	Then User should be able to view the list of available buses	SKIPPED	0.001 s

Book bus functionality for different locations




#	Step / Hook Details	Status	Duration
1	Given The browser is launched with "https://www.makemytrip.com"	PASSED	2 m 32.695 s
2	And User has navigated to "Bus" tab	PASSED	4.066 s
3	When The user enters "Chennai" location and "Bangalore" location	PASSED	20.238 s
4	And I click on Search	FAILED	10.433 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //a[text()='Search'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium. firefox.FirefoxDriver Command: [Odbc0f91-6018-4b78-b6f7-2a409d6cf95b, findElement {using=xpath, value=//a[text()='Search']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:peckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 26524, moz:profile: C:\Users\MUTHUS=1.RAJ\AppDa, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10} Session ID: 0dbc0f91-6018-4b78-b6f7-2a409d6cf95b at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.enter.ent		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at com.work.framework.Pages.BusBookingPage.clickSearch(BusBookingPage.java:57)		
	at com.work.framework.StepDefinitions.StepDef.i_click_on_search(StepDef.java:94)		
	at ?.I click on Search(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/src/test/resources/features/TestMakeMyTrip.		
	feature:19)		
	* Not displayable characters are replaced by '?'.		
5	Then User should be able to view the list of available buses	SKIPPED	0.000 s


MakeMyTrip page is loaded



#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	2 m 17.985 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.4' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)} at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)} at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)} at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)} at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:161)} at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:161)} at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:161)}		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:28) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:19)</init></init></init></init>		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.000 s
2	When The Account Creation page is loaded	SKIPPED	0.001 s
3	Then Validate the header of the page	SKIPPED	0.001 s

Book hotel at Bangalore




#	Step / Hook Details	Status	Duration
1	Given The browser is launched with "https://www.makemytrip.com"	PASSED	1 m 13.352 s
2	And User has navigated to "Hotels" tab	FAILED	15.409 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@data-cy='closeModal'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa. selenium.firefox.FirefoxDriver Command: [40aae717-e0a9-41ab-81cd-18eedbe6c42d, findElement {using=xpath, value=//span[@data-cy='closeModal']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 26632, moz:profile: C:\Users\MUTHUS~1.RAJ\AppDa, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10} Session ID: 40aae717-e0a9-41ab-81cd-18eedbe6c42d at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at com.work.framework.Pages.HomePage.closePopup(HomePage.java:32)		
	at com.work.framework.StepDefinitions.StepDef.user_has_navigated_to_tab(StepDef.java:67)		
	at ?.User has navigated to "Hotels" tab(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/src/test/resources/features/		
	TestMakeMyTrip.feature:10)		
	* Not displayable characters are replaced by '?'.		
3	When The User enters "Bangalore" as City	SKIPPED	0.001 s
4	Then Click on Search Button	SKIPPED	0.002 s


Validate the Menu options available in the Home Page





DETAILED SECTION -- 16 --


#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	2 m 23.921 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: CDC2-L-3FH82B3', ip: '192.168.1.4' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities= Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.firefox.FirefoxDriver. at org.openqa.selenium.firefox.FirefoxDriver. at org.openqa.selenium.firefox.FirefoxDriver. hat org.openqa.s		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.001 s
2	And The Account Creation page is loaded	SKIPPED	0.001 s
3	Given The user has clicked on the Country selection Menu	SKIPPED	0.001 s
4	And The selection window has been opened with "Country, Currency, Language"	SKIPPED	0.002 s
5	When The user has selected the options "India" "Indian Rupee" "English"	SKIPPED	0.016 s
6	And The user has clicked on Apply	SKIPPED	0.049 s
7	Then The page should be changed with the selections accordingly "INR"	SKIPPED	0.021 s



#	Step / Hook Details	Status	Duration
	Given The browser is launched with "https://www.makemytrip.com"	PASSED	1 m 15.630 s
	And The Account Creation page is loaded	FAILED	1 m 6.692 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //input[@data-cy='userName'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa. selenium.firefox.FirefoxDriver Command: [fd8c35a5-8cc9-4ee0-8a4b-507246361700, findElement {using=xpath, value=//input[@data-cy='userName']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 26460, moz:profile: C:\Users\MUTHUS~1.RAJ\AppDa, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10} Session ID: fd8c35a5-8cc9-4ee0-8a4b-507246361700		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		
	at org.openga.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at com.work.framework.Pages.HomePage.validateMobileNumberField(HomePage.java:21)		
	at com.work.framework.StepDefinitions.StepDef.account_creation_page_loaded(StepDef.java:52)		
	at ?.The Account Creation page is loaded(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/src/test/resources/		
	features/ValidateMenuSelection.feature:4)		
	* Not displayable characters are replaced by '?'.		

DETAILED SECTION -- 18 --


#	Step / Hook Details	Status	Duration
3	Given The user has clicked on the Country selection Menu	SKIPPED	0.001 s
4	And The selection window has been opened with "Country, Currency, Language"	SKIPPED	0.001 s
5	When The user has selected the options "India" "Indian Rupee" "Tamil"	SKIPPED	0.000 s
6	And The user has clicked on Apply	SKIPPED	0.005 s
7	Then The page should be changed with the selections accordingly "INR"	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	2 m 23.742 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.4' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:28)</init></init></init></init></init></init>		

DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
	at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:19)		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.153 s
2	And The Account Creation page is loaded	SKIPPED	0.001 s
3	Given The user has clicked on the Country selection Menu	SKIPPED	0.001 s
4	And The selection window has been opened with "Country, Currency, Language"	SKIPPED	0.016 s
5	When The user has selected the options "United Arab Emirates" "United Arab Emirates Dirham" "Arabic"	SKIPPED	0.000 s
6	And The user has clicked on Apply	SKIPPED	0.002 s
7	Then The page should be changed with the selections accordingly "AED"	SKIPPED	0.002 s




#	Step / Hook Details	Status	Duration
1	Given The browser is launched with "https://www.makemytrip.com"	PASSED	1 m 31.193 s
2	And The Account Creation page is loaded	FAILED	21.691 s
	org.openqa.selenium.NoSuchElementException: Unable to locate element: //input[@data-cy='userName'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa. selenium.firefox.FirefoxDriver Command: [cc099968-6f22-4153-b591-17b20b2d4660, findElement {using=xpath, value=//input[@data-cy='userName']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 26540, moz:profile: C:\Users\MUTHUS~1.RAJ\AppDa, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10} Session ID: cc099968-6f22-4153-b591-17b20b2d4660 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

DETAILED SECTION -- 20 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.Codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.work.framework.Pages.HomePage.validateMobileNumberField(HomePage.java:21) at com.work.framework.StepDefinitions.StepDef.account_creation_page_loaded(StepDef.java:52) at ?.The Account Creation page is loaded(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/src/test/resources/features/ValidateMenuSelection.feature:4) * Not displayable characters are replaced by '?'.		
3	Given The user has clicked on the Country selection Menu	SKIPPED	0.000 s
4	And The selection window has been opened with "Country, Currency, Language"	SKIPPED	0.001 s
5	When The user has selected the options "Global" "US Dollar" "English"	SKIPPED	0.003 s
6	And The user has clicked on Apply	SKIPPED	0.000 s
7	Then The page should be changed with the selections accordingly "INR"	SKIPPED	0.001 s

User selects MyBiz Menu



#	Step / Hook Details	Status	Duration
1	Given The browser is launched with "https://www.makemytrip.com"	PASSED	32.496 s
2	And The Account Creation page is loaded	PASSED	12.709 s
3	Given The user hovers on the myBiz Menu	PASSED	3.896 s
4	When The Popup has been displayed	PASSED	1.782 s
	MyBiz Popup :Planning a Business Trip ?		

DETAILED SECTION -- 21 --

#	Step / Hook Details	Status	Duration
5	Then User validating the title of the popup	PASSED	1.571 s