# Cucumber Report

| Start : Sep 03, 2:54:58.366 PM | End : Sep 03, 2:55:47.427 PM | Duration : 49.061 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 4<br>FAILED - 1<br>SKIPPED - 1 |



Features: 1



Scenarios: 1



Steps: 6



Pass % — 0 %



Pass % — 0 %



Pass % — 66 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| **Name** | **Duration** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *Read data from Json and input in the OrangeHRM UI* | *49.061 s* | *1* | *0* | *1* | *0* | *6* | *4* | *1* | *1* |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | Read data from Json and input in the OrangeHRM UI | Add Users in Admin Portal |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Read data from Json and input in the OrangeHRM UI | 1 | 0 | 1 | 0 | 49.061 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Read data from Json and input in the OrangeHRM UI | Add Users in Admin Portal | 6 | 4 | 1 | 1 | 49.051 s |

# Read data from Json and input in the OrangeHRM UI

| FAILED | DURATION - 49.061 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | | Steps<br>Total - 6<br>Pass - 4<br>Fail - 1<br>Skip - 1 | |
|---|---|---|---|---|---|
| / 2:54:58.366 PM // 2:55:47.427 PM / | | | | | |

## Add Users in Admin Portal

| FAILED | DURATION - 49.051 s | | Steps<br>Total - 6<br>Pass - 4<br>Fail - 1<br>Skip - 1 | |
|---|---|---|---|---|
| / 2:54:58.376 PM // 2:55:47.427 PM / | | | | |
| Read data from Json and input in the OrangeHRM UI | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is logged in to OrangeHRM portal | PASSED | 17.082 s |
| | --- Navigating to URL: https://opensource-demo.orangehrmlive.com/web/index.php/auth/login | | |
| 2 | When The user has navigated to Admin tab | PASSED | 5.001 s |
| | --- Navigating to PIM Tab | | |
| 3 | Given The user clicked on Add Users button | PASSED | 2.503 s |
| | --- Navigating to Add Employee Page | | |
| 4 | When The Add User page is loaded | PASSED | 0.977 s |
| | --- User is at Add Employee Page | | |
| 5 | And User has to enter the details "<fname>" "<lname>" "<mname>" "<empid>" | FAILED | 1.088 s |
| | io.cucumber.core.internal.com.fasterxml.jackson.databind.exc.MismatchedInputException: Cannot deserialize value of type `com.work.framework.UserData` from Array value (token `JsonToken.START_ARRAY`)  at [Source: REDACTED (`StreamReadFeature.INCLUDE_SOURCE_IN_LOCATION` disabled); line: 1, column: 1]<br>    at io.cucumber.core.internal.com.fasterxml.jackson.databind.exc.MismatchedInputException.from(MismatchedInputException.java:59)<br>    at io.cucumber.core.internal.com.fasterxml.jackson.databind.DeserializationContext.reportInputMismatch(DeserializationContext.java:1767)<br>    at io.cucumber.core.internal.com.fasterxml.jackson.databind.DeserializationContext.handleUnexpectedToken(DeserializationContext.java:1541)<br>    at io.cucumber.core.internal.com.fasterxml.jackson.databind.DeserializationContext.handleUnexpectedToken(DeserializationContext. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | java:1488)<br>   at io.cucumber.core.internal.com.fasterxml.jackson.databind.deser.BeanDeserializer._deserializeFromArray(BeanDeserializer.java:654)<br>   at io.cucumber.core.internal.com.fasterxml.jackson.databind.deser.BeanDeserializer._deserializeOther(BeanDeserializer.java:211)<br>   at io.cucumber.core.internal.com.fasterxml.jackson.databind.deser.BeanDeserializer.deserialize(BeanDeserializer.java:187)<br>   at io.cucumber.core.internal.com.fasterxml.jackson.databind.deser.DefaultDeserializationContext.<br>readRootValue(DefaultDeserializationContext.java:342)<br>   at io.cucumber.core.internal.com.fasterxml.jackson.databind.ObjectMapper._readMapAndClose(ObjectMapper.java:4905)<br>   at io.cucumber.core.internal.com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3713)<br>   at com.work.framework.StepDefinitions.TestDataStepDef.user_has_to_enter(TestDataStepDef.java:62)<br>   at ?.User has to enter the details "\<fname\>" "\<lname\>" "\<mname\>" "\<empid\>"(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/<br>TestNGSeleniumProject/src/test/resources/features/TestDataUnderstanding.feature:8)<br>* Not displayable characters are replaced by '?'. | | |
| 6 | Then User has to click on Save button | SKIPPED | 0.001 s |