

Cucumber Report

Sep 5, 2025, 4:06:48 PM

Start : Sep 05, 3:59:37.255 PM

End : Sep 05, 4:06:45.874 PM

Duration : 7 m 8.619 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 2
FAILED - 2
SKIPPED - 0

PASSED - 6
FAILED - 0
SKIPPED - 6




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test user is able to confirm alerts</u>	7 m 8.619 s	4	2	2	0	12	6	0	6

#	Feature Name	Scenario Name
1	<u>Test user is able to confirm alerts</u>	<u>User has to click on Launch Alert</u>
2		<u>User has to click on Launch Alert</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Test user is able to confirm alerts</u>	4	2	2	0	7 m 8.619 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test user is able to confirm alerts</u>	<u>User has to click on Launch Alert</u>	3	3	0	0	25.734 s
2		<u>User has to click on Launch Alert</u>	3	3	0	0	21.762 s
3		<u>User has to click on Launch Alert</u>	3	0	0	3	3 m 10.660 s
4		<u>User has to click on Launch Alert</u>	3	0	0	3	3 m 10.348 s

Test user is able to confirm alerts



FAILED	DURATION - 7 m 8.619 s	Scenarios		Steps	
/ 3:59:37.255 PM // 4:06:45.874 PM /		Total - 4		Total - 12	
		Pass - 2		Pass - 6	
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 6	

User has to click on Launch Alert

<div>PASSED</div>	<div>DURATION - 25.734 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:59:37.269 PM // 4:00:03.003 PM /</div>				
<div>Test user is able to confirm alerts</div>				



#	Step / Hook Details	Status	Duration
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html"	PASSED	7.399 s
	---URL has been loaded : https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html		
	---Title of the page is : Dialog boxes		
2	When The user has clicked on "Launch alert"	PASSED	0.598 s
	---Launch alert has been clicked -----		
3	Then User has to click on the "accept" button	PASSED	0.117 s
	---accept action has been performed in Alert		

User has to click on Launch Alert

<div>PASSED</div>	<div>DURATION - 21.762 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 4:00:03.042 PM // 4:00:24.804 PM /</div>				
<div>Test user is able to confirm alerts</div>				

#	Step / Hook Details	Status	Duration
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html"	PASSED	8.853 s
	---URL has been loaded : https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html		
	---Title of the page is : Dialog boxes		
2	When The user has clicked on "Launch confirm"	PASSED	0.350 s
	---Launch confirm has been clicked -----		
3	Then User has to click on the "dismiss" button	PASSED	0.096 s
	---dismiss action has been performed in Alert		

User has to click on Launch Alert



<div>FAILED</div> <div>DURATION - 3 m 10.660 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
/ 4:00:24.825 PM // 4:03:35.485 PM /				
Test user is able to confirm alerts				

#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	3 m 10.647 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.4'		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)		
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155)		
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150)		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:33) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: driver.version: InitiateDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:399) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:33) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1604) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2006) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2141) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382)		
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html"	SKIPPED	0.001 s
2	When The user has clicked on "Launch prompt"	SKIPPED	0.001 s
3	Then User has to click on the "accept" button	SKIPPED	0.000 s

User has to click on Launch Alert

<div>FAILED</div> <div>DURATION - 3 m 10.348 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
/ 4:03:35.526 PM // 4:06:45.874 PM /				
Test user is able to confirm alerts				

#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.4' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:33) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: driver.version: InitiateDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:399) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150)	FAILED	3 m 10.342 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:33) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134) at java.base/java.util.ArrayList.forEach(ArrayList.java:1604) at org.testng.TestRunner.privateRun(TestRunner.java:739) at org.testng.TestRunner.run(TestRunner.java:614) at org.testng.SuiteRunner.runTest(SuiteRunner.java:421) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373) at org.testng.SuiteRunner.run(SuiteRunner.java:312)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274) at org.testng.TestNG.runSuitesLocally(TestNG.java:1208) at org.testng.TestNG.runSuites(TestNG.java:1112) at org.testng.TestNG.run(TestNG.java:1079) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2006) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2141) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382) </pre>		
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html"	SKIPPED	0.000 s
2	When The user has clicked on "Launch modal"	SKIPPED	0.001 s
3	Then User has to click on the "Save changes" button	SKIPPED	0.001 s