Cucumber Report

Start : Sep 03, 2:56:14.500 PM | **End : Sep 03, 2:56:54.577 PM** | **Duration : 40.077 s**

Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 4
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 1

Features: 1

Scenarios: 1

Steps: 6

Pass %: 0 %

Pass %: 0 %

Pass %: 66 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Read data from Json and input in the OrangeHRM UI	*40.077 s*	*1*	*0*	*1*	*0*	*6*	*4*	*1*	*1*

#	Feature Name	Scenario Name
1	*Read data from Json and input in the OrangeHRM UI*	*Add Users in Admin Portal*

#	Feature Name	T	P	F	S	Duration
1	Read data from Json and input in the OrangeHRM UI	1	0	1	0	40.077 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Read data from Json and input in the OrangeHRM UI	Add Users in Admin Portal	6	4	1	1	40.067 s

Read data from Json and input in the OrangeHRM UI

FAILED	DURATION - 40.077 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 6 Pass - 4 Fail - 1 Skip - 1
/ 2:56:14.500 PM // 2:56:54.577 PM /			

Add Users in Admin Portal

FAILED	DURATION - 40.067 s		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1
/ 2:56:14.510 PM // 2:56:54.577 PM /			
Read data from Json and input in the OrangeHRM UI			

#	Step / Hook Details	Status	Duration
1	Given User is logged in to OrangeHRM portal	PASSED	14.799 s
	--- Navigating to URL: https://opensource-demo.orangehrmlive.com/web/index.php/auth/login		
2	When The user has navigated to Admin tab	PASSED	4.179 s
	--- Navigating to PIM Tab		
3	Given The user clicked on Add Users button	PASSED	1.415 s
	--- Navigating to Add Employee Page		
4	When The Add User page is loaded	PASSED	0.991 s
	--- User is at Add Employee Page		
5	And User has to enter the details "<fname>" "<lname>" "<mname>" "<empid>"	FAILED	0.938 s
	io.cucumber.core.internal.com.fasterxml.jackson.databind.exc.MismatchedInputException: Cannot deserialize value of type `com.work.framework.UserData` from Array value (token `JsonToken.START_ARRAY`) at [Source: REDACTED (`StreamReadFeature.INCLUDE_SOURCE_IN_LOCATION` disabled); line: 1, column: 1] at io.cucumber.core.internal.com.fasterxml.jackson.databind.exc.MismatchedInputException.from(MismatchedInputException.java:59) at io.cucumber.core.internal.com.fasterxml.jackson.databind.DeserializationContext.reportInputMismatch(DeserializationContext.java:1767) at io.cucumber.core.internal.com.fasterxml.jackson.databind.DeserializationContext.handleUnexpectedToken(DeserializationContext.java:1541) at io.cucumber.core.internal.com.fasterxml.jackson.databind.DeserializationContext.handleUnexpectedToken(DeserializationContext.		

#	Step / Hook Details	Status	Duration

	java:1488)
	   at io.cucumber.core.internal.com.fasterxml.jackson.databind.deser.BeanDeserializer._deserializeFromArray(BeanDeserializer.java:654)
	   at io.cucumber.core.internal.com.fasterxml.jackson.databind.deser.BeanDeserializer._deserializeOther(BeanDeserializer.java:211)
	   at io.cucumber.core.internal.com.fasterxml.jackson.databind.deser.BeanDeserializer.deserialize(BeanDeserializer.java:187)
	   at io.cucumber.core.internal.com.fasterxml.jackson.databind.deser.DefaultDeserializationContext.
	readRootValue(DefaultDeserializationContext.java:342)
	   at io.cucumber.core.internal.com.fasterxml.jackson.databind.ObjectMapper._readMapAndClose(ObjectMapper.java:4905)
	   at io.cucumber.core.internal.com.fasterxml.jackson.databind.ObjectMapper.readValue(ObjectMapper.java:3713)
	   at com.work.framework.StepDefinitions.TestDataStepDef.user_has_to_enter(TestDataStepDef.java:62)
	   at ?.User has to enter the details "<fname>" "<lname>" "<mname>" "<empid>"(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/
	TestNGSeleniumProject/src/test/resources/features/TestDataUnderstanding.feature:8)
	* Not displayable characters are replaced by '?'.		

6	Then User has to click on Save button	SKIPPED	0.001 s