

# Cucumber Report

Sep 11, 2025, 11:35:22 PM

Start : Sep 11, 11:28:42.107 PM

End : Sep 11, 11:35:15.956 PM

Duration : 6 m 33.849 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 8  
SKIPPED - 0

PASSED - 3  
FAILED - 15  
SKIPPED - 0

PASSED - 12  
FAILED - 5  
SKIPPED - 70




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test user is able to confirm alerts</u>	6 m 33.849 s	7	3	4	0	33	9	0	24
<u>Validate Upload/Download Functionality</u>	2 m 28.142 s	1	0	1	0	4	0	0	4
<u>Launch MakeMyTrip Website</u>	5 m 58.476 s	4	0	4	0	17	2	3	12
<u>Read data from Json and input in the OrangeHRM UI</u>	2 m 26.441 s	1	0	1	0	6	0	0	6
<u>Validate Offers section</u>	3 m 26.059 s	1	0	1	0	6	1	1	4
<u>Validate Select Menu functionality</u>	4 m 38.562 s	1	0	1	0	3	0	1	2
<u>Validate Offers section</u>	2 m 26.441 s	1	0	1	0	6	0	0	6
<u>Validate the Menu options available in the Home Page</u>	2 m 53.581 s	2	0	2	0	12	0	0	12


#	Feature Name	Scenario Name
1	<u>Test user is able to confirm alerts</u>	<u>User has to click on Launch Alert</u>
2		<u>User is able to change Country/Currency/Language</u>
3		<u>User is able to change Country/Currency/Language</u>
4		<u>User is able to change Country/Currency/Language</u>
5	<u>Validate Upload/Download Functionality</u>	<u>User has to upload file from the local desktop</u>
6	<u>Launch MakeMyTrip Website</u>	<u>MakeMyTrip page is loaded</u>
7		<u>Book bus functionality for different locations</u>
8		<u>Book bus functionality for different locations</u>
9		<u>Book hotel at Bangalore</u>
10	<u>Read data from Json and input in the OrangeHRM UI</u>	<u>Add Users in Admin Portal</u>
11	<u>Validate Offers section</u>	<u>Verify Offers Section</u>
12	<u>Validate Select Menu functionality</u>	<u>Verify user is able to select the values from dropdown</u>
13	<u>Validate Offers section</u>	<u>Validate user is able to switch to frames</u>

#	Feature Name	Scenario Name
14	<u>Validate the Menu options available in the Home Page</u>	<u>User is able to change Country/Currency/Language</u>
15		<u>User selects MyBiz Menu</u>


<b><i>TAG</i></b>	<b><i>Scenario</i></b>				<b><i>Feature</i></b>			
<b><i>Name</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
<i>@SmokeTest</i>	2	0	2	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>Test user is able to confirm alerts</u>	7	3	4	0	6 m 33.849 s
2	<u>Validate Upload/Download Functionality</u>	1	0	1	0	2 m 28.142 s
3	<u>Launch MakeMyTrip Website</u>	4	0	4	0	5 m 58.476 s
4	<u>Read data from Json and input in the OrangeHRM UI</u>	1	0	1	0	2 m 26.441 s
5	<u>Validate Offers section</u>	1	0	1	0	3 m 26.059 s
6	<u>Validate Select Menu functionality</u>	1	0	1	0	4 m 38.562 s
7	<u>Validate Offers section</u>	1	0	1	0	2 m 26.441 s
8	<u>Validate the Menu options available in the Home Page</u>	2	0	2	0	2 m 53.581 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test user is able to confirm alerts</u>	<u>User has to click on Launch Alert</u>	3	3	0	0	3 m 15.647 s
2		<u>User has to click on Launch Alert</u>	3	3	0	0	2 m 49.233 s
3		<u>User has to click on Launch Alert</u>	3	0	0	3	3 m 12.834 s
4		<u>User has to click on Launch Alert</u>	3	3	0	0	3 m 21.350 s
5		<u>User is able to change Country/Currency/Language</u>	7	0	0	7	3 m 12.734 s
6		<u>User is able to change Country/Currency/Language</u>	7	0	0	7	2 m 18.918 s
7		<u>User is able to change Country/Currency/Language</u>	7	0	0	7	3 m 12.431 s
8	<u>Validate Upload/Download Functionality</u>	<u>User has to upload file from the local desktop</u>	4	0	0	4	2 m 28.142 s
9	<u>Launch MakeMyTrip Website</u>	<u>MakeMyTrip page is loaded</u>	3	0	1	2	4 m 11.199 s
10		<u>Book bus functionality for different locations</u>	5	1	1	3	3 m 21.827 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Launch MakeMyTrip Website</u>	<u>Book bus functionality for different locations</u>	5	0	0	5	3 m 13.241 s
12		<u>Book hotel at Bangalore</u>	4	1	1	2	2 m 24.219 s
13	<u>Read data from Json and input in the OrangeHRM UI</u>	<u>Add Users in Admin Portal</u>	6	0	0	6	2 m 26.441 s
14	<u>Validate Offers section</u>	<u>Verify Offers Section</u>	6	1	1	4	3 m 26.059 s
15	<u>Validate Select Menu functionality</u>	<u>Verify user is able to select the values from dropdown</u>	3	0	1	2	4 m 38.561 s
16	<u>Validate Offers section</u>	<u>Validate user is able to switch to frames</u>	6	0	0	6	2 m 26.441 s
17	<u>Validate the Menu options available in the Home Page</u>	<u>User is able to change Country/Currency/Language</u>	7	0	0	7	2 m 34.952 s
18		<u>User selects MyBiz Menu</u>	5	0	0	5	2 m 16.974 s




## Test user is able to confirm alerts



<b>FAILED</b>	DURATION - 6 m 33.849 s	Scenarios Total - 7 Pass - 3 Fail - 4 Skip - 0		Steps Total - 33 Pass - 9 Fail - 0 Skip - 24	
/ 11:28:42.107 PM // 11:35:15.956 PM /					


## User has to click on Launch Alert

<b>PASSED</b>	DURATION - 3 m 15.647 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 11:28:42.123 PM // 11:31:57.770 PM /				
Test user is able to confirm alerts				



#	Step / Hook Details	Status	Duration
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html"	PASSED	1 m 13.648 s
	---URL has been loaded : https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html		
	---Title of the page is : Dialog boxes		
2	When The user has clicked on "Launch alert"	PASSED	22.090 s
	---Launch alert has been clicked -----		
3	Then User has to click on the "accept" button	PASSED	7.400 s
	---accept action has been performed in Alert		
	AFTER_STEP - com.work.framework.StepDefinitions.Hooks.attachScreenshots(io.cucumber.java.Scenario)	PASSED	19.874 s
	webdriver_screenshot		
			

## User has to click on Launch Alert

<div>PASSED</div>	<div>DURATION - 2 m 49.233 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:28:42.131 PM // 11:31:31.364 PM /</div>				
<div>Test user is able to confirm alerts</div>				

#	Step / Hook Details	Status	Duration
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html"	PASSED	1 m 23.419 s
	---URL has been loaded : https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html		
	---Title of the page is : Dialog boxes		
2	When The user has clicked on "Launch confirm"	PASSED	11.873 s
	---Launch confirm has been clicked -----		
3	Then User has to click on the "dismiss" button	PASSED	2.176 s
	---dismiss action has been performed in Alert		
	AFTER_STEP - com.work.framework.StepDefinitions.Hooks.attachScreenshots(io.cucumber.java.Scenario)	PASSED	5.499 s
	webdriver_screenshot		
			



### User has to click on Launch Alert


<div>FAILED</div> <div>DURATION - 3 m 12.834 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
/ 11:28:42.132 PM // 11:31:54.966 PM /				
Test user is able to confirm alerts				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.7'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:161)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:155)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:150)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:132)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:127)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:112)</p> <p>at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34)</p> <p>at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34)</p> <p>Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.21.0', revision: '79ed462ef4'</p> <p>System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: driver.version: InitiateDriver</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:399)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:161)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:155)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:150)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:132)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:127)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:112)</p> <p>at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34)</p> <p>at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:565)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)</p>	FAILED	3 m 12.809 s



#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1095) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:619) at java.base/java.lang.Thread.run(Thread.java:1447) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2006) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2141) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382) </pre>		
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html"	SKIPPED	0.001 s
2	When The user has clicked on "Launch modal"	SKIPPED	0.000 s
3	Then User has to click on the "Save changes" button	SKIPPED	0.000 s

**User has to click on Launch Alert**

<div>PASSED</div>	<div>DURATION - 3 m 21.350 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:28:42.134 PM // 11:32:03.484 PM /</div>				
<div>Test user is able to confirm alerts</div>				

#	Step / Hook Details	Status	Duration
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html" ---URL has been loaded : https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html ---Title of the page is : Dialog boxes	PASSED	1 m 36.467 s
2	When The user has clicked on "Launch prompt" ---Launch prompt has been clicked -----	PASSED	14.708 s
3	Then User has to click on the "accept" button ---accept action has been performed in Alert	PASSED	19.931 s
	AFTER_STEP - com.work.framework.StepDefinitions.Hooks.attachScreenshots(io.cucumber.java.Scenario) webdriver_screenshot	PASSED	5.936 s
			



### User is able to change Country/Currency/Language

FAILED	DURATION - 3 m 12.734 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 11:31:55.151 PM // 11:35:07.885 PM /				
Test user is able to confirm alerts				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.7'</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:161)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:155)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:150)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:132)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:127)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:112)</p> <p>at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34)</p> <p>at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34)</p> <p>Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.21.0', revision: '79ed462ef4'</p> <p>System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: driver.version: InitiateDriver</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:399)</p> <p>at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)</p> <p>at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:161)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:155)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:150)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:132)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:127)</p> <p>at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:112)</p> <p>at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34)</p> <p>at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:565)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)</p>	FAILED	3 m 12.729 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1095) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:619) at java.base/java.lang.Thread.run(Thread.java:1447) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2006) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2141) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382) </pre>		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.000 s
2	And The Account Creation page is loaded	SKIPPED	0.000 s
3	Given The user has clicked on the Country selection Menu	SKIPPED	0.000 s
4	And The selection window has been opened with "Country,Currency,Language"	SKIPPED	0.000 s
5	When The user has selected the options "United Arab Emirates" "United Arab Emirates Dirham" "Arabic"	SKIPPED	0.000 s
6	And The user has clicked on Apply	SKIPPED	0.000 s
7	Then The page should be changed with the selections accordingly "AED"	SKIPPED	0.000 s



**User is able to change Country/Currency/Language**

<div>FAILED</div> <div>DURATION - 2 m 18.918 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 11:31:57.944 PM // 11:34:16.862 PM /				
Test user is able to confirm alerts				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)</b> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.7' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}, pageLoadStrategy: normal}]]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34)	<b>FAILED</b>	2 m 18.907 s
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.000 s
2	And The Account Creation page is loaded	SKIPPED	0.000 s
3	Given The user has clicked on the Country selection Menu	SKIPPED	0.000 s
4	And The selection window has been opened with "Country,Currency,Language"	SKIPPED	0.000 s
5	When The user has selected the options "India" "Indian Rupee" "Tamil"	SKIPPED	0.001 s
6	And The user has clicked on Apply	SKIPPED	0.000 s
7	Then The page should be changed with the selections accordingly "INR"	SKIPPED	0.000 s



## User is able to change Country/Currency/Language



<div>FAILED</div> <div>DURATION - 3 m 12.431 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 11:32:03.525 PM // 11:35:15.956 PM /				
Test user is able to confirm alerts				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)</b>  org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.7' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: driver.version: InitiateDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:399) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155)	<b>FAILED</b>	3 m 12.423 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1095) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:619) at java.base/java.lang.Thread.run(Thread.java:1447) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2006) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2141) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382) </pre>		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
2	And The Account Creation page is loaded	SKIPPED	0.001 s
3	Given The user has clicked on the Country selection Menu	SKIPPED	0.001 s
4	And The selection window has been opened with "Country,Currency,Language"	SKIPPED	0.000 s
5	When The user has selected the options "India" "Indian Rupee" "English"	SKIPPED	0.001 s
6	And The user has clicked on Apply	SKIPPED	0.000 s
7	Then The page should be changed with the selections accordingly "INR"	SKIPPED	0.000 s

## Validate Upload/Download Functionality

<b>FAILED</b>	DURATION - 2 m 28.142 s	Scenarios		Steps	
/ 11:28:42.126 PM // 11:31:10.268 PM /		Total - 1		Total - 4	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 4	

## User has to upload file from the local desktop

<div>FAILED</div> <div>DURATION - 2 m 28.142 s</div>			Steps	
/ 11:28:42.126 PM // 11:31:10.268 PM /			Total - 4	
Validate Upload/Download Functionality			Pass - 0	
			Fail - 0	
			Skip - 4	

#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	2 m 28.111 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.7' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}, pageLoadStrategy: normal}]]]		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34) </pre>		
1	Given The user has navigated to "https://demoqa.com/upload-download"	SKIPPED	0.000 s
2	When The user has clicked on Choose File button	SKIPPED	0.000 s
3	And The path of the file has been entered	SKIPPED	0.000 s
4	Then Uploaded file path should be displayed on the UI	SKIPPED	0.000 s

## Launch MakeMyTrip Website

<b>FAILED</b>	DURATION - 5 m 58.476 s	Scenarios		Steps	
/ 11:28:42.130 PM // 11:34:40.606 PM /		Total - 4		Total - 17	
		Pass - 0		Pass - 2	
		Fail - 4		Fail - 3	
		Skip - 0		Skip - 12	



## MakeMyTrip page is loaded


<b>FAILED</b>	DURATION - 4 m 11.199 s		Steps	
/ 11:28:42.130 PM // 11:32:53.329 PM /			Total - 3	
Launch MakeMyTrip Website			Pass - 0	
			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	<p>Given The browser is launched with "https://www.makemytrip.com"</p> <pre>org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [b07ef37f-1345-4771-92b9-b624da36633c, get {url=https://www.makemytrip.com}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 3584, moz:profile: C:\Users\MUTHUS~1.RAJ\AppData..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: b07ef37f-1345-4771-92b9-b624da36633c     at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:399)     at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)     at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)     at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)     at com.work.framework.StepDefinitions.StepDef.the_browser_launched_with_url(StepDef.java:46)     at ?.The browser is launched with "https://www.makemytrip.com"(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/ src/test/resources/features/TestMakeMyTrip.feature:4) Caused by: java.util.concurrent.TimeoutException     at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2006)     at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2141)     at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382)     at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)     at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)     at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)     at com.work.framework.StepDefinitions.StepDef.the_browser_launched_with_url(StepDef.java:46)     at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)     at java.base/java.lang.reflect.Method.invoke(Method.java:565)     at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)     at io.cucumber.java.Invoker.invoke(Invoker.java:24)     at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)     at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)     at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</pre>	FAILED	3 m 5.980 s

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1095) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:619) at java.base/java.lang.Thread.run(Thread.java:1447) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
2	When The Account Creation page is loaded	SKIPPED	0.002 s
3	Then Validate the header of the page	SKIPPED	0.000 s



### Book bus functionality for different locations

<b>FAILED</b> <b>DURATION - 3 m 21.827 s</b> / 11:31:09.032 PM // 11:34:30.859 PM / Launch MakeMyTrip Website @SmokeTest		<b>Steps</b> Total - 5 Pass - 1 Fail - 1 Skip - 3	
--	--	---	---

#	Step / Hook Details	Status	Duration
1	Given The browser is launched with "https://www.makemytrip.com"	PASSED	1 m 31.524 s
2	And User has navigated to "Bus" tab <pre> org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@data-cy='closeModal'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa. selenium.firefox.FirefoxDriver Command: [986c8e92-1dc1-40c5-8e77-74b26cfbf388, findElement {value=//span[@data-cy='closeModal'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 36220, moz:profile: C:\Users\MUTHUS~1.RAJ\AppData..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 986c8e92-1dc1-40c5-8e77-74b26cfbf388     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)     at com.work.framework.Pages.HomePage.closePopup(HomePage.java:32)     at com.work.framework.StepDefinitions.StepDef.user_has_navigated_to_tab(StepDef.java:67)     at ?.User has navigated to "Bus" tab(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/src/test/resources/features/ TestMakeMyTrip.feature:17) * Not displayable characters are replaced by '?'. </pre>	FAILED	12.701 s
	AFTER_STEP - com.work.framework.StepDefinitions.Hooks.attachScreenshots(io.cucumber.java.Scenario) webdriver_screenshot 	PASSED	3.128 s
3	When The user enters "Chennai" location and "Bangalore" location	SKIPPED	0.001 s
4	And I click on Search	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	Then User should be able to view the list of available buses	SKIPPED	0.000 s

### Book bus functionality for different locations

<div>FAILED</div> <div>DURATION - 3 m 13.241 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 11:31:27.365 PM // 11:34:40.606 PM /				
Launch MakeMyTrip Website				
@SmokeTest				

#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.7' at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34) Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: driver.version: InitiateDriver at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:399) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)	FAILED	3 m 13.234 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.TestCase.run(TestCase.java:78) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1095) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:619) at java.base/java.lang.Thread.run(Thread.java:1447) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2006) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2141) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382)		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.000 s
2	And User has navigated to "Bus" tab	SKIPPED	0.000 s
3	When The user enters "Bangalore" location and "Hyderabad" location	SKIPPED	0.001 s
4	And I click on Search	SKIPPED	0.000 s
5	Then User should be able to view the list of available buses	SKIPPED	0.002 s

## Book hotel at Bangalore

<div>FAILED</div> <div>DURATION - 2 m 24.219 s</div>		<div><table><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>60</td></tr><tr><td>2</td><td>15</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr></tbody></table></div>	Step	Value	1	60	2	15	3	0	4	0	<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div><div>4</div></div>
Step	Value													
1	60													
2	15													
3	0													
4	0													
/ 11:31:09.090 PM // 11:33:33.309 PM /														
Launch MakeMyTrip Website														



#	Step / Hook Details	Status	Duration
1	Given The browser is launched with "https://www.makemytrip.com"	PASSED	1 m 11.705 s
2	And User has navigated to "Hotels" tab  org.openqa.selenium.WebDriverException: Failed to decode response from marionette Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox. FirefoxDriver Command: [e4694ca9-d1b5-406a-818c-537cafd8985a, findElement {value=//span[@data-cy='closeModal'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 30760, moz:profile: C:\Users\MUTHUS~1.RAJ\AppData..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: e4694ca9-d1b5-406a-818c-537cafd8985a  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)	FAILED	17.125 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.work.framework.Pages.HomePage.closePopup(HomePage.java:32) at com.work.framework.StepDefinitions.StepDef.user_has_navigated_to_tab(StepDef.java:67) at ?.User has navigated to "Hotels" tab(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/src/test/resources/features/TestMakeMyTrip.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	<b>AFTER_STEP - com.work.framework.StepDefinitions.Hooks.attachScreenshots(io.cucumber.java.Scenario)</b> <pre> org.openqa.selenium.NoSuchSessionException: Tried to run command without establishing a connection Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [e4694ca9-d1b5-406a-818c-537cafd8985a, getAlertText {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 30760, moz:profile: C:\Users\MUTHUS~1\RAJAppDa..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: e4694ca9-d1b5-406a-818c-537cafd8985a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1163) at com.work.framework.StepDefinitions.Hooks.attachScreenshots(Hooks.java:115) </pre>	FAILED	0.034 s
3	When The User enters "Bangalore" as City	SKIPPED	0.000 s
4	Then Click on Search Button	SKIPPED	0.001 s
	<b>AFTER - com.work.framework.StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</b> <pre> org.openqa.selenium.NoSuchSessionException: Tried to run command without establishing a connection Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium. </pre>	FAILED	6.859 s



#	Step / Hook Details	Status	Duration
	<pre> firefox.FirefoxDriver Command: [e4694ca9-d1b5-406a-818c-537cafd8985a, quit {}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 30760, moz:profile: C:\Users\MUTHUS~1\RAJ\AppData..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: e4694ca9-d1b5-406a-818c-537cafd8985a   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)   at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)   at org.openqa.selenium.remote.service.DriverCommandExecutor.lambda\$execute\$1(DriverCommandExecutor.java:126)   at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run\$\$\$capture(CompletableFuture.java:1814)   at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java)   at --- Async.Stack.Trace --- (captured by IntelliJ IDEA debugger)   at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.&lt;init&gt;(CompletableFuture.java:1800)   at java.base/java.util.concurrent.CompletableFuture.asyncSupplyStage(CompletableFuture.java:1828)   at java.base/java.util.concurrent.CompletableFuture.supplyAsync(CompletableFuture.java:2051)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:123)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)   at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:433)   at org.openqa.selenium.firefox.FirefoxDriver.quit(FirefoxDriver.java:397)   at com.work.framework.InitiateDriver.quitDriver(InitiateDriver.java:78)   at com.work.framework.StepDefinitions.Hooks.tearDown(Hooks.java:43)   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)   at java.base/java.lang.reflect.Method.invoke(Method.java:565)   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)   at io.cucumber.java.Invoker.invoke(Invoker.java:24)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)   at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)   at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)   at io.cucumber.core.runner.TestStep.run(TestStep.java:53)   at io.cucumber.core.runner.TestCase.run(TestCase.java:90) </pre>		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1095) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:619) at java.base/java.lang.Thread.run(Thread.java:1447)		

## Read data from Json and input in the OrangeHRM UI



<b>FAILED</b>	<b>DURATION - 2 m 26.441 s</b>	Scenarios		Steps	
		Total - 1		Total - 6	
/ 11:28:42.138 PM // 11:31:08.579 PM /		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 6	

## Add Users in Admin Portal



<b>FAILED</b>	<b>DURATION - 2 m 26.441 s</b>					Steps	
						Total - 6	
/ 11:28:42.138 PM // 11:31:08.579 PM /						Pass - 0	
Read data from Json and input in the OrangeHRM UI						Fail - 0	
						Skip - 6	

#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.7' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}, pageLoadStrategy: normal}]]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34)	FAILED	2 m 26.340 s
1	Given User is logged in to OrangeHRM portal	SKIPPED	0.004 s
2	When The user has navigated to Admin tab	SKIPPED	0.002 s
3	Given The user clicked on Add Users button	SKIPPED	0.002 s
4	When The Add User page is loaded	SKIPPED	0.001 s
5	And User has to enter the details "<fname>" "<lname>" "<mname>" "<empid>"	SKIPPED	0.001 s
6	Then User has to click on Save button	SKIPPED	0.001 s


## Validate Offers section

<b>FAILED</b> DURATION - 3 m 26.059 s / 11:28:42.139 PM // 11:32:08.198 PM /	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
--	--	---	--	---



## Verify Offers Section

<div>FAILED</div> <div>DURATION - 3 m 26.059 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 11:28:42.139 PM // 11:32:08.198 PM /				
Validate Offers section				



#	Step / Hook Details	Status	Duration
1	Given The browser is launched with "https://www.makemytrip.com"	PASSED	1 m 14.749 s
2	And The Account Creation page is loaded <pre>org.openqa.selenium.NoSuchElementException: Unable to locate element: //input[@data-cy='userName'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [94db55c0-20ca-4417-afd5-fd0c6bbbfade, findElement {value=//input[@data-cy='userName'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 23964, moz:profile: C:\Users\MUTHUS~1.RAJ\AppData..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....} Session ID: 94db55c0-20ca-4417-afd5-fd0c6bbbfade at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at com.work.framework.Pages.HomePage.validateMobileNumberField(HomePage.java:21) at com.work.framework.StepDefinitions.StepDef.account_creation_page_loaded(StepDef.java:52) at ?.The Account Creation page is loaded(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/src/test/resources/</pre>	FAILED	32.640 s

#	Step / Hook Details	Status	Duration
	features/OffersSectionValidation.feature:4) * Not displayable characters are replaced by '?'. AFTER_STEP - com.work.framework.StepDefinitions.Hooks.attachScreenshots(io.cucumber.java.Scenario) webdriver_screenshot 	PASSED	10.415 s
3	Given The user has navigated to Offers section	SKIPPED	0.000 s
4	And The user has clicked on Trains tab	SKIPPED	0.001 s
5	When The user clicks on an Book Now in Offer	SKIPPED	0.000 s
6	Then The Offer has to load in a new tab	SKIPPED	0.000 s

### Validate Select Menu functionality

FAILED	DURATION - 4 m 38.562 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 11:28:42.141 PM // 11:33:20.703 PM /					

### Verify user is able to select the values from dropdown

FAILED		DURATION - 4 m 38.561 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 11:28:42.142 PM // 11:33:20.703 PM /						
Validate Select Menu functionality						



#	Step / Hook Details	Status	Duration
1	Given The user has navigated to "https://demoqa.com/select-menu"	FAILED	3 m 0.037 s





#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [cc3036a6-a7f1-46ba-9da8-43d7e5983cc3, get {url=https://demoqa.com/select-menu}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 21092, moz:profile: C:\Users\MUTHUS~1\RAJ\AppData..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10....) Session ID: cc3036a6-a7f1-46ba-9da8-43d7e5983cc3</p> <p>at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:399)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)  at com.work.framework.StepDefinitions.FileUploadStepDefinition.the_user_has_navigated_to(FileUploadStepDefinition.java:25)  at ?.The user has navigated to "https://demoqa.com/select-menu"(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/src/test/resources/features/SelectMenuFeature.feature:3)</p> <p>Caused by: java.util.concurrent.TimeoutException</p> <p>at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2006)  at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2141)  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382)  at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)  at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)  at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:187)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)  at com.work.framework.StepDefinitions.FileUploadStepDefinition.the_user_has_navigated_to(FileUploadStepDefinition.java:25)  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)  at java.base/java.lang.reflect.Method.invoke(Method.java:565)  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)  at io.cucumber.java.Invoker.invoke(Invoker.java:24)  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81) at io.cucumber.core.runner.TestStep.run(TestStep.java:53) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:565) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230) at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:81) at org.testng.internal.thread.Async\$AsyncTask.run(Async.java:34) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1095) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:619) at java.base/java.lang.Thread.run(Thread.java:1447) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
2	When The user is able to see the "Select Menu" title	SKIPPED	0.000 s
3	Then User should be able to select the values from dropdown "Group 2, option 2" "Ms." "Green"	SKIPPED	0.000 s

## Validate Offers section



<b>FAILED</b>	<b>DURATION - 2 m 26.441 s</b>	Scenarios		Steps	
/ 11:28:42.147 PM // 11:31:08.588 PM /		Total - 1		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 6	

## Validate user is able to switch to frames



<div>FAILED</div> <div>DURATION - 2 m 26.441 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 11:28:42.147 PM // 11:31:08.588 PM /				
Validate Offers section				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)</b> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.7' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}, pageLoadStrategy: normal}]]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34)	<b>FAILED</b>	2 m 26.286 s
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.001 s
2	And User has navigated to "Flights" tab	SKIPPED	0.001 s
3	Given The user is able to see Myra icon	SKIPPED	0.001 s
4	And The user has clicked on it	SKIPPED	0.001 s
5	When The Chat window is opened	SKIPPED	0.002 s
6	Then user should be able to type in any questions	SKIPPED	0.002 s

## Validate the Menu options available in the Home Page

<b>FAILED</b>	<b>DURATION - 2 m 53.581 s</b>	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 12 Pass - 0 Fail - 0 Skip - 12	
/ 11:31:31.611 PM // 11:34:25.192 PM /					



## User is able to change Country/Currency/Language

<b>FAILED</b>	<b>DURATION - 2 m 34.952 s</b>		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 11:31:31.612 PM // 11:34:06.564 PM /				
Validate the Menu options available in the Home Page				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.7' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}, pageLoadStrategy: normal}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)  at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt;(RemoteWebDriver.java:161)  at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:155)  at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:150)  at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:132)  at org.openqa.selenium.firefox.FirefoxDriver.&lt;init&gt;(FirefoxDriver.java:127)</p>	FAILED	2 m 34.938 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34)		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.000 s
2	And The Account Creation page is loaded	SKIPPED	0.000 s
3	Given The user has clicked on the Country selection Menu	SKIPPED	0.000 s
4	And The selection window has been opened with "Country,Currency,Language"	SKIPPED	0.001 s
5	When The user has selected the options "Global" "US Dollar" "English"	SKIPPED	0.002 s
6	And The user has clicked on Apply	SKIPPED	0.000 s
7	Then The page should be changed with the selections accordingly "INR"	SKIPPED	0.000 s

### User selects MyBiz Menu

<div>FAILED</div> <div>DURATION - 2 m 16.974 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Pass</th><th>Fail</th><th>Skip</th></tr></thead><tbody><tr><td>1</td><td>0</td><td>0</td><td>0</td></tr><tr><td>2</td><td>0</td><td>0</td><td>0</td></tr><tr><td>3</td><td>0</td><td>0</td><td>0</td></tr><tr><td>4</td><td>0</td><td>0</td><td>0</td></tr><tr><td>5</td><td>0</td><td>0</td><td>0</td></tr></tbody></table></div>	Step	Pass	Fail	Skip	1	0	0	0	2	0	0	0	3	0	0	0	4	0	0	0	5	0	0	0	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
Step	Pass		Fail	Skip																								
1	0		0	0																								
2	0		0	0																								
3	0	0	0																									
4	0	0	0																									
5	0	0	0																									
/ 11:32:08.218 PM // 11:34:25.192 PM /																												
Validate the Menu options available in the Home Page																												

#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	2 m 16.968 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Failed to read marionette port Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.7' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}, pageLoadStrategy: normal}]]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127) at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112) at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:34) at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:34)		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.000 s
2	And The Account Creation page is loaded	SKIPPED	0.000 s
3	Given The user hovers on the myBiz Menu	SKIPPED	0.000 s
4	When The Popup has been displayed	SKIPPED	0.000 s
5	Then User validating the title of the popup	SKIPPED	0.000 s