


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Launch MakeMyTrip Website	8 m 27.027 s	4	2	2	0	17	8	0	9

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Launch MakeMyTrip Website	Book hotel at Bangalore
2		Book bus functionality for different locations


FEATURES SUMMARY --- 4 -



#	Feature Name	T	P	F	S	Duration
1	Launch MakeMyTrip Website	4	2	2	0	8 m 27.027 s

SCENARIOS SUMMARY

-- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Launch MakeMyTrip Website	MakeMyTrip page is loaded	3	3	0	0	56.706 s
2		Book hotel at Bangalore	4	0	0	4	3 m 10.669 s
3	_	Book bus functionality for different locations	5	0	0	5	3 m 10.289 s
4		Book bus functionality for different locations	5	5	0	0	1 m 9.272 s

Launch MakeMyTrip Website


FAILED	DURATION - 8 m 27.027 s	Scenarios		Steps	
		Total - 4		Total - 17	
/ 11:59:48.116 AM //	12:08:15.143 PM /	Pass - 2	4	Pass - 8	17
		Fail - 2	, , , , , , , , , , , , , , , , , , ,	Fail - 0	🖊 '' 📕
		Skip - 0		Skip - 9	

MakeMyTrip page is loaded



#	Step / Hook Details	Status	Duration
1	Given The browser is launched with "https://www.makemytrip.com"	PASSED	16.348 s
2	When The Account Creation page is loaded	PASSED	15.209 s
3	Then Validate the header of the page	PASSED	0.045 s

Book hotel at Bangalore




#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	3 m 10.662 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.9'		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:155)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:150)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:132)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:127)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:112)</init>		
	at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:28)		
	at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:19)		
	Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.21.0', revision: '79ed462ef4'		
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: driver.version: InitiateDriver		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:399)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:155)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:150)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:132)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:127)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:112)</init>		
	at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:28)		
	at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:19)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:565)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:565)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1604)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2006)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2141)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382)		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.000 s
2	And User has navigated to "Hotels" tab	SKIPPED	0.000 s
3	When The User enters "Bangalore" as City	SKIPPED	0.001 s
4	Then Click on Search Button	SKIPPED	0.000 s

Book bus functionality for different locations




#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	3 m 10.280 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or		
	browser start-up failure. Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.9'		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:155)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:150)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:132)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:127)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:112)</init>		
	at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:28)		
	at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:19)		
	Caused by: org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.21.0', revision: '79ed462ef4'		
	System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: driver.version: InitiateDriver		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:399)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:355)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:89)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:161)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:155)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:150)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:132)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:127)</init>		
	at org.openqa.selenium.firefox.FirefoxDriver. <init>(FirefoxDriver.java:112)</init>		
	at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:28)		
	at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:19)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:565)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:565)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992)		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1604)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:2006)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2141)		
	at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:382)		
1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.001 s
2	And User has navigated to "Bus" tab	SKIPPED	0.000 s
3	When The user enters "Chennai" location and "Bangalore" location	SKIPPED	0.000 s
4	And I click on Search	SKIPPED	0.000 s
5	Then User should be able to view the list of available buses	SKIPPED	0.000 s

Book bus functionality for different locations



DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
1	Given The browser is launched with "https://www.makemytrip.com"	PASSED	21.106 s
2	And User has navigated to "Bus" tab	PASSED	15.809 s
3	When The user enters "Bangalore" location and "Hyderabad" location	PASSED	3.521 s
4	And I click on Search	PASSED	7.614 s
5	Then User should be able to view the list of available buses	PASSED	5.272 s