


Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Test user is able to confirm alerts	2 m 22.649 s	4	3	1	0	12	11	1	0


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Test user is able to confirm alerts	User has to click on Launch Alert

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Test user is able to confirm alerts	4	3	1	0	2 m 22.649 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Test user is able to confirm alerts	<u>User has to click on Launch Alert</u>	3	3	0	0	41.744 s
2		<u>User has to click on Launch Alert</u>	3	3	0	0	31.889 s
3		<u>User has to click on Launch Alert</u>	3	3	0	0	34.407 s
4		User has to click on Launch Alert	3	2	1	0	34.423 s

DETAILED SECTION -- 6 --

# Test user is able to confirm alerts


FAILED	DURATION - 2 m 22.649 s	Scenarios		Steps	
		Total - 4		Total - 12	
/8:44:20.947 AM //	8:46:43.596 AM /	Pass - 3	4	Pass - 11	12
		Fail - 1	<b>.</b>	Fail - 1	12
		Skip - 0		Skip - 0	

### **User has to click on Launch Alert**




#	Step / Hook Details	Status	Duration
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html"	PASSED	10.806 s
	URL has been loaded : https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html		
	Title of the page is : Dialog boxes		
2	When The user has clicked on "Launch alert"	PASSED	0.804 s
	Launch alert has been clicked		
3	Then User has to click on the "accept" button	PASSED	0.097 s
	accept action has been performed in Alert		

### **User has to click on Launch Alert**



#	Step / Hook Details	Status	Duration
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html"	PASSED	12.507 s
	URL has been loaded : https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html		
	Title of the page is : Dialog boxes		
2	When The user has clicked on "Launch confirm"	PASSED	0.505 s
	Launch confirm has been clicked		
3	Then User has to click on the "dismiss" button	PASSED	0.117 s
	dismiss action has been performed in Alert		

# **User has to click on Launch Alert**



#	Step / Hook Details	Status	Duration
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html"	PASSED	12.787 s
	URL has been loaded : https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html		
	Title of the page is : Dialog boxes		
2	When The user has clicked on "Launch prompt"	PASSED	0.694 s
	Launch prompt has been clicked		
3	Then User has to click on the "accept" button	PASSED	0.100 s
	accept action has been performed in Alert		

DETAILED SECTION -- 8 --

# **User has to click on Launch Alert**

FAILED DURATION - 34.423 s	10 - Steps	
/ 8:46:09.173 AM // 8:46:43.596 AM /	8 Total - 3	
7 0.40.03.173 AW // 0.40.43.330 AW /	6   Pass - 2	
Test user is able to confirm alerts	4   Fail - 1	3
	2   Skip - 0	
	0 -	
	1 2 3	

#	Step / Hook Details	Status	Duration
1	Given The user has navigated to URL "https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html"	PASSED	8.477 s
	URL has been loaded : https://bonigarcia.dev/selenium-webdriver-java/dialog-boxes.html	]	
	Title of the page is : Dialog boxes		
2	When The user has clicked on "Launch modal"	PASSED	0.368 s
	Launch modal has been clicked		
3	Then User has to click on the "Save changes" button	FAILED	10.513 s
	Save changes action has been performed in Alert		
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //button[text()='Save changes'] (tried for 10 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)		
	at com.work.framework.Pages.AlertHandlingPage.handleAlert(AlertHandlingPage.java:71)		
	at com.work.framework.StepDefinitions.AlertStepDefinition.user_has_to_click_on_the_confirm_button(AlertStepDefinition.java:43)		
	at ?.User has to click on the "Save changes" button(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/src/test/resources/features/AlertHandling.feature:5)		
	Caused by: org.openga.selenium.NoSuchElementException: Unable to locate element: //button[text()='Save changes'] For documentation on		
	this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info:		
	version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver		
	info: org.openqa.selenium.firefox.FirefoxDriver Command: [ea612a8b-780d-4253-ad05-2e69bbeedab2, findElement {using=xpath,		
	value=//button[text()='Save changes']}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1,		
	moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion:		
	10.0, moz:processID: 21664, moz:profile: C:\Users\MUTHUS~1.RAJ\AppDa, moz:shutdownTimeout: 60000, moz:webdriverClick: true,		
	moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false,	,	
	timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT		
	10} Session ID: ea612a8b-780d-4253-ad05-2e69bbeedab2		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at com.work.framework.Pages.AlertHandlingPage.handleAlert(AlertHandlingPage.java:71)		
	at com.work.framework.StepDefinitions.AlertStepDefinition.user_has_to_click_on_the_confirm_button(AlertStepDefinition.java:43)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:565)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:565)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:141)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:686)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:230)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.MethodRunner.runlnSequence(MethodRunner.java:63)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:992)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:203)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:154)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:134)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1604)		
	at org.testng.TestRunner.privateRun(TestRunner.java:739)		
	at org.testng.TestRunner.run(TestRunner.java:614)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:421)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:413)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:373)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:312)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1274)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1208)		
	at org.testng.TestNG.runSuites(TestNG.java:1112)		
	at org.testng.TestNG.run(TestNG.java:1079)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		