Cucumber Report

| Start : Aug 29, 11:57:48.261 AM	End : Aug 29, 11:58:52.379 AM	Duration : 1 m 4.118 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 3 SKIPPED - 0	PASSED - 3 FAILED - 0 SKIPPED - 14

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Launch MakeMyTrip Website	1 m 4.118 s	4	1	3	0	17	3	0	14

#	*Feature Name*	*Scenario Name*
1	*Launch MakeMyTrip Website*	*Book hotel at Bangalore*
2		*Book bus functionality for different locations*
3		*Book bus functionality for different locations*

#	Feature Name	T	P	F	S	Duration
1	Launch MakeMyTrip Website	4	1	3	0	1 m 4.118 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Launch MakeMyTrip Website	MakeMyTrip page is loaded	3	3	0	0	59.014 s
2		Book hotel at Bangalore	4	0	0	4	3.234 s
3		Book bus functionality for different locations	5	0	0	5	0.891 s
4		Book bus functionality for different locations	5	0	0	5	0.861 s

Launch MakeMyTrip Website

FAILED	DURATION - 1 m 4.118 s	Scenarios Total - 4 Pass - 1 Fail - 3 Skip - 0	4	Steps Total - 17 Pass - 3 Fail - 0 Skip - 14	17
/ 11:57:48.261 AM // 11:58:52.379 AM /					

MakeMyTrip page is loaded

PASSED	DURATION - 59.014 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 11:57:48.267 AM // 11:58:47.281 AM /				
Launch MakeMyTrip Website				

#	Step / Hook Details	Status	Duration
1	Given The browser is launched with "https://www.makemytrip.com"	PASSED	23.718 s
2	When The Account Creation page is loaded	PASSED	11.656 s
3	Then Validate the header of the page	PASSED	0.015 s

Book hotel at Bangalore

FAILED	DURATION - 3.234 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	4
/ 11:58:47.321 AM // 11:58:50.555 AM /				
Launch MakeMyTrip Website				

#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	3.220 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Process unexpectedly closed with status 0 Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.9' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112)
	    at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:28)
	    at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:19)		

1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.000 s
2	And User has navigated to "Hotels" tab	SKIPPED	0.001 s
3	When The User enters "Bangalore" as City	SKIPPED	0.001 s
4	Then Click on Search Button	SKIPPED	0.001 s

Book bus functionality for different locations

FAILED	DURATION - 0.891 s		Steps
/ 11:58:50.611 AM // 11:58:51.502 AM /			Total - 5
			Pass - 0
Launch MakeMyTrip Website			Fail - 0
			Skip - 5

5

#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	0.883 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Process unexpectedly closed with status -1073741757 Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.9' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}]
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)
	  at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155)
	  at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150)
	  at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132)
	  at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127)
	  at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112)
	  at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:28)
	  at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:19)		

1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.001 s
2	And User has navigated to "Bus" tab	SKIPPED	0.000 s
3	When The user enters "Chennai" location and "Bangalore" location	SKIPPED	0.000 s
4	And I click on Search	SKIPPED	0.000 s
5	Then User should be able to view the list of available buses	SKIPPED	0.000 s

Book bus functionality for different locations

FAILED	DURATION - 0.861 s		Steps
/ 11:58:51.518 AM // 11:58:52.379 AM /			Total - 5
			Pass - 0
Launch MakeMyTrip Website			Fail - 0
			Skip - 5

5

#	Step / Hook Details	Status	Duration
	BEFORE - com.work.framework.StepDefinitions.Hooks.setup(io.cucumber.java.Scenario)	FAILED	0.854 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: Process unexpectedly closed with status -1073741757 Host info: host: 'CDC2-L-3FH82B3', ip: '192.168.1.9' Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [null, newSession {capabilities=[Capabilities {acceptInsecureCerts: true, browserName: firefox, moz:debuggerAddress: true, moz:firefoxOptions: {}}]}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:162)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:155)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:150)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:132)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:127)
	    at org.openqa.selenium.firefox.FirefoxDriver.<init>(FirefoxDriver.java:112)
	    at com.work.framework.InitiateDriver.createDriver(InitiateDriver.java:28)
	    at com.work.framework.StepDefinitions.Hooks.setup(Hooks.java:19)		

1	Given The browser is launched with "https://www.makemytrip.com"	SKIPPED	0.000 s
2	And User has navigated to "Bus" tab	SKIPPED	0.000 s
3	When The user enters "Bangalore" location and "Hyderabad" location	SKIPPED	0.001 s
4	And I click on Search	SKIPPED	0.000 s
5	Then User should be able to view the list of available buses	SKIPPED	0.000 s