


| Feature | | Scenario Step | | | | | | | |
|---------------------------|--------------|---------------|---|---|---|----|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Launch MakeMyTrip Website | 3 m 54.371 s | 2 | 1 | 1 | 0 | 10 | 6 | 1 | 3 |

FAIL & SKIP SCENARIOS -- 3 --

| 7 | # Feature Name | Scenario Name |
|---|-----------------------------|--|
| | 1 Launch MakeMyTrip Website | Book bus functionality for different locations |

| TAG | Scenario | | | Feature | | | | |
|------------|----------|---|---|---------|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @SmokeTest | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| - 4 | # Feature Name | T | P | F | S | Duration |
|-----|---------------------------|---|---|---|---|--------------|
| 1 | Launch MakeMyTrip Website | 2 | 1 | 1 | 0 | 3 m 54.371 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------------|--|---|---|---|---|--------------|
| 1 | Launch MakeMyTrip Website | Book bus functionality for different locations | 5 | 1 | 1 | 3 | 1 m 17.675 s |
| 2 | | Book bus functionality for different locations | 5 | 5 | 0 | 0 | 2 m 36.607 s |

DETAILED SECTION -- 7 --

Launch MakeMyTrip Website

| FAILED | DURATION - 3 m 54.371 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|----|
| | | Total - 2 | | Total - 10 | |
| / 12:30:10.158 F | PM // 12:34:04.529 PM / | Pass - 1 | 2 | Pass - 6 | 10 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 3 | |
| | | | | | |

Book bus functionality for different locations




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given The browser is launched with "https://www.makemytrip.com" | PASSED | 26.965 s |
| 2 | And User has navigated to "Bus" tab | FAILED | 23.722 s |
| | org.openqa.selenium.NoSuchElementException: Unable to locate element: //span[@data-cy='closeModal'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.21.0', revision: '79ed462ef4' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '24.0.2' Driver info: org.openqa. selenium.firefox.FirefoxDriver Command: [cdfd3931-411a-4100-be02-931d85c4a8a2, findElement {value=//span[@data-cy='closeModal'], using=xpath}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 142.0.1, moz:accessibilityChecks: false, moz:buildID: 20250827004350, moz:geckodriverVersion: 0.36.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 19292, moz:profile: C:\Users\MUTHUS~1.RAJ\AppDa, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, userAgent: Mozilla/5.0 (Windows NT 10} Session ID: cdfd3931-411a-4100-be02-931d85c4a8a2 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) | | |

-- 8 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) | | |
| | at com.work.framework.Pages.HomePage.closePopup(HomePage.java:32) | | |
| | at com.work.framework.StepDefinitions.StepDef.user_has_navigated_to_tab(StepDef.java:67) | | |
| | at ?.User has navigated to "Bus" tab(file:///C:/Users/muthuselvi.rajapandi/IdeaProjects/TestNGSeleniumProject/src/test/resources/features/ | | |
| | TestMakeMyTrip.feature:17) | | |
| | * Not displayable characters are replaced by '?'. | | |
| 3 | When The user enters "Chennai" location and "Bangalore" location | SKIPPED | 0.001 s |
| 4 | And I click on Search | SKIPPED | 0.001 s |
| 5 | Then User should be able to view the list of available buses | SKIPPED | 0.001 s |

Book bus functionality for different locations



| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| 1 | Given The browser is launched with "https://www.makemytrip.com" | PASSED | 1 m 15.138 s |
| 2 | And User has navigated to "Bus" tab | PASSED | 22.011 s |
| 3 | When The user enters "Bangalore" location and "Hyderabad" location | PASSED | 7.448 s |
| 4 | And I click on Search | PASSED | 24.397 s |
| 5 | Then User should be able to view the list of available buses | PASSED | 2.436 s |