


Feature			Scei	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Admin Orange Demo Page	24.634 s	1	1	0	0	12	12	0	0
Buzz Orange Demo Page	7.712 s	1	1	0	0	9	9	0	0
Login Orange Demo App	4.998 s	1	1	0	0	6	6	0	0
PIM Orange Demo Page	2 m 20.418 s	8	5	3	0	80	62	3	15

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	PIM Orange Demo Page	Delete employee
2		Delete employee
3		Delete employee


TAG		Scei	nario		Feature			
Name	T	P	F	S	T	P	F	S
@AddLocation	1	1	0	0	1	1	0	0
@AddPost	1	1	0	0	1	1	0	0
@loginWithValidCredentials	1	1	0	0	1	1	0	0
@AddEmployee	4	4	0	0	1	0	1	0
@DeleteEmployee	4	1	3	0	1	0	1	0

FEATURES SUMMARY -- 5




#	Feature Name	T	P	F	S	Duration
1	Admin Orange Demo Page	1	1	0	0	24.634 s
2	Buzz Orange Demo Page	1	1	0	0	7.712 s
3	Login Orange Demo App	1	1	0	0	4.998 s
4	PIM Orange Demo Page	8	5	3	0	2 m 20.418 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Admin Orange Demo Page	Add new location	12	12	0	0	24.633 s
2	Buzz Orange Demo Page	Add new post	9	9	0	0	7.712 s
3	Login Orange Demo App	Login into Orange Demo page with valid credentials	6	6	0	0	4.998 s
4	PIM Orange Demo Page	Add new employee	11	11	0	0	12.251 s
5		Add new employee	11	11	0	0	12.816 s
6		Add new employee	11	11	0	0	12.655 s
7		Add new employee	11	11	0	0	12.870 s
8		Delete employee	9	9	0	0	31.553 s
9		Delete employee	9	7	1	1	14.590 s
10		Delete employee	9	1	1	7	22.117 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	PIM Orange Demo Page	Delete employee	9	1	1	7	21.514 s

DETAILED SECTION -- 8 --

Admin Orange Demo Page

PASSED	DURATION - 24.634 s	Scenarios		Steps	
		Total - 1		Total - 12	
/8:38:41.033 p. m.	// 8:39:05.667 p. m. /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	12
		Skip - 0		Skip - 0	

Add new location




#	Step / Hook Details	Status	Duration
1	Given I am in orange demo web page	PASSED	8.008 s
2	And I set the user name field with "Admin"	PASSED	0.669 s
3	And I set the password field with "admin123"	PASSED	0.127 s
4	When I click on the login button	PASSED	0.153 s
5	And I click on the Admin button	PASSED	3.547 s
6	Given I click on the Admin button	PASSED	1.504 s
7	And I click on the Organization button	PASSED	2.005 s
8	And I click on the Add button admin	PASSED	1.386 s
9	And I fill the new location information with the following data	PASSED	0.947 s
	Cbba-Bol Bolivia		
10	And I click on the Save button admin	PASSED	0.084 s
11	And I verify location by "Cbba-Bol" in the list admin	PASSED	4.511 s
12	Then I logout to orange demo page	PASSED	1.674 s

DETAILED SECTION -- 9 --

Buzz Orange Demo Page

PASSED	DURATION - 7.712 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 8:39:05.682 p.	m. // 8:39:13.394 p. m. /	Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Add new post




#	Step / Hook Details	Status	Duration
1	Given I am in orange demo web page	PASSED	0.885 s
2	And I set the user name field with "Admin"	PASSED	0.593 s
3	And I set the password field with "admin123"	PASSED	0.091 s
4	When I click on the login button	PASSED	0.079 s
5	Given I click on the Buzz button	PASSED	2.656 s
6	And I fill the text area with "Try do my first Post!"	PASSED	0.650 s
7	And I click on the post button	PASSED	0.093 s
8	Then I verify if the "Try do my first Post!" post uploded correctly	PASSED	1.145 s
9	Then I logout to orange demo page	PASSED	1.517 s

Login Orange Demo App

DETAILED SECTION -- 10 --


PASSED	DURATION - 4.998 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 8:39:13.402 p. n	m. // 8:39:18.400 p. m. /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	
		Skip - 0		Skip - 0	

Login into Orange Demo page with valid credentials




#	Step / Hook Details	Status	Duration
1	Given I am in orange demo web page	PASSED	0.893 s
2	Given I set the user name field with "Admin"	PASSED	0.585 s
3	And I set the password field with "admin123"	PASSED	0.082 s
4	When I click on the login button	PASSED	0.071 s
5	Then The home page should be displayed	PASSED	1.792 s
6	Then I logout to orange demo page	PASSED	1.573 s

PIM Orange Demo Page




Add new employee




#	Step / Hook Details	Status	Duration
1	Given I am in orange demo web page	PASSED	0.834 s
2	And I set the user name field with "Admin"	PASSED	0.577 s
3	And I set the password field with "admin123"	PASSED	0.086 s
4	When I click on the login button	PASSED	0.074 s
5	Given I click on the PIM button	PASSED	2.980 s
6	And I click on the Add button	PASSED	1.478 s
7	And I fill the new employee information with the following data	PASSED	0.725 s
	Harry Styles		
8	And I click on the Save button	PASSED	0.595 s
9	Then I click on Employee List button	PASSED	0.646 s
10	And I verify employee by "Harry" in the list	PASSED	2.763 s
11	Then I logout to orange demo page	PASSED	1.491 s

Add new employee



#	Step / Hook Details	Status	Duration
1	Given I am in orange demo web page	PASSED	0.857 s
2	And I set the user name field with "Admin"	PASSED	0.582 s
3	And I set the password field with "admin123"	PASSED	0.087 s
4	When I click on the login button	PASSED	0.074 s
5	Given I click on the PIM button	PASSED	2.983 s
6	And I click on the Add button	PASSED	1.401 s
7	And I fill the new employee information with the following data	PASSED	0.688 s
	Jennifer Aniston		
8	And I click on the Save button	PASSED	0.613 s
9	Then I click on Employee List button	PASSED	0.666 s
10	And I verify employee by "Jennifer" in the list	PASSED	3.328 s
11	Then I logout to orange demo page	PASSED	1.533 s

Add new employee




#	Step / Hook Details	Status	Duration
1	Given I am in orange demo web page	PASSED	0.850 s
2	And I set the user name field with "Admin"	PASSED	0.573 s
3	And I set the password field with "admin123"	PASSED	0.093 s
4	When I click on the login button	PASSED	0.064 s
5	Given I click on the PIM button	PASSED	3.001 s
6	And I click on the Add button	PASSED	1.387 s
7	And I fill the new employee information with the following data	PASSED	0.849 s
	Leonardo DiCaprio		
8	And I click on the Save button	PASSED	0.514 s

DETAILED SECTION -- 13 --


#	Step / Hook Details	Status	Duration
9	Then I click on Employee List button	PASSED	0.857 s
10	And I verify employee by "Leonardo" in the list	PASSED	2.932 s
11	Then I logout to orange demo page	PASSED	1.534 s

Add new employee




#	Step / Hook Details	Status	Duration
1	Given I am in orange demo web page	PASSED	0.945 s
2	And I set the user name field with "Admin"	PASSED	0.616 s
3	And I set the password field with "admin123"	PASSED	0.101 s
4	When I click on the login button	PASSED	0.081 s
5	Given I click on the PIM button	PASSED	2.991 s
6	And I click on the Add button	PASSED	1.430 s
7	And I fill the new employee information with the following data	PASSED	0.678 s
	Justin Bieber		
8	And I click on the Save button	PASSED	0.967 s
9	Then I click on Employee List button	PASSED	0.681 s
10	And I verify employee by "Justin" in the list	PASSED	2.762 s
11	Then I logout to orange demo page	PASSED	1.615 s

DETAILED SECTION -- 14 --




#	Step / Hook Details	Status	Duration
1	Given I am in orange demo web page	PASSED	1.023 s
2	And I set the user name field with "Admin"	PASSED	0.577 s
3	And I set the password field with "admin123"	PASSED	0.084 s
4	When I click on the login button	PASSED	0.074 s
5	Given I click on the PIM button	PASSED	3.216 s
6	Given I verify employee by "Harry" in the list	PASSED	2.739 s
7	Then I click delete button	PASSED	0.181 s
8	And I verify employee "Harry" was deleted correctly	PASSED	22.118 s
9	Then I logout to orange demo page	PASSED	1.539 s



#	Step / Hook Details	Status	Duration
1	Given I am in orange demo web page	PASSED	0.911 s
2	And I set the user name field with "Admin"	PASSED	1.623 s
3	And I set the password field with "admin123"	PASSED	0.108 s
4	When I click on the login button	PASSED	0.085 s

DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
5	Given I click on the PIM button	PASSED	3.286 s
6	Given I verify employee by "Jennifer" in the list	PASSED	2.761 s
7	Then I click delete button	PASSED	0.690 s
8	And I verify employee "Jennifer" was deleted correctly	FAILED	5.122 s
	org.opentest4j.AssertionFailedError: expected: <false> but was: <true> at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151) at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132) at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63) at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36) at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:31) at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:227) at StepDefinitions.PIMSteps.verifyEmployeeCorrectlyDeleted(PIMSteps.java:94) at ?.I verify employee "Jennifer" was deleted correctly(file:///D:/1UNIVERSIDAD/CERTIFICACIÓN%20II/ProyectoFinal/src/test/resources/PIM.feature:31) * Not displayable characters are replaced by '?'.</true></false>		
9	Then I logout to orange demo page	SKIPPED	0.001 s




#	Step / Hook Details	Status	Duration
1	Given I am in orange demo web page	PASSED	1.977 s
2	And I set the user name field with "Admin"	FAILED	20.139 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By. cssSelector: input[name='username']' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at Pages.LoginPage.setUserNameTextBox(LoginPage.java:33) at StepDefinitions.LoginSteps.setUserName(LoginSteps.java:14) at ?.I set the user name field with "Admin"(file://ID:/1UNIVERSIDAD/CERTIFICACIÓN%20II/ProyectoFinal/src/test/resources/PIM.feature:4)		

#	Step / Hook Details	Status	Duration
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector"; "selector":"input[name='username']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0c4f3ccc73c974cbd8a55a7c7bbe1b93, findElement {using=css selector, value=input[name='username']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: C:\Users\selwa\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49482}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49482/devtoo, se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators:		
	true} Session ID: 0c4f3ccc73c974cbd8a55a7c7bbe1b93		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy23.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at Pages.LoginPage.setUserNameTextBox(LoginPage.java:33)		
	at StepDefinitions.LoginSteps.setUserName(LoginSteps.java:14)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69)		
	at com.intellij.rt.junit.ldeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.ldeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'.		
3	And I set the password field with "admin123"	SKIPPED	0.000 s
4	When I click on the login button	SKIPPED	0.000 s
5	Given I click on the PIM button	SKIPPED	0.000 s
6	Given I verify employee by "Leonardo" in the list	SKIPPED	0.000 s
7	Then I click delete button	SKIPPED	0.000 s
8	And I verify employee "Leonardo" was deleted correctly	SKIPPED	0.000 s
9	Then I logout to orange demo page	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
1	Given I am in orange demo web page	PASSED	1.376 s
2	And I set the user name field with "Admin"	FAILED	20.134 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By. cssSelector: input[name='username']' (tried for 20 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at Pages.LoginPage.setUserNameTextBox(LoginPage.java:33) at StepDefinitions.LoginSteps.setUserName(LoginSteps.java:14) at ?.I set the user name field with "Admin"(file:///D:/1UNIVERSIDAD/CERTIFICACIÓN%20II/ProyectoFinal/src/test/resources/PIM.feature:4) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector";"input[name='username']"} (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0c4f3ccc73c974cbd8a55a7c7bbe1b93, findElement {using=css selector, value=input[name='username']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion:		

#	Step / Hook Details	Status	Duration
	116.0.5845.96 (1a3918166880, userDataDir: C:\Users\selwa\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions:		
	{debuggerAddress: localhost:49482}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(),		
	se:cdp: ws://localhost:49482/devtoo, se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 0c4f3ccc73c974cbd8a55a7c7bbe1b93		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy23.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		
	at Pages.LoginPage.setUserNameTextBox(LoginPage.java:33)		
	at StepDefinitions.LoginSteps.setUserName(LoginSteps.java:14)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	$at\ io. cucumber. core. runtime. Cucumber Execution Context. lambda \$run Features \$6 (Cucumber Execution Context. java: 148)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	$at\ com. intellij. junit 4. JUnit 4lde a Test Runner. start Runner With Args (JUnit 4lde a Test Runner. java: 69)$		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38)		
	at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)		
	at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	* Not displayable characters are replaced by '?'.		
3	And I set the password field with "admin123"	SKIPPED	0.000 s

DETAILED SECTION -- 21 --

#	Step / Hook Details	Status	Duration
4	When I click on the login button	SKIPPED	0.000 s
5	Given I click on the PIM button	SKIPPED	0.000 s
6	Given I verify employee by "Justin" in the list	SKIPPED	0.000 s
7	Then I click delete button	SKIPPED	0.000 s
8	And I verify employee "Justin" was deleted correctly	SKIPPED	0.000 s
9	Then I logout to orange demo page	SKIPPED	0.000 s