

ADNOC Onshore

SHAH

SY-074

SY-074

SY-074

SY-074-ST2

Design: SY-074_ST2

Survey Report - Geographic

09 August, 2024

ADNOC

Survey Report - Geographic

Company:	ADNOC Onshore	Local Co-ordinate Reference:	Well SY-074
Project:	SHAH	TVD Reference:	RTKB @ 513.6ft
Site:	SY-074	MD Reference:	RTKB @ 513.6ft
Well:	SY-074	North Reference:	Grid
Wellbore:	SY-074-ST2	Survey Calculation Method:	Minimum Curvature
Design:	SY-074_ST2	Database:	EDMPRD

Project	SHAH, SHAH		
Map System:	Universal Transverse Mercator	System Datum:	Mean Sea Level
Geo Datum:	Nahrwan - U. Arab Emer.		
Map Zone:	Zone 39N (48 E to 54 E)		

Site		SY-074, Shah-E			
Site Position:		Northing:	2,533,317.87 m	Latitude:	22° 53' 6.831 N
From:	Map	Easting:	786,426.76 m	Longitude:	53° 47' 30.147 E
Position Uncertainty:	0.0 ft	Slot Radius:	13.200 in	Grid Convergence:	1.09 °

Well	SY-074					
Well Position	+N/-S	0.0 ft	Northing:	2,533,317.87 m	Latitude:	22° 53' 6.831 N
	+E/-W	0.0 ft	Easting:	786,426.76 m	Longitude:	53° 47' 30.147 E
Position Uncertainty		0.0 ft	Wellhead Elevation:	ft	Ground Level:	488.6 ft

Wellbore	SY-074-ST2				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	31/01/2024	2.07	35.89	43,229.33282425

Design	SY-074_ST2				
Audit Notes:					
Version:	Phase:	ACTUAL		Tie On Depth:	3,073.0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.0	0.0	0.0		300.62

Survey Program	Date	09/08/2024			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
100.0	4,319.0	7" gyro (SY-074-ST2)	CT_GYRO_MS	Continuous Gyro Multishot	
4,370.0	4,745.0	8-1/2" MWD (SY-074-ST2)	MWD ISCWSA	MWD - Standard	
4,825.0	7,791.0	6" MWD (SY-074-ST2)	MWD ISCWSA	MWD - Standard	

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (m)	Map Easting (m)	Latitude	Longitude
0.0	0.00	0.00	0.0	0.0	0.0	2,533,317.87	786,426.76	22° 53' 6.831 N	53° 47' 30.147 E
100.0	0.48	168.68	100.0	-0.4	0.1	2,533,317.74	786,426.78	22° 53' 6.827 N	53° 47' 30.148 E
125.0	0.42	166.37	125.0	-0.6	0.1	2,533,317.68	786,426.80	22° 53' 6.825 N	53° 47' 30.148 E
150.0	0.49	140.92	150.0	-0.8	0.2	2,533,317.63	786,426.82	22° 53' 6.824 N	53° 47' 30.149 E
175.0	0.48	141.57	175.0	-0.9	0.3	2,533,317.58	786,426.86	22° 53' 6.822 N	53° 47' 30.150 E
189.2	0.47	147.36	189.2	-1.0	0.4	2,533,317.55	786,426.88	22° 53' 6.821 N	53° 47' 30.151 E
CONDUCTOR									
200.0	0.46	151.96	200.0	-1.1	0.5	2,533,317.53	786,426.90	22° 53' 6.820 N	53° 47' 30.152 E
225.0	0.44	159.24	225.0	-1.3	0.5	2,533,317.47	786,426.92	22° 53' 6.819 N	53° 47' 30.152 E
250.0	0.37	162.68	250.0	-1.5	0.6	2,533,317.42	786,426.94	22° 53' 6.817 N	53° 47' 30.153 E

ADNOC

Survey Report - Geographic

Company:	ADNOC Onshore	Local Co-ordinate Reference:	Well SY-074
Project:	SHAH	TVD Reference:	RTKB @ 513.6ft
Site:	SY-074	MD Reference:	RTKB @ 513.6ft
Well:	SY-074	North Reference:	Grid
Wellbore:	SY-074-ST2	Survey Calculation Method:	Minimum Curvature
Design:	SY-074_ST2	Database:	EDMPRD

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (m)	Map Easting (m)	Geographic		
								Latitude	Longitude	
275.0	0.29	153.13	275.0	-1.6	0.6	2,533,317.38	786,426.96	22° 53' 6.816 N	53° 47' 30.154 E	
300.0	0.31	138.40	300.0	-1.7	0.7	2,533,317.35	786,426.98	22° 53' 6.815 N	53° 47' 30.154 E	
325.0	0.35	136.22	325.0	-1.8	0.8	2,533,317.32	786,427.01	22° 53' 6.813 N	53° 47' 30.155 E	
350.0	0.39	139.87	350.0	-1.9	0.9	2,533,317.28	786,427.04	22° 53' 6.812 N	53° 47' 30.157 E	
375.0	0.40	148.45	375.0	-2.1	1.0	2,533,317.24	786,427.07	22° 53' 6.811 N	53° 47' 30.158 E	
400.0	0.38	158.76	400.0	-2.2	1.1	2,533,317.19	786,427.09	22° 53' 6.809 N	53° 47' 30.158 E	
425.0	0.37	165.86	425.0	-2.4	1.2	2,533,317.14	786,427.11	22° 53' 6.808 N	53° 47' 30.159 E	
450.0	0.42	168.68	450.0	-2.5	1.2	2,533,317.09	786,427.12	22° 53' 6.806 N	53° 47' 30.159 E	
475.0	0.39	171.37	475.0	-2.7	1.2	2,533,317.04	786,427.13	22° 53' 6.804 N	53° 47' 30.159 E	
500.0	0.36	169.44	500.0	-2.9	1.3	2,533,316.99	786,427.14	22° 53' 6.803 N	53° 47' 30.160 E	
525.0	0.38	158.25	525.0	-3.0	1.3	2,533,316.94	786,427.15	22° 53' 6.801 N	53° 47' 30.160 E	
550.0	0.41	150.33	550.0	-3.2	1.4	2,533,316.90	786,427.18	22° 53' 6.800 N	53° 47' 30.161 E	
575.0	0.46	148.50	575.0	-3.3	1.5	2,533,316.85	786,427.20	22° 53' 6.798 N	53° 47' 30.162 E	
600.0	0.51	149.31	600.0	-3.5	1.6	2,533,316.79	786,427.24	22° 53' 6.796 N	53° 47' 30.163 E	
625.0	0.48	153.73	625.0	-3.7	1.7	2,533,316.73	786,427.27	22° 53' 6.794 N	53° 47' 30.164 E	
650.0	0.43	155.15	650.0	-3.9	1.8	2,533,316.68	786,427.30	22° 53' 6.793 N	53° 47' 30.165 E	
675.0	0.44	164.42	675.0	-4.1	1.8	2,533,316.63	786,427.32	22° 53' 6.791 N	53° 47' 30.166 E	
700.0	0.41	166.18	700.0	-4.3	1.9	2,533,316.57	786,427.33	22° 53' 6.789 N	53° 47' 30.166 E	
725.0	0.39	168.49	725.0	-4.4	1.9	2,533,316.52	786,427.34	22° 53' 6.787 N	53° 47' 30.167 E	
750.0	0.33	169.93	750.0	-4.6	1.9	2,533,316.47	786,427.35	22° 53' 6.786 N	53° 47' 30.167 E	
775.0	0.31	175.23	775.0	-4.7	2.0	2,533,316.43	786,427.36	22° 53' 6.784 N	53° 47' 30.167 E	
800.0	0.29	163.62	800.0	-4.8	2.0	2,533,316.39	786,427.36	22° 53' 6.783 N	53° 47' 30.167 E	
825.0	0.34	143.05	825.0	-5.0	2.0	2,533,316.35	786,427.38	22° 53' 6.782 N	53° 47' 30.168 E	
850.0	0.32	137.85	850.0	-5.1	2.1	2,533,316.32	786,427.41	22° 53' 6.781 N	53° 47' 30.169 E	
875.0	0.34	143.26	875.0	-5.2	2.2	2,533,316.29	786,427.44	22° 53' 6.780 N	53° 47' 30.170 E	
900.0	0.37	145.64	900.0	-5.3	2.3	2,533,316.25	786,427.47	22° 53' 6.778 N	53° 47' 30.171 E	
925.0	0.37	150.48	925.0	-5.4	2.4	2,533,316.21	786,427.49	22° 53' 6.777 N	53° 47' 30.172 E	
950.0	0.34	151.86	950.0	-5.6	2.5	2,533,316.17	786,427.51	22° 53' 6.776 N	53° 47' 30.172 E	
975.0	0.32	143.83	975.0	-5.7	2.6	2,533,316.13	786,427.54	22° 53' 6.775 N	53° 47' 30.173 E	
1,000.0	0.30	138.57	1,000.0	-5.8	2.6	2,533,316.10	786,427.56	22° 53' 6.773 N	53° 47' 30.174 E	
1,025.0	0.33	141.17	1,025.0	-5.9	2.7	2,533,316.06	786,427.59	22° 53' 6.772 N	53° 47' 30.175 E	
1,050.0	0.25	137.48	1,050.0	-6.0	2.8	2,533,316.03	786,427.62	22° 53' 6.771 N	53° 47' 30.176 E	
1,075.0	0.39	108.88	1,075.0	-6.1	2.9	2,533,316.01	786,427.65	22° 53' 6.771 N	53° 47' 30.177 E	
1,100.0	0.45	120.51	1,100.0	-6.2	3.1	2,533,315.99	786,427.70	22° 53' 6.770 N	53° 47' 30.179 E	
1,125.0	0.45	136.07	1,125.0	-6.3	3.2	2,533,315.95	786,427.75	22° 53' 6.769 N	53° 47' 30.180 E	
1,150.0	0.47	145.50	1,150.0	-6.4	3.4	2,533,315.91	786,427.79	22° 53' 6.767 N	53° 47' 30.182 E	
1,175.0	0.53	151.86	1,175.0	-6.6	3.5	2,533,315.85	786,427.82	22° 53' 6.765 N	53° 47' 30.183 E	
1,200.0	0.54	150.73	1,200.0	-6.8	3.6	2,533,315.79	786,427.85	22° 53' 6.763 N	53° 47' 30.184 E	
1,225.0	0.55	159.04	1,225.0	-7.0	3.7	2,533,315.72	786,427.89	22° 53' 6.761 N	53° 47' 30.185 E	
1,244.8	0.60	156.77	1,244.8	-7.2	3.8	2,533,315.67	786,427.91	22° 53' 6.759 N	53° 47' 30.186 E	
INTERMEDIATE CASING										
1,250.0	0.61	156.24	1,250.0	-7.3	3.8	2,533,315.65	786,427.91	22° 53' 6.759 N	53° 47' 30.186 E	
1,275.0	0.64	155.93	1,275.0	-7.5	3.9	2,533,315.57	786,427.95	22° 53' 6.756 N	53° 47' 30.187 E	
1,300.0	0.67	159.47	1,300.0	-7.8	4.0	2,533,315.49	786,427.98	22° 53' 6.754 N	53° 47' 30.188 E	
1,325.0	0.78	159.59	1,325.0	-8.1	4.1	2,533,315.40	786,428.02	22° 53' 6.751 N	53° 47' 30.189 E	
1,350.0	0.75	160.93	1,350.0	-8.4	4.2	2,533,315.31	786,428.05	22° 53' 6.748 N	53° 47' 30.191 E	
1,375.0	0.83	162.91	1,375.0	-8.7	4.3	2,533,315.21	786,428.08	22° 53' 6.744 N	53° 47' 30.192 E	
1,400.0	0.88	161.77	1,400.0	-9.1	4.5	2,533,315.10	786,428.12	22° 53' 6.741 N	53° 47' 30.193 E	
1,425.0	0.92	160.83	1,425.0	-9.5	4.6	2,533,314.99	786,428.16	22° 53' 6.737 N	53° 47' 30.194 E	
1,450.0	0.96	161.43	1,450.0	-9.8	4.7	2,533,314.87	786,428.20	22° 53' 6.733 N	53° 47' 30.195 E	
1,475.0	0.96	163.86	1,474.9	-10.2	4.8	2,533,314.75	786,428.23	22° 53' 6.729 N	53° 47' 30.197 E	
1,500.0	0.99	162.39	1,499.9	-10.6	5.0	2,533,314.62	786,428.27	22° 53' 6.725 N	53° 47' 30.198 E	
1,525.0	0.93	161.58	1,524.9	-11.0	5.1	2,533,314.50	786,428.31	22° 53' 6.721 N	53° 47' 30.199 E	
1,550.0	0.97	160.36	1,549.9	-11.4	5.2	2,533,314.38	786,428.35	22° 53' 6.717 N	53° 47' 30.201 E	
1,575.0	0.99	159.03	1,574.9	-11.8	5.4	2,533,314.26	786,428.40	22° 53' 6.713 N	53° 47' 30.202 E	

ADNOC

Survey Report - Geographic

Company:	ADNOC Onshore	Local Co-ordinate Reference:	Well SY-074
Project:	SHAH	TVD Reference:	RTKB @ 513.6ft
Site:	SY-074	MD Reference:	RTKB @ 513.6ft
Well:	SY-074	North Reference:	Grid
Wellbore:	SY-074-ST2	Survey Calculation Method:	Minimum Curvature
Design:	SY-074_ST2	Database:	EDMPRD

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (m)	Map Easting (m)	Latitude	Longitude	
1,600.0	1.01	159.09	1,599.9	-12.2	5.5	2,533,314.13	786,428.44	22° 53' 6.709 N	53° 47' 30.204 E	
1,625.0	1.05	159.40	1,624.9	-12.7	5.7	2,533,314.01	786,428.49	22° 53' 6.705 N	53° 47' 30.205 E	
1,650.0	1.06	158.89	1,649.9	-13.1	5.9	2,533,313.88	786,428.54	22° 53' 6.701 N	53° 47' 30.207 E	
1,675.0	0.99	158.73	1,674.9	-13.5	6.0	2,533,313.75	786,428.59	22° 53' 6.697 N	53° 47' 30.209 E	
1,700.0	0.99	160.22	1,699.9	-13.9	6.2	2,533,313.62	786,428.64	22° 53' 6.693 N	53° 47' 30.210 E	
1,725.0	0.98	160.20	1,724.9	-14.3	6.3	2,533,313.50	786,428.68	22° 53' 6.688 N	53° 47' 30.212 E	
1,750.0	0.96	159.75	1,749.9	-14.7	6.5	2,533,313.38	786,428.73	22° 53' 6.685 N	53° 47' 30.213 E	
1,775.0	0.82	158.78	1,774.9	-15.1	6.6	2,533,313.27	786,428.77	22° 53' 6.681 N	53° 47' 30.214 E	
1,800.0	0.81	155.59	1,799.9	-15.4	6.7	2,533,313.17	786,428.81	22° 53' 6.678 N	53° 47' 30.216 E	
1,825.0	0.76	152.69	1,824.9	-15.7	6.9	2,533,313.08	786,428.86	22° 53' 6.675 N	53° 47' 30.217 E	
1,850.0	0.77	149.21	1,849.9	-16.0	7.0	2,533,312.99	786,428.91	22° 53' 6.672 N	53° 47' 30.219 E	
1,875.0	0.78	152.98	1,874.9	-16.3	7.2	2,533,312.90	786,428.96	22° 53' 6.669 N	53° 47' 30.221 E	
1,900.0	0.77	150.93	1,899.9	-16.6	7.4	2,533,312.81	786,429.00	22° 53' 6.666 N	53° 47' 30.222 E	
1,925.0	0.84	147.09	1,924.9	-16.9	7.6	2,533,312.71	786,429.06	22° 53' 6.663 N	53° 47' 30.224 E	
1,950.0	0.79	146.54	1,949.9	-17.2	7.7	2,533,312.62	786,429.12	22° 53' 6.660 N	53° 47' 30.226 E	
1,975.0	0.82	144.12	1,974.9	-17.5	7.9	2,533,312.54	786,429.18	22° 53' 6.657 N	53° 47' 30.228 E	
2,000.0	0.86	144.91	1,999.9	-17.8	8.2	2,533,312.44	786,429.24	22° 53' 6.654 N	53° 47' 30.231 E	
2,025.0	0.84	143.05	2,024.9	-18.1	8.4	2,533,312.35	786,429.31	22° 53' 6.651 N	53° 47' 30.233 E	
2,050.0	1.04	140.07	2,049.9	-18.4	8.6	2,533,312.26	786,429.39	22° 53' 6.648 N	53° 47' 30.235 E	
2,075.0	0.96	141.06	2,074.9	-18.7	8.9	2,533,312.15	786,429.47	22° 53' 6.644 N	53° 47' 30.238 E	
2,100.0	0.97	141.68	2,099.9	-19.1	9.2	2,533,312.05	786,429.55	22° 53' 6.641 N	53° 47' 30.241 E	
2,125.0	0.97	141.16	2,124.9	-19.4	9.4	2,533,311.95	786,429.63	22° 53' 6.638 N	53° 47' 30.244 E	
2,150.0	1.01	139.15	2,149.9	-19.7	9.7	2,533,311.85	786,429.72	22° 53' 6.634 N	53° 47' 30.247 E	
2,175.0	0.96	138.88	2,174.9	-20.1	10.0	2,533,311.75	786,429.80	22° 53' 6.631 N	53° 47' 30.250 E	
2,200.0	0.89	138.20	2,199.9	-20.4	10.3	2,533,311.66	786,429.89	22° 53' 6.628 N	53° 47' 30.252 E	
2,225.0	0.91	137.06	2,224.9	-20.7	10.5	2,533,311.57	786,429.97	22° 53' 6.625 N	53° 47' 30.255 E	
2,250.0	0.85	140.63	2,249.8	-20.9	10.8	2,533,311.48	786,430.04	22° 53' 6.622 N	53° 47' 30.258 E	
2,275.0	0.88	136.88	2,274.8	-21.2	11.0	2,533,311.40	786,430.12	22° 53' 6.619 N	53° 47' 30.261 E	
2,300.0	0.77	139.12	2,299.8	-21.5	11.3	2,533,311.32	786,430.19	22° 53' 6.617 N	53° 47' 30.263 E	
2,325.0	0.78	139.58	2,324.8	-21.8	11.5	2,533,311.24	786,430.26	22° 53' 6.614 N	53° 47' 30.265 E	
2,350.0	0.83	137.95	2,349.8	-22.0	11.7	2,533,311.16	786,430.33	22° 53' 6.611 N	53° 47' 30.268 E	
2,375.0	0.75	139.93	2,374.8	-22.3	11.9	2,533,311.08	786,430.40	22° 53' 6.609 N	53° 47' 30.270 E	
2,400.0	0.87	135.06	2,399.8	-22.5	12.2	2,533,311.00	786,430.47	22° 53' 6.606 N	53° 47' 30.273 E	
2,425.0	0.79	139.95	2,424.8	-22.8	12.4	2,533,310.92	786,430.55	22° 53' 6.603 N	53° 47' 30.275 E	
2,450.0	0.76	139.51	2,449.8	-23.1	12.7	2,533,310.84	786,430.61	22° 53' 6.601 N	53° 47' 30.277 E	
2,475.0	0.72	140.44	2,474.8	-23.3	12.9	2,533,310.76	786,430.68	22° 53' 6.598 N	53° 47' 30.280 E	
2,500.0	0.74	138.99	2,499.8	-23.5	13.1	2,533,310.69	786,430.74	22° 53' 6.596 N	53° 47' 30.282 E	
2,525.0	0.74	141.80	2,524.8	-23.8	13.3	2,533,310.61	786,430.80	22° 53' 6.593 N	53° 47' 30.284 E	
2,550.0	0.74	136.80	2,549.8	-24.0	13.5	2,533,310.54	786,430.87	22° 53' 6.591 N	53° 47' 30.286 E	
2,575.0	0.73	134.97	2,574.8	-24.3	13.7	2,533,310.47	786,430.93	22° 53' 6.589 N	53° 47' 30.288 E	
2,600.0	0.65	141.13	2,599.8	-24.5	13.9	2,533,310.40	786,431.00	22° 53' 6.586 N	53° 47' 30.291 E	
2,625.0	0.59	162.46	2,624.8	-24.7	14.0	2,533,310.33	786,431.03	22° 53' 6.584 N	53° 47' 30.292 E	
2,650.0	0.78	206.14	2,649.8	-25.0	14.0	2,533,310.25	786,431.02	22° 53' 6.581 N	53° 47' 30.291 E	
2,675.0	1.28	223.84	2,674.8	-25.4	13.7	2,533,310.14	786,430.94	22° 53' 6.578 N	53° 47' 30.289 E	
2,700.0	2.27	223.18	2,699.8	-25.9	13.2	2,533,309.97	786,430.78	22° 53' 6.572 N	53° 47' 30.283 E	
2,725.0	3.40	223.78	2,724.8	-26.8	12.3	2,533,309.69	786,430.52	22° 53' 6.564 N	53° 47' 30.273 E	
2,750.0	3.93	226.18	2,749.7	-27.9	11.2	2,533,309.35	786,430.18	22° 53' 6.553 N	53° 47' 30.261 E	
2,775.0	4.49	228.04	2,774.6	-29.2	9.9	2,533,308.97	786,429.77	22° 53' 6.541 N	53° 47' 30.246 E	
2,800.0	5.37	231.07	2,799.6	-30.6	8.2	2,533,308.55	786,429.27	22° 53' 6.527 N	53° 47' 30.229 E	
2,825.0	6.26	233.05	2,824.4	-32.1	6.2	2,533,308.07	786,428.66	22° 53' 6.512 N	53° 47' 30.207 E	
2,850.0	7.20	232.95	2,849.3	-33.9	3.9	2,533,307.53	786,427.94	22° 53' 6.495 N	53° 47' 30.182 E	
2,875.0	8.15	232.47	2,874.0	-35.9	1.2	2,533,306.92	786,427.13	22° 53' 6.476 N	53° 47' 30.153 E	
2,900.0	9.25	230.55	2,898.7	-38.3	-1.7	2,533,306.20	786,426.23	22° 53' 6.453 N	53° 47' 30.121 E	
2,925.0	10.43	229.16	2,923.4	-41.0	-5.0	2,533,305.36	786,425.24	22° 53' 6.426 N	53° 47' 30.085 E	
2,950.0	11.65	228.03	2,947.9	-44.2	-8.6	2,533,304.39	786,424.14	22° 53' 6.395 N	53° 47' 30.046 E	

ADNOC

Survey Report - Geographic

Company:	ADNOC Onshore	Local Co-ordinate Reference:	Well SY-074
Project:	SHAH	TVD Reference:	RTKB @ 513.6ft
Site:	SY-074	MD Reference:	RTKB @ 513.6ft
Well:	SY-074	North Reference:	Grid
Wellbore:	SY-074-ST2	Survey Calculation Method:	Minimum Curvature
Design:	SY-074_ST2	Database:	EDMPRD

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (m)	Map Easting (m)	Latitude	Longitude
2,975.0	12.77	227.09	2,972.3	-47.8	-12.5	2,533,303.31	786,422.96	22° 53' 6.361 N	53° 47' 30.004 E
3,000.0	13.97	227.41	2,996.7	-51.7	-16.7	2,533,302.11	786,421.66	22° 53' 6.323 N	53° 47' 29.958 E
3,002.8	14.09	227.62	2,999.4	-52.2	-17.2	2,533,301.97	786,421.51	22° 53' 6.318 N	53° 47' 29.952 E
ST pt									
3,025.0	15.09	229.20	3,020.9	-55.9	-21.4	2,533,300.84	786,420.23	22° 53' 6.282 N	53° 47' 29.907 E
3,050.0	16.84	236.71	3,044.9	-60.0	-26.9	2,533,299.58	786,418.56	22° 53' 6.243 N	53° 47' 29.847 E
3,075.0	17.39	240.63	3,068.8	-63.8	-33.2	2,533,298.42	786,416.64	22° 53' 6.206 N	53° 47' 29.780 E
3,100.0	18.27	242.09	3,092.6	-67.5	-39.9	2,533,297.30	786,414.60	22° 53' 6.171 N	53° 47' 29.707 E
3,125.0	19.17	244.01	3,116.3	-71.1	-47.1	2,533,296.20	786,412.42	22° 53' 6.136 N	53° 47' 29.630 E
3,150.0	19.36	245.89	3,139.9	-74.6	-54.5	2,533,295.13	786,410.14	22° 53' 6.103 N	53° 47' 29.549 E
3,175.0	20.33	246.66	3,163.4	-78.0	-62.3	2,533,294.09	786,407.77	22° 53' 6.071 N	53° 47' 29.466 E
3,200.0	21.19	247.85	3,186.8	-81.4	-70.5	2,533,293.05	786,405.28	22° 53' 6.038 N	53° 47' 29.378 E
3,225.0	21.74	249.12	3,210.0	-84.8	-79.0	2,533,292.03	786,402.69	22° 53' 6.007 N	53° 47' 29.286 E
3,250.0	21.99	251.22	3,233.2	-87.9	-87.7	2,533,291.06	786,400.02	22° 53' 5.977 N	53° 47' 29.192 E
3,275.0	22.08	254.26	3,256.4	-90.7	-96.7	2,533,290.21	786,397.29	22° 53' 5.951 N	53° 47' 29.095 E
3,300.0	22.62	257.61	3,279.5	-93.0	-105.9	2,533,289.51	786,394.48	22° 53' 5.930 N	53° 47' 28.996 E
3,325.0	23.34	261.24	3,302.5	-94.8	-115.5	2,533,288.97	786,391.55	22° 53' 5.914 N	53° 47' 28.894 E
3,350.0	24.00	264.28	3,325.4	-96.1	-125.5	2,533,288.58	786,388.52	22° 53' 5.904 N	53° 47' 28.787 E
3,375.0	24.32	267.21	3,348.3	-96.8	-135.7	2,533,288.35	786,385.41	22° 53' 5.898 N	53° 47' 28.678 E
3,400.0	24.98	269.98	3,371.0	-97.1	-146.1	2,533,288.28	786,382.23	22° 53' 5.898 N	53° 47' 28.566 E
3,425.0	25.83	271.51	3,393.6	-96.9	-156.8	2,533,288.32	786,378.97	22° 53' 5.901 N	53° 47' 28.452 E
3,450.0	26.40	273.67	3,416.0	-96.4	-167.8	2,533,288.47	786,375.62	22° 53' 5.908 N	53° 47' 28.335 E
3,475.0	27.04	276.75	3,438.3	-95.4	-179.0	2,533,288.78	786,372.20	22° 53' 5.920 N	53° 47' 28.215 E
3,500.0	28.22	281.16	3,460.5	-93.6	-190.4	2,533,289.34	786,368.72	22° 53' 5.940 N	53° 47' 28.093 E
3,525.0	29.62	284.55	3,482.4	-90.9	-202.2	2,533,290.16	786,365.13	22° 53' 5.969 N	53° 47' 27.968 E
3,550.0	30.84	286.52	3,504.0	-87.5	-214.3	2,533,291.19	786,361.43	22° 53' 6.005 N	53° 47' 27.839 E
3,575.0	32.64	287.45	3,525.2	-83.7	-226.9	2,533,292.36	786,357.60	22° 53' 6.045 N	53° 47' 27.706 E
3,600.0	34.06	289.20	3,546.1	-79.4	-239.9	2,533,293.68	786,353.62	22° 53' 6.091 N	53° 47' 27.567 E
3,625.0	35.57	291.68	3,566.6	-74.4	-253.3	2,533,295.20	786,349.55	22° 53' 6.143 N	53° 47' 27.425 E
3,650.0	37.19	293.38	3,586.8	-68.7	-267.0	2,533,296.93	786,345.37	22° 53' 6.201 N	53° 47' 27.280 E
3,675.0	38.33	294.92	3,606.5	-62.4	-281.0	2,533,298.84	786,341.12	22° 53' 6.266 N	53° 47' 27.132 E
3,700.0	39.20	296.71	3,626.0	-55.6	-295.1	2,533,300.92	786,336.82	22° 53' 6.336 N	53° 47' 26.983 E
3,725.0	40.24	298.31	3,645.3	-48.2	-309.2	2,533,303.17	786,332.50	22° 53' 6.412 N	53° 47' 26.833 E
3,750.0	41.41	300.16	3,664.2	-40.2	-323.5	2,533,305.60	786,328.16	22° 53' 6.494 N	53° 47' 26.682 E
3,775.0	42.22	301.89	3,682.8	-31.7	-337.8	2,533,308.22	786,323.80	22° 53' 6.581 N	53° 47' 26.531 E
3,800.0	42.97	303.63	3,701.2	-22.5	-352.0	2,533,311.01	786,319.47	22° 53' 6.675 N	53° 47' 26.381 E
3,825.0	43.56	305.37	3,719.4	-12.8	-366.1	2,533,313.97	786,315.16	22° 53' 6.774 N	53° 47' 26.232 E
3,850.0	44.29	306.56	3,737.4	-2.6	-380.2	2,533,317.07	786,310.89	22° 53' 6.877 N	53° 47' 26.084 E
3,875.0	45.38	307.33	3,755.2	8.0	-394.2	2,533,320.30	786,306.59	22° 53' 6.985 N	53° 47' 25.936 E
3,900.0	46.25	307.99	3,772.6	18.9	-408.4	2,533,323.64	786,302.27	22° 53' 7.096 N	53° 47' 25.787 E
3,925.0	46.75	308.49	3,789.8	30.2	-422.7	2,533,327.06	786,297.93	22° 53' 7.210 N	53° 47' 25.637 E
3,950.0	47.43	308.79	3,806.8	41.6	-437.0	2,533,330.55	786,293.57	22° 53' 7.325 N	53° 47' 25.486 E
3,975.0	48.44	308.77	3,823.6	53.2	-451.4	2,533,334.09	786,289.16	22° 53' 7.443 N	53° 47' 25.334 E
4,000.0	49.43	308.65	3,840.0	65.0	-466.2	2,533,337.68	786,284.67	22° 53' 7.563 N	53° 47' 25.179 E
4,025.0	49.62	308.37	3,856.2	76.9	-481.0	2,533,341.29	786,280.14	22° 53' 7.683 N	53° 47' 25.023 E
4,050.0	49.36	308.10	3,872.4	88.6	-496.0	2,533,344.88	786,275.59	22° 53' 7.802 N	53° 47' 24.866 E
4,075.0	49.42	308.10	3,888.7	100.3	-510.9	2,533,348.45	786,271.04	22° 53' 7.921 N	53° 47' 24.708 E
4,100.0	49.77	308.10	3,904.9	112.1	-525.9	2,533,352.03	786,266.47	22° 53' 8.040 N	53° 47' 24.551 E
4,125.0	49.77	308.23	3,921.1	123.9	-540.9	2,533,355.62	786,261.90	22° 53' 8.159 N	53° 47' 24.393 E
4,150.0	49.91	308.68	3,937.2	135.8	-555.8	2,533,359.24	786,257.33	22° 53' 8.280 N	53° 47' 24.235 E
4,175.0	49.74	308.98	3,953.3	147.7	-570.7	2,533,362.89	786,252.80	22° 53' 8.401 N	53° 47' 24.079 E
4,200.0	49.77	308.97	3,969.5	159.7	-585.6	2,533,366.55	786,248.28	22° 53' 8.523 N	53° 47' 23.923 E
4,225.0	50.19	309.58	3,985.6	171.9	-600.4	2,533,370.25	786,243.76	22° 53' 8.646 N	53° 47' 23.767 E
4,250.0	50.23	310.26	4,001.6	184.2	-615.1	2,533,374.00	786,239.27	22° 53' 8.771 N	53° 47' 23.612 E
4,275.0	49.27	310.45	4,017.7	196.5	-629.7	2,533,377.77	786,234.84	22° 53' 8.896 N	53° 47' 23.459 E

ADNOC

Survey Report - Geographic


Company:	ADNOC Onshore	Local Co-ordinate Reference:	Well SY-074
Project:	SHAH	TVD Reference:	RTKB @ 513.6ft
Site:	SY-074	MD Reference:	RTKB @ 513.6ft
Well:	SY-074	North Reference:	Grid
Wellbore:	SY-074-ST2	Survey Calculation Method:	Minimum Curvature
Design:	SY-074_ST2	Database:	EDMPRD

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (m)	Map Easting (m)	Latitude	Longitude
4,300.0	49.99	310.82	4,033.9	208.9	-644.1	2,533,381.55	786,230.43	22° 53' 9.021 N	53° 47' 23.307 E
4,319.0	51.10	311.37	4,046.0	218.6	-655.2	2,533,384.49	786,227.06	22° 53' 9.119 N	53° 47' 23.191 E
4,370.0	55.11	312.17	4,076.6	245.7	-685.6	2,533,392.77	786,217.79	22° 53' 9.393 N	53° 47' 22.871 E
4,464.0	61.74	311.01	4,125.8	298.9	-745.5	2,533,408.96	786,199.54	22° 53' 9.930 N	53° 47' 22.242 E
4,558.0	68.66	309.95	4,165.2	354.2	-810.3	2,533,425.83	786,179.77	22° 53' 10.491 N	53° 47' 21.560 E
4,651.0	76.16	309.44	4,193.3	410.8	-878.5	2,533,443.07	786,158.99	22° 53' 11.064 N	53° 47' 20.843 E
4,745.0	84.39	310.59	4,209.1	470.3	-949.4	2,533,461.22	786,137.38	22° 53' 11.666 N	53° 47' 20.098 E
4,805.9	86.06	311.43	4,214.2	510.1	-995.2	2,533,473.35	786,123.42	22° 53' 12.069 N	53° 47' 19.617 E
PRODUCTION LINER									
4,825.0	86.59	311.69	4,215.4	522.8	-1,009.4	2,533,477.21	786,119.08	22° 53' 12.197 N	53° 47' 19.467 E
4,939.3	87.84	310.10	4,221.0	597.5	-1,095.8	2,533,499.99	786,092.77	22° 53' 12.953 N	53° 47' 18.560 E
SY 74 ST2 LP									
4,948.0	87.93	309.98	4,221.3	603.1	-1,102.4	2,533,501.69	786,090.75	22° 53' 13.010 N	53° 47' 18.490 E
5,006.7	87.65	309.95	4,223.6	640.8	-1,147.3	2,533,513.17	786,077.05	22° 53' 13.391 N	53° 47' 18.017 E
SY 74 ST2 MP									
5,042.0	87.48	309.93	4,225.1	663.4	-1,174.4	2,533,520.08	786,068.80	22° 53' 13.620 N	53° 47' 17.733 E
5,132.0	87.93	310.86	4,228.7	721.7	-1,242.9	2,533,537.84	786,047.93	22° 53' 14.210 N	53° 47' 17.013 E
5,176.0	87.62	311.05	4,230.4	750.5	-1,276.1	2,533,546.62	786,037.81	22° 53' 14.502 N	53° 47' 16.664 E
5,271.0	87.21	308.26	4,234.7	811.1	-1,349.1	2,533,565.08	786,015.54	22° 53' 15.115 N	53° 47' 15.895 E
5,365.0	87.73	308.57	4,238.8	869.4	-1,422.7	2,533,582.87	785,993.11	22° 53' 15.707 N	53° 47' 15.121 E
5,458.0	87.52	308.02	4,242.7	927.0	-1,495.7	2,533,600.42	785,970.88	22° 53' 16.291 N	53° 47' 14.353 E
5,554.0	87.49	306.68	4,246.8	985.2	-1,571.9	2,533,618.15	785,947.64	22° 53' 16.881 N	53° 47' 13.550 E
5,653.0	87.10	304.79	4,251.5	1,042.9	-1,652.2	2,533,635.76	785,923.18	22° 53' 17.468 N	53° 47' 12.704 E
5,743.0	87.41	304.45	4,255.8	1,094.0	-1,726.1	2,533,651.32	785,900.63	22° 53' 17.987 N	53° 47' 11.924 E
5,833.0	87.10	303.17	4,260.1	1,144.0	-1,800.8	2,533,666.57	785,877.86	22° 53' 18.497 N	53° 47' 11.136 E
5,931.0	87.55	301.30	4,264.7	1,196.2	-1,883.6	2,533,682.48	785,852.63	22° 53' 19.029 N	53° 47' 10.262 E
6,028.0	87.31	299.83	4,269.1	1,245.5	-1,967.1	2,533,697.50	785,827.19	22° 53' 19.533 N	53° 47' 9.381 E
6,117.0	87.45	298.27	4,273.1	1,288.7	-2,044.8	2,533,710.66	785,803.51	22° 53' 19.975 N	53° 47' 8.559 E
6,207.0	87.42	298.38	4,277.2	1,331.4	-2,123.9	2,533,723.66	785,779.38	22° 53' 20.412 N	53° 47' 7.722 E
6,298.0	87.59	298.49	4,281.1	1,374.6	-2,203.9	2,533,736.86	785,755.01	22° 53' 20.855 N	53° 47' 6.876 E
6,392.0	87.45	298.15	4,285.2	1,419.2	-2,286.6	2,533,750.44	785,729.82	22° 53' 21.312 N	53° 47' 6.002 E
6,485.0	87.35	298.83	4,289.4	1,463.5	-2,368.2	2,533,763.94	785,704.93	22° 53' 21.766 N	53° 47' 5.138 E
6,577.0	87.17	297.90	4,293.8	1,507.2	-2,449.1	2,533,777.25	785,680.28	22° 53' 22.214 N	53° 47' 4.283 E
6,671.0	87.45	297.90	4,298.2	1,551.1	-2,532.0	2,533,790.64	785,654.99	22° 53' 22.664 N	53° 47' 3.405 E
6,766.0	87.38	298.31	4,302.5	1,595.8	-2,615.8	2,533,804.27	785,629.47	22° 53' 23.122 N	53° 47' 2.520 E
6,860.0	87.55	298.40	4,306.7	1,640.4	-2,698.4	2,533,817.86	785,604.28	22° 53' 23.580 N	53° 47' 1.646 E
6,953.0	86.86	298.88	4,311.2	1,684.9	-2,779.9	2,533,831.43	785,579.44	22° 53' 24.036 N	53° 47' 0.784 E
7,046.0	86.93	298.13	4,316.2	1,729.3	-2,861.5	2,533,844.94	785,554.56	22° 53' 24.490 N	53° 46' 59.921 E
7,138.0	86.62	298.26	4,321.4	1,772.6	-2,942.5	2,533,858.17	785,529.89	22° 53' 24.935 N	53° 46' 59.064 E
7,228.0	86.59	298.20	4,326.7	1,815.1	-3,021.6	2,533,871.12	785,505.76	22° 53' 25.370 N	53° 46' 58.227 E
7,327.0	87.38	298.51	4,331.9	1,862.1	-3,108.6	2,533,885.43	785,479.24	22° 53' 25.851 N	53° 46' 57.307 E
7,425.0	87.14	297.28	4,336.6	1,907.9	-3,195.2	2,533,899.39	785,452.87	22° 53' 26.321 N	53° 46' 56.392 E
7,515.0	87.42	298.61	4,340.9	1,950.0	-3,274.6	2,533,912.23	785,428.67	22° 53' 26.753 N	53° 46' 55.552 E
7,605.0	87.28	298.46	4,345.1	1,993.0	-3,353.6	2,533,925.32	785,404.59	22° 53' 27.193 N	53° 46' 54.716 E
7,700.0	87.28	298.46	4,349.6	2,038.2	-3,437.0	2,533,939.11	785,379.17	22° 53' 27.656 N	53° 46' 53.834 E
7,791.0	87.40	298.46	4,353.8	2,081.5	-3,516.9	2,533,952.31	785,354.81	22° 53' 28.100 N	53° 46' 52.989 E
SY 74 ST2 TD									

ADNOC
Survey Report - Geographic

Company:	ADNOC Onshore	Local Co-ordinate Reference:	Well SY-074
Project:	SHAH	TVD Reference:	RTKB @ 513.6ft
Site:	SY-074	MD Reference:	RTKB @ 513.6ft
Well:	SY-074	North Reference:	Grid
Wellbore:	SY-074-ST2	Survey Calculation Method:	Minimum Curvature
Design:	SY-074_ST2	Database:	EDMPRD

Casing Points					
	Measured Depth (ft)	Vertical Depth (ft)	Name	Casing Diameter (in)	Hole Diameter (in)
	189.2	189.2	CONDUCTOR	18.625	25.000
	1,244.8	1,244.8	INTERMEDIATE CASING	13.375	17.500
	4,805.9	4,214.2	PRODUCTION LINER	7.000	8.500

Checked By: _____	Approved By: 	Date: <u>9/8/2024</u>
-------------------	---	-----------------------