

ADD FEATURES TO EXISTING MVP:

1. INFLUENCER ATTRIBUTION & AI PERFORMANCE INTELLIGENCE

2. SELF-SERVICE WHATSAPP, INSTAGRAM & TIKTOK INTEGRATION ONBOARDING

These features are **extensions of the existing AI Revenue Agent Platform MVP**.

Do NOT build them as separate products, separate CRMs, separate attribution systems or disconnected integration tools.

The existing MVP remains the architectural source of truth.

The platform is evolving into a scalable:

Multi-Tenant Agentic Revenue Operations SaaS Platform

The existing MVP revenue loop remains:

Advertising → Conversation → AI Sales Agent → CRM → Follow-up → Sale → Revenue Attribution → Advertising Intelligence

Extend it with:

Influencer Content → Tracking Link → Conversation → AI Sales Agent → Lead → Opportunity → Sale → Revenue Attribution → Influencer Intelligence

and with:

Customer SaaS Login → Connect Social Channel → Official OAuth/Embedded Authorization → Webhooks/API Connection → Unified Inbox / Advertising / Lead Capture / Attribution

The objective is that customers can self-onboard their own business communication and marketing accounts without SMS Consult manually configuring credentials for every tenant.

CORE ARCHITECTURAL RULE

Reuse the existing:

- Tenant / Workspace architecture

- Users / Roles / Permissions
- Contacts
- Contact Identities
- Conversations
- Messages
- Leads
- Opportunities
- Tasks
- Sales
- Products
- AI Agents
- AI Tool/Action system
- Approval architecture
- Follow-up engine
- Attribution engine
- Advertising analytics
- AI Advertising Analyst
- Conversation Intelligence
- Integration Hub
- API Gateway
- Webhooks
- Audit Log
- External ID Mapping
- Reporting
- Background jobs
- Connector/adaptor architecture

Do not duplicate existing business entities unnecessarily.

PART A — SELF-SERVICE SOCIAL INTEGRATION ONBOARDING

This is a major SaaS requirement.

Customers should be able to connect supported external platforms from inside their own workspace.

The intended UX is:

Integrations

WhatsApp
[Connect WhatsApp]

Instagram
[Connect Instagram]

TikTok
[Connect TikTok]

The customer clicks Connect, completes the official provider authorization flow, and returns to the platform with the integration configured.

Do NOT require SMS Consult staff to manually enter credentials for every customer unless the provider specifically requires manual setup.

1. AUTHENTICATION VS PLATFORM AUTHORIZATION

Do not confuse SaaS authentication with external-platform authorization.

The customer may log into our SaaS using:

- Email/password
- Passkey
- Google authentication
- Other supported authentication

This only authenticates the user into their SMS platform workspace.

Then external platforms must use their own official authorization flow.

Example:

Passkey / Email → Authenticate into Agentic SaaS

then:

Connect WhatsApp → Meta authorization

Connect Instagram → Instagram/Meta authorization

Connect TikTok → TikTok authorization

Never ask customers to provide Facebook, Instagram, WhatsApp or TikTok passwords directly to our platform.

2. WHATSAPP SELF-ONBOARDING

Build architecture around the official WhatsApp Business Platform onboarding approach.

Where supported, use:

WhatsApp Embedded Signup

The intended experience:

Integrations

- WhatsApp
- Connect
- Meta signup/authorization
- Customer selects or creates appropriate WhatsApp business assets
- Customer authorizes our application
- Callback returns to our platform
- Backend exchanges authorization securely
- Required assets are associated with tenant
- Webhooks registered
- Connection tested
- Status becomes CONNECTED

Support onboarding of existing WhatsApp Business assets where officially supported.

Do not build unofficial WhatsApp Web scraping.

Do not use browser-session hacks.

Do not expose WhatsApp credentials in frontend code.

3. INSTAGRAM SELF-ONBOARDING

Build Instagram connection using the official professional-account login/authorization architecture.

Intended flow:

Integrations

- Instagram
- Connect Instagram
- Official authorization screen
- Select professional account
- Approve required permissions
- Redirect to our callback
- Secure backend token exchange
- Account mapped to tenant
- Messaging webhook subscription configured where approved
- Connection tested
- Status CONNECTED

Only supported Instagram Business/Creator account capabilities should be exposed.

Do not fake messaging or analytics capabilities that the approved API does not provide.

4. TIKTOK SELF-ONBOARDING

Build TikTok authorization using the official OAuth architecture.

Intended flow:

Integrations

- TikTok
- Connect TikTok
- Official TikTok authorization
- Requested scopes approved
- Redirect callback
- Backend exchanges authorization code
- Access/refresh tokens stored encrypted
- TikTok account mapped to tenant
- Supported lead/advertising/content capabilities enabled
- Status CONNECTED

TikTok capabilities may differ from WhatsApp and Instagram.

Do not imply TikTok DM support unless the relevant approved API capability exists.

Treat TikTok integrations as separate capability modules where appropriate:

- TikTok Ads
- TikTok Lead Generation
- TikTok Organic Metrics
- TikTok Content Posting
- TikTok Messaging — only if officially supported for the application/use case

5. GENERIC INTEGRATION CONNECTION FRAMEWORK

Do not hard-code separate authentication logic throughout the application.

Create a reusable integration authorization framework.

Example domain entity:

`IntegrationConnection`

Suggested fields:

- id
- tenant_id
- workspace_id

- provider
- integration_type
- external_account_id
- external_account_name
- status
- scopes
- encrypted_access_token
- encrypted_refresh_token
- token_expires_at
- webhook_status
- last_sync_at
- connected_by_user_id
- connected_at
- metadata
- created_at
- updated_at

Possible statuses:

PENDING

CONNECTED

EXPIRED

REAUTH_REQUIRED

ERROR

DISCONNECTED

6. GENERIC OAUTH / AUTHORIZATION INTERFACE

Create an internal interface such as:

```
OAuthConnector
```

with methods conceptually similar to:

```
getAuthorizationUrl()
```

```
handleCallback()
```

```
exchangeAuthorizationCode()
```

```
refreshToken()
```

```
revokeAccess()
```

`testConnection()`

`getGrantedScopes()`

`registerWebhooks()`

`unregisterWebhooks()`

Each provider implements the interface.

Examples:

`MetaWhatsAppConnector`

`InstagramConnector`

`TikTokConnector`

Future:

`GoogleAdsConnector`

`HubSpotConnector`

`KommoConnector`

`SalesforceConnector`

`ZohoConnector`

`OdooConnector`

Do not call authorization or provider APIs directly from UI components.

7. LEAST-PRIVILEGE PERMISSIONS

This is mandatory.

Request only permissions necessary for the feature the customer is activating.

Do not ask for every possible scope during initial onboarding.

Example:

Instagram Messaging enabled:

Request only the permissions required for that approved messaging capability.

Later, if customer enables publishing:

Request the additional publishing permission at that point.

TikTok initial configuration may enable:

- Lead capture
- Reporting

Later:

- Content publishing
- Advertising management

can request additional scopes separately.

The customer should understand what the platform is requesting.

8. INTEGRATION PERMISSION CENTRE

Create a user-facing:

Permissions

or:

Integration Permissions

view.

Example:

WhatsApp

- ✓ Receive messages
- ✓ Send messages
- ✓ Read delivery status
- ✓ AI conversation handling
- × Marketing broadcasts

Instagram

- ✓ Receive supported messages
- ✓ Reply to messages
- ✓ Read professional account information

- × Publish content
- × Manage advertising

TikTok

- ✓ Read supported campaign performance
- ✓ Capture approved lead data
- ✓ Revenue attribution
- × Change campaign budgets
- × Publish content

The exact permissions displayed must derive from actual granted scopes/capabilities.

Do not hard-code misleading checkmarks.

9. AGENT PERMISSIONS ARE SEPARATE FROM API PERMISSIONS

This is extremely important.

A provider may authorize our application to perform an action, but the AI agent may still not have permission to perform it autonomously.

There are therefore TWO layers:

External Provider Permission

What Meta/TikTok technically allows our application to access.

Agent Action Permission

What the business allows the AI agent to do.

Example:

WhatsApp API permits sending messages.

But tenant configuration may say:

Normal follow-up: AUTOMATIC

Marketing broadcast: APPROVAL_REQUIRED

Sensitive customer message: APPROVAL_REQUIRED

The existing MVP modes remain:

AUTOMATIC

APPROVAL_REQUIRED

DISABLED

10. CONNECTION STATUS UX

Integration cards must show meaningful status.

Example:

WhatsApp

● Connected
Phone: +256...
AI Responses: ON
Webhooks: Healthy
Last Event: 3 min ago

[Settings] [Permissions] [Reconnect] [Disconnect]

Instagram

● Connected
Account: @company
Messaging: Enabled
Last Sync: 8 min ago

TikTok

● Connected
Ads: Enabled
Lead Capture: Enabled
Organic Metrics: Not Enabled
Content Publishing: Not Enabled

Never show functionality as connected when the relevant provider capability is unavailable.

11. TOKEN SECURITY

All access and refresh tokens must:

- be stored server-side
- be encrypted at rest

- never appear in normal frontend responses
- never be written to logs
- support rotation/refresh
- support revocation
- be tenant-scoped

Do not expose:

- client secrets
- provider secrets
- access tokens
- refresh tokens

to browser code.

12. CALLBACK SECURITY

OAuth/authorization callback handling must include:

- state validation
- CSRF protection
- tenant/workspace context validation
- redirect URI validation
- authorization-code validation
- secure error handling
- audit logging

Do not trust tenant IDs passed directly from browser callback parameters without server-side verification.

13. INTEGRATION WEBHOOK REGISTRATION

After successful authorization:

1. Register required supported webhooks.
2. Verify webhook endpoint.
3. Store webhook registration state.
4. Test the integration.
5. Mark the integration connected only when configuration is valid.

Webhook events must continue through the existing normalized connector architecture.

Example:

WhatsApp message → Meta webhook → WhatsApp adapter → normalized Message → Conversation → AI Agent

Instagram message → Meta webhook → Instagram adapter → normalized Message → Conversation → AI Agent

TikTok lead event → TikTok webhook → TikTok Lead adapter → Contact/Lead → CRM/AI follow-up flow

14. CHANNEL CAPABILITY REGISTRY

Create a capability model.

Example:

`ProviderCapability`

Possible capabilities:

MESSAGING_RECEIVE

MESSAGING_SEND

LEAD_CAPTURE

ADVERTISING_READ

ADVERTISING_WRITE

ORGANIC_ANALYTICS

CONTENT_PUBLISH

WEBHOOKS

ATTRIBUTION

This allows the platform to know exactly what each integration supports.

Do not assume every social network behaves like WhatsApp.

15. SELF-SERVICE CONNECTION SUCCESS CONDITION

A new tenant should be capable of:

Create Account

↓

Create Workspace

↓

Open Integrations

↓

Connect WhatsApp / Instagram / TikTok

↓

Complete official provider authorization

↓

Return to platform

↓

Connection verified

↓

Permissions shown

↓

Supported webhook/API capability enabled

↓

AI/CRM workflow can use the channel

without requiring SMS Consult to manually configure credentials for that tenant.

This is an important requirement for making the product scalable SaaS.

PART B — INFLUENCER ATTRIBUTION & AI PERFORMANCE INTELLIGENCE

The Influencer module is also an extension of the same existing MVP.

Its job is to answer:

Who is good for sales?

Who is good for publicity?

Who is good for both?

Which creators are costing us money without producing enough measurable value?

Do NOT treat views as proof of commercial performance.

Do NOT treat sales alone as proof of publicity impact.

16. MODULE STRUCTURE

Add:

Influencers

Navigation:

Influencers | Overview | Creators | Campaigns | Content | Tracking Links
| Performance | Leaderboard | AI Insights

Use the same tenant/workspace.

Do not create separate authentication.

17. REUSE EXISTING ATTRIBUTION

Extend:

TrafficSession

AttributionTouch

Campaign

Conversation

Lead

Opportunity

Sale

with additional attribution source types such as:

PAID_AD

INFLUENCER

ORGANIC_SOCIAL

SEO

REFERRAL

DIRECT

Do not build a duplicate attribution engine.

18. REUSE CRM FLOW

Influencer-generated customers use the same existing flow:

Contact

↓

Conversation

↓

Lead

↓

Qualified

↓

Opportunity

↓

Quotation

↓

Won/Lost

↓

Sale

↓

Revenue Attribution

No influencer-specific CRM.

19. INFLUENCER DATA MODEL

Add:

Influencer

InfluencerIdentity

InfluencerCampaignMember

InfluencerContent

TrackingLink

ReferralClick

InfluencerCost

InfluencerMetricSnapshot

InfluencerPerformanceScore

Reuse existing:

Campaign

TrafficSession

AttributionTouch

Contact

Conversation

Lead

Opportunity

Sale

Product

Recommendation

Approval

AuditLog

20. INFLUENCER PROFILE

Influencer:

- tenant_id
- name
- display_name
- email
- phone
- category
- status
- notes
- default_cost
- currency
- contract_start
- contract_end

InfluencerIdentity:

- influencer_id
- platform
- username
- profile_url
- external_platform_id
- follower_count
- metadata
- last_synced_at

Platforms:

TikTok

Instagram

Facebook

YouTube

X

Other

21. CAMPAIGNS

Influencer campaigns should support objectives:

AWARENESS

ENGAGEMENT

TRAFFIC

LEAD_GENERATION

SALES

MIXED

Store:

Campaign name

Objective

Dates

Budget

Target revenue

Target reach

Target conversations

Target leads

Target sales

Products

Creators

22. CONTENT-LEVEL TRACKING

Track:

Influencer

→ Campaign

→ Platform

→ Individual Content

→ Commercial Outcome

Support:

VIDEO

REEL

POST

STORY

SHORT

LIVE

OTHER

This allows analysis such as:

Creator A performs better commercially on Instagram than TikTok.

or:

Creator B's educational content produces more sales than comedy content.

23. UNIQUE TRACKING LINKS

Create first-party short tracking URLs.

Example:

`go.company.com/x7Kd2`

Each link maps to:

- tenant
- influencer
- campaign
- content
- platform
- destination
- referral token

Possible destinations:

WhatsApp

Website

Landing page

Product page

Lead form

Booking page

24. WHATSAPP INFLUENCER ATTRIBUTION

This must reuse the connected WhatsApp integration created in Part A.

Flow:

Influencer Content

↓

Tracking Link

↓

WhatsApp

↓

Existing WhatsApp Connector

↓

Conversation

↓

AI Agent

↓

Lead

↓

Sale

Generate a referral token.

Example:

INF7K2

Where appropriate use WhatsApp prefilled message:

Hello, I'm interested in this offer. Ref: INF7K2

On message receipt:

1. Detect token.
2. Resolve influencer/campaign/content.
3. Create attribution touch.
4. Attach it to existing conversation/contact.
5. Continue normal AI sales workflow.

25. SOCIAL METRICS

Where supported by official integrations, collect:

Views

Reach

Impressions

Likes

Comments

Shares

Saves

Followers

Engagement

Completion

Link clicks

Possible metric sources:

API

MANUAL

CSV_IMPORT

ESTIMATED

Never fake unavailable values.

26. COMMERCIAL METRICS

Calculate deterministically:

Tracking clicks

Conversation starts

Click-to-conversation rate

Leads

Qualified leads

Opportunities

Sales

Revenue

Average order value

Lead-to-sale conversion

Cost per lead

Cost per qualified lead

Cost per sale

ROAS

ROI

The LLM does not calculate these.

27. PUBLICITY SCORE

Create deterministic:

Publicity Score 0-100

Potential inputs:

Reach

Views

Impressions

Engagement

Shares

Saves

Completion rate

Traffic

Cost efficiency

Weightings should be configurable.

28. COMMERCIAL SCORE

Create deterministic:

Commercial Score 0-100

Potential inputs:

Conversations

Qualified leads

Lead quality

Opportunities

Sales

Revenue

Conversion rate

CPA

ROAS

Weightings should be configurable.

29. CREATOR CLASSIFICATIONS

Derive classifications from deterministic scores:

SALES_DRIVER

PUBLICITY_DRIVER

FULL_FUNNEL_PERFORMER

ENGAGEMENT_SPECIALIST

EMERGING_PERFORMER

UNDERPERFORMER

INSUFFICIENT_DATA

The AI explains classifications.

It does not invent them.

30. AI INFLUENCER ANALYST

Create:

AI Influencer Performance Analyst

It consumes verified analytics and interprets them.

It must answer:

Who is best for sales?

Who is best for publicity?

Who is best for both?

Who generates the best quality leads?

Who has the strongest ROAS?

Who has high reach but weak conversion?

Which creators should be renewed?

Which creators should receive conversion campaigns?

Which creators should receive awareness campaigns?

Which content works best?

Which platform works best for each creator?

31. DAILY AI INFLUENCER REPORT

Use the existing background-job architecture.

At configured end-of-day:

1. Aggregate metrics.
2. Calculate publicity scores.
3. Calculate commercial scores.
4. Classify creators.
5. Compare campaign objectives.
6. Send structured data to AI.
7. Generate executive interpretation.
8. Store report.
9. Show dashboard notification.

Example:

Influencer Performance — Today

Best for Sales Creator A

Revenue: UGX 18.4M
Sales: 22
ROAS: 9.2×
Commercial Score: 94

Best for Publicity Creator B

Views: 640K
Engagement: 52K
Publicity Score: 96

Best Overall Creator C

Publicity Score: 89
Commercial Score: 91
Classification: Full-Funnel Performer

Needs Review Creator D

High reach but weak conversation and qualification rates.

AI Interpretation

Use Creator A for conversion-led campaigns.

Use Creator B for awareness and brand visibility.

Prioritize Creator C when both reach and sales are required.

Review Creator D's audience fit, content and offer.

32. LEADERBOARD

Rank/filter by:

Publicity Score

Commercial Score

Overall Score

Revenue

Sales

ROAS

Qualified Leads

Conversion

CPA

Clicks

Conversations

Views

Reach

Engagement

Filter by:

Campaign

Date

Platform

Product

Objective

Creator category

33. MULTI-TOUCH ATTRIBUTION

A customer may travel through:

Influencer TikTok

→ Website

→ Meta Retargeting

→ WhatsApp

→ Sale

Preserve all touches.

Support at minimum:

First touch

Last touch

Assisted attribution

Do not automatically assign 100% of revenue to either influencer or ad.

34. AI RECOMMENDATIONS

Support:

SCALE

RENEW

MAINTAIN

USE_FOR_SALES

USE_FOR_PUBLICITY

USE_FOR_FULL_FUNNEL

TEST_DIFFERENT_CONTENT

CHANGE_OFFER

REDUCE_ALLOCATION

PAUSE

DO_NOT_RENEW

INSUFFICIENT_DATA

Recommendations need:

finding

evidence

recommendation

confidence

risk

status

date

Reuse the existing Recommendation/Approval architecture.

35. FUTURE MARKETING INVESTMENT INTELLIGENCE

Prepare architecture so the platform can ultimately compare:

Influencers

Meta Ads

Google Ads

TikTok Ads

Organic social

SEO

Referral

against:

Leads

Qualified leads

Sales

Revenue

CPA

ROAS

ROI

The ultimate management question is:

Where should the company put its next marketing shilling to generate the greatest business value?

The AI should eventually support evidence-based marketing allocation recommendations.

Any actual budget change remains subject to the existing approval system.

36. FEATURE FLAGS

These additions must not destabilize the existing MVP.

Use flags such as:

SELF_SERVICE_SOCIAL_INTEGRATIONS_ENABLED

INFLUENCER_INTELLIGENCE_ENABLED

If full implementation would delay the core MVP:

1. Build migration-safe models.
 2. Build connector interfaces.
 3. Build authorization framework.
 4. Add feature-flagged routes/navigation.
 5. Prepare APIs.
 6. Document remaining work.
 7. Preserve current MVP functionality.
-

37. EXISTING MVP SUCCESS CONDITION REMAINS PRIMARY

Do not replace the original success condition.

The platform must still demonstrate:

Advertisement → Conversation → AI Qualification → Product Recommendation → Lead → CRM Action → Follow-up → Sale → Revenue Attribution → Advertising Analysis → AI Recommendation → Human Approval

and:

Website → Embedded Widget → AI Sales Agent → Back-office Inbox

The new future paths become:

Social Self-Onboarding

Tenant → Connect WhatsApp/Instagram/TikTok → Official Authorization → Verified Integration → AI/CRM Workflow

Influencer Intelligence

Influencer Content → Tracking Link → Conversation → AI Qualification → Lead → Opportunity → Sale → Revenue Attribution → Publicity vs Sales Classification → AI Recommendation

38. MOST IMPORTANT AI RULE

The platform calculates. The AI interprets.

The LLM must never fabricate or calculate authoritative values for:

Revenue

Sales

ROI

ROAS

CPA

Conversion rate

Lead count

Publicity score

Commercial score

Integration status

Granted permissions

Backend services calculate or retrieve verified values.

The AI then explains:

what happened

why it matters

which influencer is strong for which objective

which channel is producing revenue

what management should consider doing next

FINAL PRODUCT PRINCIPLE

We are not building:

- a chatbot
- a social inbox only
- an influencer dashboard only
- a CRM clone

We are building an:

Agentic Revenue Operations SaaS Platform

It should progressively connect:

Acquisition → Conversation → Intelligence → Action → CRM → Follow-up → Sale → Attribution → Marketing Intelligence → Management Recommendation

The platform must eventually understand revenue generated through:

Paid ads

Organic social

Influencers

Website

WhatsApp

Instagram

TikTok

SEO

Referrals

and explain which sources, creators, campaigns and channels produce real business value.

All new capabilities must remain integrated into the existing MVP architecture rather than creating isolated systems.