

DAX MEASURES DOCUMENTATION

1. TOTAL SALES

Total Sales = SUM('Fact_Sales'[Sales])

Purpose:

Calculates the total revenue generated from all sales transactions.

2. TOTAL PROFIT

Total Profit = SUM('Fact_Sales'[Profit])

Purpose:

Calculates the total profit generated from sales.

3. PROFIT MARGIN

Profit Margin = DIVIDE([Total Profit], [Total Sales], 0)

Purpose:

Measures profitability as a percentage of total sales.

4. TOTAL ORDERS

Total Orders = DISTINCTCOUNT('Fact_Sales'[Order ID])

Purpose:

Calculates the number of unique customer orders.

5. TOTAL CUSTOMERS

Total Customers = DISTINCTCOUNT('Fact_Sales'[Customer ID])

Purpose:

Calculates the number of unique customers represented in the dataset.

6. AVERAGE ORDER VALUE

Average Order Value = `DIVIDE( [Total Sales], [Total Orders], 0)`

Purpose:

Measures the average sales value generated per order.

7. SALES GROWTH

Sales Growth =

`VAR CurrentSales = [Total Sales]`

`VAR PreviousSales =`

```
    CALCULATE(  
        [Total Sales],  
        DATEADD(  
            'DateTable'[Date],  
            -1,  
            YEAR  
        )  
    )  
    )  
RETURN  
DIVIDE(  
    CurrentSales - PreviousSales,  
    PreviousSales,  
    0  
)
```

Purpose:

Measures year-over-year change in sales.

8. PROFIT GROWTH

Profit Growth =

`VAR CurrentProfit = [Total Profit]`

`VAR PreviousProfit =`

```
    CALCULATE(  
        [Total Profit],  
        DATEADD(  

```

```

        'DateTable'[Date],
        -1,
        YEAR
    )
)
RETURN
DIVIDE(
    CurrentProfit - PreviousProfit,
    PreviousProfit,
    0
)

```

Purpose:

Measures year-over-year change in profit.

9. AVERAGE DISCOUNT

Average Discount = AVERAGE('Fact_Sales'[Discount])

Purpose:

Calculates the average discount applied to sales transactions.

10. DATA TABLE

```

DataTable =
ADDCOLUMNS(
    CALENDAR(
        MIN('Fact_Sales'[Order Date]),
        MAX('Fact_Sales'[Order Date])
    ),
    "Year", YEAR([Date]),
    "Month Number", MONTH([Date]),
    "Month", FORMAT([Date], "MMMM"),
    "Quarter", "Q" & FORMAT([Date], "Q"),
    "Year-Month", FORMAT([Date], "YYYY-MM")
)

```