

Cucumber Report

Dec 7, 2022, 9:53:23 PM

Start : Dec 07, 9:52:27.093 PM

End : Dec 07, 9:53:21.756 PM

Duration : 54.663 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 2

SKIPPED - 0

PASSED - 1


FAILED - 2

SKIPPED - 0

PASSED - 5


FAILED - 2

SKIPPED - 12




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Functionality</u>	18.264 s	1	1	0	0	3	3	0	0
<u>Country Multi Scenario</u>	36.315 s	1	0	1	0	6	2	1	3
<u>CitizenShip</u>	0.024 s	1	0	1	0	10	0	1	9

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@SmokeTest	1	1	0	0	1	1	0	0
@Regression	3	1	2	0	3	1	2	0





#	Feature Name	T	P	F	S	Duration
1	Login Functionality	1	1	0	0	18.264 s
2	Country Multi Scenario	1	0	1	0	36.315 s
3	CitizenShip	1	0	1	0	0.024 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	<u>Login with valid username and password</u>	3	3	0	0	18.259 s
2	<u>Country Multi Scenario</u>	<u>Create Country</u>	6	2	1	3	36.315 s
3	<u>CitizenShip</u>	<u>CitizenShip Create</u>	10	0	1	9	0.019 s

Login Functionality



PASSED	DURATION - 18.264 s	Scenarios		Steps	
/ 9:52:27.093 PM // 9:52:45.357 PM /		Total - 1		Total - 3	
		Pass - 1		Pass - 3	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Login with valid username and password



<div>PASSED</div> <div>DURATION - 18.259 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:52:27.098 PM // 9:52:45.357 PM /</div>			
<div>Login Functionality</div>			
<div>@SmokeTest @Regression</div>			

#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	6.942 s
2	When Enter username and password and click Login Button	PASSED	2.293 s
3	Then User should login successfully	PASSED	3.689 s

Country Multi Scenario

FAILED	DURATION - 36.315 s	Scenarios		Steps	
/ 9:52:45.374 PM // 9:53:21.689 PM /		Total - 1		Total - 6	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	



Create Country

<div>FAILED</div> <div>DURATION - 36.315 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 9:52:45.374 PM // 9:53:21.689 PM /</div>				
<div>Country Multi Scenario</div>				
<div>@Regression</div>				



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	4.864 s
2	When Enter username and password and click Login Button	PASSED	1.125 s
3	Then User should login successfully <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.94) Build info: version: '4.6.0', revision: '79f1c02ae20' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18290d5adaf1dfcb6fbf95993697262f, findElement {using=css selector, value=span[class='mat-tooltip-trigger logo-text']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.94, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\Kedi^\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52969}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:52969/devtoo..., se.cdpVersion: 108.0.5359.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 18290d5adaf1dfcb6fbf95993697262f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy29.toString(Unknown Source)</pre>	FAILED	30.313 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.String.valueOf(String.java:4225) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.base/java.lang.String.valueOf(String.java:4225) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at Pages.Parent.waitForVisible(Parent.java:21) at Pages.Parent.verifyContainsTextFunction(Parent.java:52) at Pages.DialogContent.findAndContainsText(DialogContent.java:116) at StepDefinitions._01_LoginSteps.userShouldLoginSuccessfully(_01_LoginSteps.java:35) at ?.User should login successfully(file:///C:/Users/Kedi%5E_%5E/IdeaProjects/Techno_Study_Cucumber_TR/src/test/java/FeatureFiles/_03_CountryMultipleScenarios.feature:6) * Not displayable characters are replaced by '?'.		
4	And Navigate to country page	SKIPPED	0.000 s
5	When Create a country	SKIPPED	0.000 s
6	Then Success message should be displayed	SKIPPED	0.001 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.94) Build info: version: '4.6.0', revision: '79f1c02ae20' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18290d5adaf1dfcb6fbf95993697262f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.94, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\Kedi^\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52969}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52969/devtoo. ..., se:cdpVersion: 108.0.5359.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 18290d5adaf1dfcb6fbf95993697262f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331) at StepDefinitions.Hooks.after(Hooks.java:32)	FAILED	0.004 s

CitizenShip

FAILED	DURATION - 0.024 s	Scenarios		Steps	
/ 9:53:21.732 PM // 9:53:21.756 PM /		Total - 1		Total - 10	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

CitizenShip Create

<div>FAILED</div> <div>DURATION - 0.019 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 9:53:21.737 PM // 9:53:21.756 PM /				
CitizenShip				
@Regression				

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Campus</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.94) Build info: version: '4.6.0', revision: '79f1c02ae20' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18290d5adaf1dfcb6fbf95993697262f, get {url=https://demo.mersys.io/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.94, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\Kedi^\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52969}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52969/devtoo..., se:cdpVersion: 108.0.5359.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 18290d5adaf1dfcb6fbf95993697262f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)</pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:310) at StepDefinitions._01_LoginSteps.navigateToCampus(_01_LoginSteps.java:15) at ?.Navigate to Campus(file:///C:/Users/Kedi%5E_%5E/IdeaProjects/Techno_Study_Cucumber_TR/src/test/java/FeatureFiles/_04_ScenarioOutlineCitizenShip.feature:12) * Not displayable characters are replaced by '?'.		
2	When Enter username and password and click Login Button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
4	And Navigate to CitizenShip page	SKIPPED	0.001 s
5	When User a CitizenShip name as "senabrkly" short name as "snakdbbrkl"	SKIPPED	0.000 s
6	Then Success message should be displayed	SKIPPED	0.001 s
7	When User a CitizenShip name as "senabrkly" short name as "snakdbbrkl"	SKIPPED	0.000 s
8	Then Already exist message should be displayed	SKIPPED	0.000 s
9	When User delete the "senabrkly"	SKIPPED	0.000 s
10	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hooks.after(io.cucumber.java.Scenario)	FAILED	0.008 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.94) Build info: version: '4.6.0', revision: '79f1c02ae20' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [18290d5adaf1dfcb6fbf95993697262f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.94, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\Kedi\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:52969}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52969/devtoo... ..., se:cdpVersion: 108.0.5359.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 18290d5adaf1dfcb6fbf95993697262f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:541) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:331) at StepDefinitions.Hooks.after(Hooks.java:32)		