

Rolling-window U.S. stock returns

\$100 annual DCA

Monthly data, Aug 1926 – Mar 2026 (1,195 months)

Generated 2026-05-16

Full-history compound annual growth rate (market)

Nominal	10.20%	[1]
Real (CPI-deflated)	6.99%	[1][2]

Mean 10-year rolling IRR

Nominal	11.06%	[3]
Real	7.43%	[3]

Highest 10-year rolling IRR

Nominal	+20.90%	[3]
Real	+17.99%	[3]

Lowest 10-year rolling IRR

Nominal	-6.17%	[3]
Real	-11.31%	[3]


10-year rolling windows with IRR ≤ 0

Nominal	1.86% (20 of 1,076)	[3]
Real	9.67% (104 of 1,076)	[3]
Total 10-year rolling windows	1,076	[3]
Window labeling	by start date	[3]
Total contributed per window	\$1,000	

Invest \$100 on each yearly anniversary of the window start — ten deposits over ten years, \$1,000 total contributed. The metric is the money-weighted internal rate of return (IRR) — the annual rate that discounts the ten deposits to the terminal value. Comparing IRR here to CAGR in the lump-sum scenario shows how much the timing of deployed capital matters.

10-year rolling IRR by window start date

Each point is the annualized return of a 10-year window beginning on that month.





Summary statistics

	Nominal	Real
Mean	11.06%	7.43%
Median	11.59%	8.34%
Std. dev.	5.01%	5.33%
Min	-6.17%	-11.31%
Max	20.90%	17.99%
Share ≤ 0	1.86%	9.67%

Distribution of 10-year rolling IRRs

Histogram of every 10-year window in the sample.



Share of windows with $IRR \leq 0$

Nominal: 1.86% (20 of 1,076 windows)

Real: 9.67% (104 of 1,076 windows)

“ ≤ 0 ” means an investor who followed this schedule over the full 10-year window would have ended at or below their total contributions, after compounding (and after inflation, for the real series).

[3]

Best and worst 10-year windows

Top 5 highest and lowest annualized returns (IRR), ranked by window-start month.

Best nominal

Start	End	IRR	\$1,000 →
Apr 1990	Mar 2000	20.90%	\$3,281
Jan 1990	Dec 1999	20.89%	\$3,278
Sep 1977	Aug 1987	20.45%	\$3,196
Sep 1990	Aug 2000	20.33%	\$3,174
Aug 1977	Jul 1987	20.30%	\$3,169

Worst nominal

Start	End	IRR	\$1,000 →
Mar 1999	Feb 2009	-6.17%	\$716
Oct 1964	Sep 1974	-4.85%	\$768
Apr 1999	Mar 2009	-4.67%	\$776
Feb 1999	Jan 2009	-4.49%	\$784
Jan 1965	Dec 1974	-3.78%	\$814

Best real

Start	End	IRR	\$1,000 →
Jan 1990	Dec 1999	17.99%	\$2,774
Apr 1990	Mar 2000	17.89%	\$2,758
Apr 1946	Mar 1956	17.78%	\$2,740
May 1946	Apr 1956	17.74%	\$2,734
Aug 1946	Jul 1956	17.69%	\$2,726


Worst real

Start	End	IRR	\$1,000 →
Oct 1964	Sep 1974	-11.31%	\$548
Jan 1965	Dec 1974	-10.43%	\$573
Dec 1964	Nov 1974	-9.46%	\$603
Mar 1999	Feb 2009	-8.79%	\$624
Nov 1964	Oct 1974	-8.57%	\$631

“\$1,000 →” is the terminal value of the full contribution schedule, held to the end of the 10-year window. [4]

Terminal value of \$1,000 after 10 years

Where \$1,000 contributed under this schedule would have landed, by start month.



Sources and methodology

Data sources

- [1] Fama/French Research Data Factors, monthly file. Ken French Data Library, Tuck School of Business, Dartmouth.
https://mba.tuck.dartmouth.edu/pages/faculty/ken.french/data_library.html
Columns used: Mkt-RF (market excess return), RF (risk-free rate).
Values are published as percent (2.50 = 2.5%) and divided by 100 on ingest.
- [2] U.S. CPI for All Urban Consumers, not seasonally adjusted (CPIAUCNS).
Federal Reserve Bank of St. Louis (FRED).
<https://fred.stlouisfed.org/series/CPIAUCNS>
The not-seasonally-adjusted series is used deliberately – the SA series (CPIAUCSL) only begins in 1947 and would truncate 21 years of history.

Series construction

```
nominal_return = (Mkt-RF + RF) / 100 - total U.S. market return.  
inflation      = CPI.pct_change() - month-over-month CPI change.  
real_return    = (1 + nominal) / (1 + inflation) - 1 (Fisher equation).  
The first observation (Jul 1926) is dropped because monthly inflation  
requires a prior CPI reading.
```

[3] Rolling 10-year window math — \$100 annual DCA

For each window start t , deposit \$100 at months $t+0, t+12, \dots, t+108$ (ten yearly anniversaries). Each deposit at month m grows by the product of monthly returns from m to the end of the window (month $t+120$):

```
grown_k = $100 * exp( Σ log(1 + r_i) ) for i in [t+12k, t+120-1]  
terminal(t) = sum of grown_0 ... grown_9
```

IRR(t) is the annual rate R solving:

$$\sum \$100 * (1+R)^{(10-k)} = \text{terminal}(t) \quad \text{for } k \text{ in } 0..9$$

Solved by bisection. Same start-month labeling and tail-drop rules as the lump-sum scenario.

[4] Full-history market CAGR

```
terminal = exp( Σ log(1 + r_t) ) over the full sample of monthly returns.  
CAGR     = terminal ^ (12 / n_months) - 1.  
Shown on the cover for context; independent of the scenario schedule.
```

Reproducibility

```
python -m src.ingest      # rebuild data/processed/monthly_returns.parquet  
python -m src.export      # rebuild docs/data/*.json  
python -m src.report      # rebuild docs/reports/*.pdf  
Sample window: Aug 1926 – Mar 2026 (1,195 monthly observations).
```