LESSON 4 · CHEAT SHEET

Virtual Laundromat

Batch processing and remote computing



BY HAND

`mv` — Move one item

```
mv dirty_laundry/round1_local/shirt_dirty.png washer/
```

`bash` — Run the washer

```
bash scripts/local_washer.sh
```

MANY AT ONCE

`*` — Wildcard: match many files

```
mv dirty_laundry/round2_big_load/*_dirty.png washer/
```

`for … do` — Loop over every file

```
bash scripts/robot_move_to_washer.sh
dirty_laundry/round3_loop_challenge
```

REMOTE (SIMULATED)

`ssh` — Log in to another computer

```
bash scripts/fake_ssh.sh student@pi-laundromat
```

`scp` — Copy files to it

```
bash scripts/fake_scp.sh dirty_laundry/round4_remote_load
remote_laundromat/incoming
```

`sbatch` — Submit a job

```
bash scripts/submit_laundry_job.sh
```

`logs` — Read what happened

```
cat remote_laundromat/logs/latest_job.log
```

FROM YOUR PEER INSTRUCTOR

"…not to memorize every command, it's to understand the overall workflow."

— Osiel Iglesias

IF YOU'RE STUCK

"No dirty clothes found" means the files are not where the script looks. Run ls washer.