Welcome to

ASP.net

By:

Soulith Sengmanotham



Microsoft* Visual Studio* .NET

ASP.NET – tag summary

<% Response.Write("Hello World") %>

this is mean display a message "Hello world" on the webpage

Label

<asp:labelid="labelID" text="ID:" runat="server" >

Show a string message ection

ASP.NET – TextBox

- Text Box
 - <asp:Textbox id="txtName" textmode="Singleline" runat="server" >
- <asp:Textbox id="txtAddress" textmode="Multiline" rows="5" columns="10" runat="server">
- <asp:Textbox id="txtPassword" textmode="Password" runat="server">

ASP.NET — Button

Button

```
<asp: Button id="btnName" text="OK" OnClick="AAA" runat="server" />
```

ImageButton

<asp:ImageButton

OnClick="ImageButton_Click"

ImageUrl="clickhere.gif"

Runat="Server" />

ASP.NET — RadioButton

RadioButton
 <asp: RadioButton id="RadName"
GroupName="GrName"
text=" textMessage" runat="server" />

RadioButton
<asp:RadioButton
GroupName="GrName"
OncheckedChanged="function_Click"
text="textMessage"
Runat="Server" />

ASP.NET – RadioButtonList

```
    RadioButtonList
        <asp: RadioButtonList id="RadLName"
runat="server" />......</asp: RadioButtonList >

        <asp:RadioButtonList
id="RadLName"
AutoPostBack="True"
runat="server" >
        <asp:ListItem Text="White" Selected="True" />
        <asp:ListItem Text="Red" />
              <asp:ListItem Text="Green" />
              <asp:ListItem Text="Blue" />
              <asp:ListItem Text="Blue" />
              <asp:RadioButtonList>
```

ASP.NET – RadioButtonList

```
RadioButtonList
<asp:RadioButtonList
id="RadLName"
AutoPostBack="True"
runat="server" >
<asp:ListItem Text="White" Selected="True"
/>
<asp:ListItem Text="Red" />
<asp:ListItem Text="Green" />
<asp:ListItem Text="Blue" />
<asp:ListItem Text="Blue" />
</asp:RadioButtonList>
```

ASP.NET - CheckBox

```
<asp:CheckBox
id="chkMailingList"
Text="Do you want to hear from us?"
Runat="Server" />
```

ASP.NET - CheckBoxList

```
<asp:CheckBoxList
id="chkFavouriteMusic"
Runat="Server">
    <asp:ListItem Text="Blues" />
    <asp:ListItem Text="Rock & Roll" />
    <asp:ListItem Text="Pops" />
     <asp:ListItem Text="Altanatives" />
     </asp:CheckBoxList>
```

ASP.NET – CheckBoxList

```
<script language="vb" runat="server">
Sub Button_Click(a as Object, e as EventArgs)
Dim itmMusic As ListItem
Dim strMusic As String
For each itmMusic in chkFavouriteMusic.Items
If itmMusic.Selected then
  strMusic &= "" & itmMusic.Text
End If
 Next
  IblFavouriteMusic.Text = strMusic
  End Sub
</script>
```

ASP.NET – DropDownList

```
Open and Close tag
<asp:DropDownList
   id="DropdownName"
 Runat="Server">
  <asp:ListItem Text="Singapor" />
  <asp:ListItem Text="Malaysia" />
 <asp:ListItem Text="Vietname" />
  <asp:ListItem
 Text="Laos" selected="true" />
 </asp:DropDownList>
```

ASP.NET – DropDownList

```
<asp:ListBox
   id="ListName"
 Runat="Server">
  <asp:ListItem Text="Windows XP" />
  <asp:ListItem Text="Windows 2k" />
 <asp:ListItem Text="Windows Vista"
 />
  <asp:ListItem
 Text="Linux" selected="true" />
 </asp:ListBox>
```

```
<script language="vb"
 runat="server">
Sub Button_Click(a As Object, e As
 EventArgs)
| IbIMessage.Text =
 myListBox.SelectedItem.Text
End Sub
</script>
```

```
<asp:ListBox
    id="ListName"
SelectionMode="Multiple"
  Runat="Server">
  <asp:ListItem Text="Windows XP" />
  <asp:ListItem Text="Windows 2k" /> <asp:ListItem Text="Windows Vista"
  <asp:ListItem
  Text="Linux" selected="true" />
  </asp:DropDownList>
```

```
Sub Button_Click(a As Object, e As EventArgs)

Dim myList as ListItem

Dim strMessage as String

For each myList in myListBox.Items

If myList.Selected then

strMessage &= "<|i>" &

myListBox.SelectedItem.Text

End If

Next


IblMessage.Text = strMessage

End Sub
```

Data Gride

- <asp:DataGrid id="myDatagrid" runat="server" Autogeneratecolumns="false" DataKeyField="Id"
- onEditCommand="Datagrid_Edit"

- HeaderStyle-BackColor="#99cc66"
- HeaderStyle-Font-Name="Verdana"
- HeaderStyle-Font-Bold="true"
- HeaderStyle-Font-Siz="14"
- HeaderStyle-Font-Color="red"
- ItemStyle-Font-Name="Ms San Serif"
- ItemStyle-Font-Size="12"



- <%@ Page Language="c#" %>
- <%@Import Namespace="System.Data"</p>
- <%@Import Namespace="System.Data.SqlClient" %>
- <script runat="server">

connection

- string strCon=
 "server=LITHAUG2012\\NUN;uid=sa;pwd
 =sa;database=dbCW1";
- | //string strCon=
 "server=.;uid=sa;pwd=qwerty;database=
 db3CW1";
- SqlConnection myconn = new SqlConnection(strCon);

- <Columns>
- <asp:EditCommandColumn
 HeaderText="Edit"
 ButtonType="LinkButton"
 CancelText="Cancel" EditText="Edit"
 UpdateText="Update" />
- <asp:BoundColumn
 HeaderText="ລະຫັດ_" DataField="Id"
 ReadOnly="True" />

- <asp:BoundColumn HeaderText="ឯ"
 DataField="Name"
 ReadOnly="True"/>
- <asp:BoundColumn
 HeaderText="ນາມສະກຸນ_"
 DataField="Surname" />
- <asp:BoundColumn HeaderText="ອີ ເມວ_" DataField="Email" />



</Columns>