

Plantim Icons **v4.1** — proposal catalog

52 new semantic icons (outline / solid / duotone / multicolor × optical sizes 16–72) and 14 flags (rectangular color / mono and circular circle / circle.mono), proposed additively on top of the shipped v4 set (4.0.0). Nothing here changes an existing id.

Read with the process report (plantim-icons-v4.1-proposal-report.pdf) and decide in the interactive catalog (plantim-icons-v4.1-proposal-catalog.html).



proposalHash f08b08dd56234f83112dc3b9fa3a5fc99ec690dca322aa85b59067a17e6c905d · derived from v4Hash f12d51dd066e0493bb460f13ca0d9c957e58542320303fbce9aadf893972be4b

Loading states & placeholders 9

Skeleton and fallback glyphs for the moments before content exists: profile photo, plant photo, list rows, cards, charts, plus inline loading, pending and offline states. Today these are raw assets (profile-placeholder.svg), scaled-up tab icons (plant.sprout at 56 px as the plant-hero fallback) or nothing at all.

Container + ghost content. Multicolor stays inside the ink ramp (ink.300 container, ink.500 content) so a placeholder recedes; duotone mutes the container. Solids are real tiles, so a placeholder can occupy exactly the footprint of the asset it stands in for.



placeholder.avatar

P1 · Avatar placeholder

Ring + bust with the shoulders meeting the ring — the classic 'no photo' crop. Distinct from account.user (Profile tab) at every size; the solid keeps the space around the bust as its counter.

web: assets/profile-placeholder.svg (raw asset, outside the registry) · ios: ProfileView falls back to account.user · member lists, comments, public profile



placeholder.card

P1 · Card skeleton

Media block + two lines: card skeleton for plant / garden grids and the social feed.

Garden grid, Plants grid, SocialFeed cards



placeholder.chart

P2 · Chart skeleton

Axes + ghost bars for chart loading/empty. utility.bar.chart3 stays the 'chart' action glyph.

web: GrowthChart.vue empty state (utility.bar.chart3 h-7 today) · stats tiles



placeholder.list

P1 · List row skeleton

Avatar disc + two lines: a list-row skeleton (notifications, members, followers).

NotificationFeed, InviteMemberSheet, garden members



placeholder.plant

P1 · Plant photo placeholder

Photo tile + leaf. Replaces the scaled-up plant.sprout used as the plant-hero fallback; solid = filled tile with the leaf as counter.

web: PlantDetailsHero.vue:357 (plant.sprout h-14) · plant cards without a photo · AddPlant preview



placeholder.text

P1 · Text skeleton

Two full lines + one short — the canonical text skeleton. Bold solid gives fat bars for shimmer overlays.

feed / notification / journal rows while loading · Today card summaries



status.loading.dots

P1 · Loading (dots)

Bouncing-dots snapshot (middle dot raised) so it never collides with utility.more.horizontal; multicolor/duotone carry the trail. Reuses the existing a11y.icons.status.loading label.

Chat: 'AI is typing' · inline saves, optimistic updates · static fallback where Lottie is unavailable

status · Loading · Wird geladen · Yüklüyor



status.offline

P1 · Offline

Cloud + slash. The mobile client has no connectivity glyph; the status color lands on the slash.

offline banner (iOS/PWA) · sync indicator in Settings

status · Offline · Offline · Çevrimdışı



status.pending

P1 · Pending

Hourglass for waiting states that are not spinners: pending invites, queued sync, unverified email.

InviteMemberSheet, garden co-owner invites · VerifyEmail · offline queue

status · Pending · Ausstehend · Beklemede

Specific cases the app works around 18

Ids with no semantic equivalent in v2/v3/v4 that the clients currently fake with a neighbouring glyph: download (upload exists), sort, drag handle, QR, external link, language picker, add-photo, add-event, plant identification, humidity/light requirements, pet safety, misting/rotating care types, and room/indoor/outdoor placement (navigation.home doubles as "room" on both platforms).

Same v4 DSL, gates and grades as the shipped set. Siblings reuse v4 geometry verbatim where a pair must match (calendar.add ← calendar.date frame; utility.camera.plus ← utility.camera body; utility.download ← utility.upload tray).



calendar.add

P1 · Add event

calendar.date's hand-drawn frame + rings with a plus in the body; the plus survives the solid as a counter.

web: AddCareModal.vue, CalendarSidebar.vue (action.add today) · ios: AddCareModalView.swift



care.misting

P2 · Misting

Spray bottle + mist dots. Completes v3's care.watering/fertilizing/pruning/repotting with the one care type they lack.

care calendar categories · care rhythm strip



care.rotating

P2 · Rotating

Pot + clockwise arrow: turn the plant toward the light (even growth).

care calendar categories · care suggestions



location.indoor

P2 · Indoor

Window (frame + mullions) on a sill — distinct from utility.grid2x2.

placement attribute on plants / gardens



location.outdoor

P2 · Outdoor

Single round-crown tree on the ground; utility.trees is two pines.

placement attribute on plants / gardens · balcony / garden gardens



location.room

P1 · Room

Door on a floor line; the knob survives the solid as a counter. Frees navigation.home, which currently means both 'Today' and 'room' (audit §3a-5).

web/ios: RoomSelect, room chips · RoomScene / RoomColumn headers



plant.humidity

P1 · Humidity

Two drops — never confused with the single plant.watering drop (47 refs).

plant detail environment row · weather widgets / LocationPostcard



plant.identify

P1 · Identify plant

Viewfinder brackets + leaf: AI plant identification. Today the flow borrows utility.sparkles + utility.camera.

AddPlant identify step · Chat plant-picker overlay



plant.light

P1 · Light

Leaf lit by three rays from the corner: light requirement. weather.sun (17 refs) currently doubles as theme toggle and weather.

plant detail environment row · species select · room light hint



plant.pet.safe

P2 · Pet safe

Paw in leaf green. Pet safety is the most-asked species attribute after light and water.

species attributes · plant detail badges

semantic · Pet safe · Haustierversicherung · Evcil hayvanlar için güvenli



plant.pet.unsafe

P2 · Toxic to pets

Same paw with a slash; status.error on the slash in multicolor. Semantic pair with plant.pet.safe.

species attributes · plant detail warning badge

semantic · Toxic to pets · Giftig für Haustiere · Evcil hayvanlar için zehirli



utility.camera.plus

P1 · Add photo

The v4 camera body with a plus in the lens: 'add photo' as a distinct CTA. utility.camera (24 refs) currently means both 'photo' and 'add photo'.

profile photo · plant photo · journal entry



utility.download

P1 · Download

Mirror of utility.upload (same tray, reversed arrow). The registry has upload/upload.cloud but no download.

privacy: export my data · save plant photo · download care report / calendar



utility.drag.handle

P2 · Drag handle

2×3 grip for reordering; utility.move (4-way arrows) means relocate, not reorder.

reorder rooms, plants in a garden, care steps



utility.external.link

P1 · External link

Box + arrow leaving top-right — the universal 'opens elsewhere' affordance the policy pages lack.

PrivacyPolicy, AccessibilityStatement links · species source links

utility.language

P1 · Language

Speech bubble + 'A': the language/region picker trigger. Pairs with the flag.* asset class; crossbar dropped at micro.

Settings: language & region · onboarding locale step

utility.qr.code

P2 · QR code

Three finder patterns + modules; utility.scan.line stays the scanning action. True-fill solid with the finder rings as counters.

share garden / public profile via QR · scan plant label

utility.sort

P1 · Sort

Paired up/down arrows for list ordering. utility chevrons.up.down is the select affordance, not sort.

Plants list, Calendar, Feed ordering toolbar

Plant avatars (profile logos) 25

Twenty-five default profile avatars, each modelled on a real plant the Plantim audience recognises — monstera, saguaro, echeveria, fiddle-leaf fig, snake plant, lavender, ... A user without a photo picks one in Profile; the same glyph identifies them in comments, member lists and the social feed.

One family: the placeholder.avatar ring as the crop, a closed plant silhouette inside it, interior detail strokes that drop at micro. The solid variant is a sticker (disc with the plant punched out), so every silhouette is a declared counter. Foliage stays on the leaf ramp, blooms on bloom/sun, wood on earth; the ring takes a pastel so the picker shows tinted discs. Built for 32–72 px; the 16 px reading is the silhouette alone.

avatar.aloe

P1 · Aloe

five spiky leaves fanning from a low base

Profile: avatar picker (no photo) · comments, member lists, social feed · public profile header

semantic · Aloe · Aloe · Aloe

avatar.bamboo

P1 · Bamboo

segmented stalk with a leaf on either side

Profile: avatar picker (no photo) · comments, member lists, social feed · public profile header

semantic · Bamboo · Bambus · Bambu

avatar.bonsai

P1 · Bonsai

cloud canopy on a short trunk in a shallow tray

Profile: avatar picker (no photo) · comments, member lists, social feed · public profile header

semantic · Bonsai · Bonsai · Bonsai

avatar.cactus

P1 · Cactus

saguaro column with two arms

Profile: avatar picker (no photo) · comments, member lists, social feed · public profile header

semantic · Cactus · Kaktus · Kaktüs

avatar.calathea

P1 · Calathea

oval leaf with paired stripes (prayer plant)

Profile: avatar picker (no photo) · comments, member lists, social feed · public profile header

semantic · Calathea · Korbmarante · Kalatea

avatar.clover

P1 · Clover

four heart leaflets on a stem

Profile: avatar picker (no photo) · comments, member lists, social feed · public profile header

semantic · Clover · Klee · Yonca

avatar.eucalyptus

P1 · Eucalyptus

stem with three pairs of round leaves

Profile: avatar picker (no photo) · comments, member lists, social feed · public profile header

semantic · Eucalyptus · Eukalyptus · Okaliptüs

avatar.fern

P1 · Fern

one-sided frond with four leaflet lobes

Profile: avatar picker (no photo) · comments, member lists, social feed · public profile header

semantic · Fern · Farn · Eğrelti

avatar.ficus

P1 · Fiddle-leaf fig

fiddle-leaf fig — violin-shaped leaf on a stub stem

Profile: avatar picker (no photo) · comments, member lists, social feed · public profile header

semantic · Fiddle-leaf fig · Geigenfeige · Keman yapraklı incir



avatar.ivy

P1 · Ivy

three-lobed leaf on a stem

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Ivy · Efeu · Sarmaşık



avatar.lavender

P1 · Lavender

spike of florets on a stem with one leaf

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Lavender · Lavendel · Lavanta



avatar.lotus

P1 · Lotus

five petals fanning up from the water line

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Lotus · Lotus · Lotus



avatar.monstera

P1 · Monstera

lobed leaf with two slits and a midrib

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Monstera · Monstera · Monstera



avatar.oak

P1 · Oak

lobed oak leaf with a midrib

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Oak · Eiche · Meşe



avatar.orchid

P1 · Orchid

five petals around a small lip

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Orchid · Orchidee · Orkide



avatar.palm

P1 · Palm

four fronds drooping from a slim trunk

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Palm · Palme · Palmye



avatar.pilea

P1 · Pilea

Chinese money plant — coin leaf on a stalk

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Pilea · Ufopflanze · Pilea



avatar.pine

P1 · Pine

three-tier conifer with its trunk

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Pine · Kiefer · Çam



avatar.pothos

P1 · Pothos

heart leaf with a short curling stem

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Pothos · Efeutute · Pothos



avatar.rose

P1 · Rose

bud from above — round bloom with a spiral

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Rose · Rose · Gül



avatar.sansevieria

P1 · Snake plant

three upright sword leaves with a pale centre stripe

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Snake plant · Bogenhanf · Paşa kılıcı



avatar.sprout

P1 · Sprout

the beginner avatar — two seed leaves on a stem in soil

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Sprout · Sprössling · Filiz



avatar.succulent

P1 · Succulent

echeveria rosette — six pointed leaves around a heart

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Succulent · Sukkulente · Sukulent



avatar.sunflower

P1 · Sunflower

eight petals around a wide seed disc

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Sunflower · Sonnenblume · Ayçiçeği





avatar.tulip

P1 · Tulip

cup bloom with three petal tips on a short stem

Profile: avatar picker (no photo) · comments, member lists,
social feed · public profile header

semantic · Tulip · Tulpe · Lale

Country flags 14

A locale/region picker needs flags; the web client already ships assets/flags/*.svg outside the registry. Proposed as a new asset class `flag.\*` — not semantic icons — in two shapes: rectangular (`color` / `mono`) and circular (`circle` / `circle.mono`), the latter cropped into the same Ø18.5 disc the avatars use so a flag sits in a locale chip or next to a profile picture without a shape clash.

Starter set = the three shipped locales (de, en → gb/us, tr), the EU, nine likely-next European regions, and a neutral `flag.unknown`. Icon-size simplification is deliberate (no coats of arms, 7 stripes / 8 stars on US, single-layer saltire on GB): a 16 px flag reads by silhouette and color. Colors are never theme tokens; dark mode is handled by the 12 % hairline border, not by re-coloring. The circular shapes scale the flag to cover the disc height and crop the sides — the standard circle-flag treatment.





flag.at

P1 · Austria

likely next region for a European plant-care audience

Settings: language & region · LocationPostcard

semantic · Austria · Österreich · Avusturya





flag.ch

P1 · Switzerland

likely next region for a European plant-care audience

Settings: language & region · LocationPostcard

semantic · Switzerland · Schweiz · İsviçre





flag.de

P1 · Germany

shipped locale (de)

Settings: language & region · profile LocationPostcard · public profile

semantic · Germany · Deutschland · Almanya





flag.es

P1 · Spain

likely next region for a European plant-care audience

Settings: language & region · LocationPostcard

semantic · Spain · Spanien · İspanya





flag.eu

P1 · European Union

region grouping / GDPR surfaces

privacy & data region

semantic · European Union · Europäische Union · Avrupa Birliği





flag.fr

P1 · France

likely next region for a European plant-care audience

Settings: language & region · LocationPostcard

semantic · France · Frankreich · Fransa





flag.gb

P1 · United Kingdom

shipped locale (en)

Settings: language & region · profile LocationPostcard · public profile

semantic · United Kingdom · Vereinigtes Königreich · Birleşik Krallık





flag.it

P1 · Italy

likely next region for a European plant-care audience

Settings: language & region · LocationPostcard

semantic · Italy · Italien · İtalya





flag.nl

P1 · Netherlands

likely next region for a European plant-care audience

Settings: language & region · LocationPostcard

semantic · Netherlands · Niederlande · Hollanda





flag.pl

P1 · Poland

likely next region for a European plant-care audience

Settings: language & region · LocationPostcard

semantic · Poland · Polen · Polonya





flag.pt

P1 · Portugal

likely next region for a European plant-care audience

Settings: language & region · LocationPostcard

semantic · Portugal · Portugal · Portekiz





flag.tr

P1 · Türkiye

shipped locale (tr)

Settings: language & region · profile LocationPostcard · public profile

semantic · Türkiye · Türkei · Türkiye





flag.unknown

P2 · Region not set

neutral fallback when no region is set (never an empty slot)

Settings · public profile

semantic · Region not set · Region nicht festgelegt · Bölge seçilmedi





flag.us

P1 · United States

shipped locale (en)

Settings: language & region · profile LocationPostcard · public profile

semantic · United States · Vereinigte Staaten · Amerika Birleşik Devletleri