



Visual Representation of SQL Joins



C.L. Moffatt

4 Feb 2009 CPOL

This article describes SQL Joins in a visual manner, and also the most efficient way to write the visualized Joins.

This is just a simple article visually explaining SQL JOINS. In this article I am going to discuss seven different ways you can return data from two relational tables. The seven Joins I will discuss are: Inner JOIN, Left JOIN, Right JOIN, Outer JOIN, Left Excluding JOIN, Right Excluding JOIN, Outer Excluding JOIN, while providing examples of each.

[Download Visual SQL JOINS examples - 1.09 KB](#)

[Download Visual SQL JOINS cheat sheet - 143 KB](#)

Background

I'm a pretty visual person. Things seem to make more sense as a picture. I looked all over the Internet for a good graphical representation of SQL **JOINS**, but I couldn't find any to my liking. Some had good diagrams but lacked completeness (they didn't have all the possible JOINS), and some were just plain terrible. So, I decided to create my own and write an article about it.


Using the code

I am going to discuss seven different ways you can return data from two relational tables. I will be excluding cross Joins and self referencing Joins. The seven Joins I will discuss are shown below:

1. **INNER JOIN**
2. **LEFT JOIN**
3. **RIGHT JOIN**
4. **OUTER JOIN**
5. **LEFT JOIN EXCLUDING INNER JOIN**
6. **RIGHT JOIN EXCLUDING INNER JOIN**
7. **OUTER JOIN EXCLUDING INNER JOIN**

For the sake of this article, I'll refer to 5, 6, and 7 as **LEFT EXCLUDING JOIN**, **RIGHT EXCLUDING JOIN**, and **OUTER EXCLUDING JOIN**, respectively. Some may argue that 5, 6, and 7 are not really joining the two tables, but for simplicity, I will still refer to these as Joins because you use a SQL Join in each of these queries (but exclude some records with a **WHERE** clause).

Inner JOIN




This is the simplest, most understood Join and is the most common. This query will return all of the records in the left table (table A) that have a matching record in the right table (table B). This Join is written as follows:

SQL

```
SELECT <select_list>  
FROM Table_A A  
INNER JOIN Table_B B  
ON A.Key = B.Key
```

Left JOIN




This query will return all of the records in the left table (table A) regardless if any of those records have a match in the right table (table B). It will also return any matching records from the right table. This Join is written as follows:

SQL

```
SELECT <select_list>  
FROM Table_A A  
LEFT JOIN Table_B B  
ON A.Key = B.Key
```

Right JOIN




This query will return all of the records in the right table (table B) regardless if any of those records have a match in the left table (table A). It will also return any matching records from the left table. This Join is written as follows:

SQL

```
SELECT <select_list>
FROM Table_A A
RIGHT JOIN Table_B B
ON A.Key = B.Key
```

Outer JOIN




This Join can also be referred to as a **FULL OUTER JOIN** or a **FULL JOIN**. This query will return all of the records from both tables, joining records from the left table (table A) that match records from the right table (table B). This Join is written as follows:

SQL

```
SELECT <select_list>
FROM Table_A A
FULL OUTER JOIN Table_B B
ON A.Key = B.Key
```

Left Excluding JOIN




This query will return all of the records in the left table (table A) that do not match any records in the right table (table B). This Join is written as follows:

SQL

```
SELECT <select_list>
FROM Table_A A
LEFT JOIN Table_B B
ON A.Key = B.Key
WHERE B.Key IS NULL
```

Right Excluding JOIN




This query will return all of the records in the right table (table B) that do not match any records in the left table (table A). This Join is written as follows:

SQL

```
SELECT <select_list>
FROM Table_A A
RIGHT JOIN Table_B B
ON A.Key = B.Key
WHERE A.Key IS NULL
```

Outer Excluding JOIN



This query will return all of the records in the left table (table A) and all of the records in the right table (table B) that do not match. I have yet to have a need for using this type of Join, but all of the others, I use quite frequently. This Join is written as follows:

SQL

```
SELECT <select_list>
FROM Table_A A
FULL OUTER JOIN Table_B B
ON A.Key = B.Key
WHERE A.Key IS NULL OR B.Key IS NULL
```

Examples

Suppose we have two tables, *Table_A* and *Table_B*. The data in these tables are shown below:

TABLE_A
PK Value

```

1 FOX
2 COP
3 TAXI
6 WASHINGTON
7 DELL
5 ARIZONA
4 LINCOLN
10 LUCENT

```

TABLE_B

PK Value

```

-----
1 TROT
2 CAR
3 CAB
6 MONUMENT
7 PC
8 MICROSOFT
9 APPLE
11 SCOTCH

```

The results of the seven Joins are shown below:

-- INNER JOIN

```

SELECT A.PK AS A_PK, A.Value AS A_Value,
       B.Value AS B_Value, B.PK AS B_PK
FROM Table_A A
INNER JOIN Table_B B
ON A.PK = B.PK

```

A_PK	A_Value	B_Value	B_PK
1	FOX	TROT	1
2	COP	CAR	2
3	TAXI	CAB	3
6	WASHINGTON	MONUMENT	6
7	DELL	PC	7

(5 row(s) affected)

-- LEFT JOIN

```

SELECT A.PK AS A_PK, A.Value AS A_Value,
       B.Value AS B_Value, B.PK AS B_PK
FROM Table_A A
LEFT JOIN Table_B B
ON A.PK = B.PK

```

A_PK	A_Value	B_Value	B_PK
1	FOX	TROT	1
2	COP	CAR	2
3	TAXI	CAB	3
4	LINCOLN	NULL	NULL
5	ARIZONA	NULL	NULL
6	WASHINGTON	MONUMENT	6
7	DELL	PC	7
10	LUCENT	NULL	NULL

(8 row(s) affected)

-- RIGHT JOIN

```
SELECT A.PK AS A_PK, A.Value AS A_Value,  
B.Value AS B_Value, B.PK AS B_PK  
FROM Table_A A  
RIGHT JOIN Table_B B  
ON A.PK = B.PK
```

A_PK	A_Value	B_Value	B_PK
1	FOX	TROT	1
2	COP	CAR	2
3	TAXI	CAB	3
6	WASHINGTON	MONUMENT	6
7	DELL	PC	7
NULL	NULL	MICROSOFT	8
NULL	NULL	APPLE	9
NULL	NULL	SCOTCH	11

(8 row(s) affected)

-- OUTER JOIN

```
SELECT A.PK AS A_PK, A.Value AS A_Value,  
B.Value AS B_Value, B.PK AS B_PK  
FROM Table_A A  
FULL OUTER JOIN Table_B B  
ON A.PK = B.PK
```

A_PK	A_Value	B_Value	B_PK
1	FOX	TROT	1
2	COP	CAR	2
3	TAXI	CAB	3
6	WASHINGTON	MONUMENT	6
7	DELL	PC	7
NULL	NULL	MICROSOFT	8
NULL	NULL	APPLE	9
NULL	NULL	SCOTCH	11
5	ARIZONA	NULL	NULL
4	LINCOLN	NULL	NULL
10	LUCENT	NULL	NULL

(11 row(s) affected)

-- LEFT EXCLUDING JOIN

```
SELECT A.PK AS A_PK, A.Value AS A_Value,  
B.Value AS B_Value, B.PK AS B_PK  
FROM Table_A A  
LEFT JOIN Table_B B  
ON A.PK = B.PK  
WHERE B.PK IS NULL
```

A_PK	A_Value	B_Value	B_PK
4	LINCOLN	NULL	NULL
5	ARIZONA	NULL	NULL
10	LUCENT	NULL	NULL

(3 row(s) affected)

-- RIGHT EXCLUDING JOIN

```
SELECT A.PK AS A_PK, A.Value AS A_Value,  
B.Value AS B_Value, B.PK AS B_PK  
FROM Table_A A  
RIGHT JOIN Table_B B  
ON A.PK = B.PK  
WHERE A.PK IS NULL
```

A_PK	A_Value	B_Value	B_PK
NULL	NULL	MICROSOFT	8
NULL	NULL	APPLE	9
NULL	NULL	SCOTCH	11

(3 row(s) affected)

-- OUTER EXCLUDING JOIN

```
SELECT A.PK AS A_PK, A.Value AS A_Value,  
B.Value AS B_Value, B.PK AS B_PK  
FROM Table_A A  
FULL OUTER JOIN Table_B B  
ON A.PK = B.PK  
WHERE A.PK IS NULL  
OR B.PK IS NULL
```

A_PK	A_Value	B_Value	B_PK
NULL	NULL	MICROSOFT	8
NULL	NULL	APPLE	9
NULL	NULL	SCOTCH	11
5	ARIZONA	NULL	NULL
4	LINCOLN	NULL	NULL
10	LUCENT	NULL	NULL


(6 row(s) affected)

Note on the **OUTER JOIN** that the inner joined records are returned first, followed by the right joined records, and then finally the left joined records (at least, that's how my Microsoft SQL Server did it; this, of course, is without using any **ORDER BY** statement).


You can visit the Wikipedia article for more info [here](#) (however, the entry is not graphical).

I've also created a cheat sheet that you can print out if needed. If you right click on the image below and select "Save Target As...", you will download the full size image.


SQL JOINS




```
SELECT <select_list>
FROM TableA A
LEFT JOIN TableB B
ON A.Key = B.Key
```




```
SELECT <select_list>
FROM TableA A
LEFT JOIN TableB B
ON A.Key = B.Key
WHERE B.Key IS NULL
```




```
SELECT <select_list>
FROM TableA A
INNER JOIN TableB B
ON A.Key = B.Key
```




```
SELECT <select_list>
FROM TableA A
RIGHT JOIN TableB B
ON A.Key = B.Key
```



```
SELECT <select_list>
FROM TableA A
RIGHT JOIN TableB B
ON A.Key = B.Key
WHERE A.Key IS NULL
```



```
SELECT <select_list>
FROM TableA A
FULL OUTER JOIN TableB B
ON A.Key = B.Key
```



```
SELECT <select_list>
FROM TableA A
FULL OUTER JOIN TableB B
ON A.Key = B.Key
WHERE A.Key IS NULL
OR B.Key IS NULL
```

© C.L. Moffatt, 2008

History

- Initial release -- 02/03/2009.
- Version 1.0 -- 02/04/2009 -- Fixed cheat sheet and minor typos.

License

This article, along with any associated source code and files, is licensed under [The Code Project Open License \(CPOL\)](#)

About the Author




C.L. Moffatt



Green Sand Software
United States 

No Biography provided

Comments and Discussions

 **146 messages** have been posted for this article Visit <https://www.codeproject.com/Articles/33052/Visual-Representation-of-SQL-Joins> to post and view comments on this article, or click [here](#) to get a print view with messages.

[Permalink](#)
[Advertise](#)
[Privacy](#)
[Cookies](#)
[Terms of Use](#)

Article Copyright 2009 by C.L. Moffatt
Everything else Copyright © [CodeProject](#), 1999-2021

Web01 2.8.20210408.1