# 微分積分II冬課題

#### 平成27年1月5日

# 1

(1)

$$\frac{x+5}{(x+2)(x-1)} = \frac{a}{x+2} + \frac{b}{x-1}$$
$$x+5 = (x-1)a + (x+2)b$$
$$x = -2 とすると a = -1$$
$$x = 1 とすると b = 2$$

(2)

(3)

## |2|

(1)

(証明)(右辺) = 
$$\frac{1}{2}(1 - \cos 2x)$$
  
=  $\frac{1}{2}(1 - \cos^2 x + \sin^2 x)$   
=  $\frac{1}{2}(2\sin^2 x)$   
=  $\sin^2 x = (左辺)$ 

(証明)(左辺) =  $\cos^2 \frac{x}{2}$ =  $\cos x + \sin^2 \frac{x}{2}$ =  $\cos x + \frac{1}{2} - \frac{\cos x}{2}$ =  $\frac{1}{2}(1 + \cos x) = (右辺)$ 

# 3

(1)

$$\sin 2x \cos x = \frac{1}{2} (\sin 3x + \sin x)$$

(2)

$$\cos 2x \sin 3x = \frac{1}{2}(\sin 5x - \sin - x)$$
$$= \frac{1}{2}(\sin 5x + \sin x)$$

(3)

$$\cos 3x \cos 5x = \frac{1}{2}(\cos 8x + \cos -2x)$$
$$= \frac{1}{2}(\cos 8x + \cos 2x)$$

(4)

$$\sin 4x \sin 2x = -\frac{1}{2}(\cos 6x - \cos 2x)$$

4

(1)

$$\lim_{x \to 3} \frac{x^2 - x - 6}{x^2 - 4x + 3}$$

$$= \lim_{x \to 3} \frac{(x - 3)(x + 2)}{(x - 3)(x - 1)}$$

$$= \frac{5}{2}$$

(2)

$$\lim_{x \to 1} \frac{x^3 - 1}{3x^2 - x - 2}$$

$$= \lim_{x \to 1} \frac{(x - 1)(x^2 + x + 1)}{(3x + 2)(x - 1)}$$

$$= \frac{3}{5}$$

$$\lim_{x \to \infty} \frac{2 + 5^x}{5^{x+1} - 3^x}$$

$$= \lim_{x \to \infty} \frac{\frac{2}{5^x} + 1}{5 - \frac{3^x}{5^x}}$$

$$= \frac{1}{5}$$

$$\lim_{x \to 0} \frac{1 - \cos x}{x^2}$$

$$= \lim_{x \to 0} \frac{\sin^2 x}{x^2} \lim_{x \to 0} \frac{1}{1 + \cos x}$$

$$= \frac{1}{2}$$

## (5)

$$\lim_{x \to 2} \frac{x - 2}{\sqrt{x^2 + 1} - \sqrt{5}}$$

$$= \lim_{x \to 2} \frac{(x - 2)(\sqrt{x^2 + 1} + \sqrt{5})}{x^2 + 1 - 5}$$

$$= \lim_{x \to 2} \frac{(x - 2)(\sqrt{x^2 + 1} + \sqrt{5})}{(x - 2)(x + 2)}$$

$$= \frac{\sqrt{5}}{2}$$

#### (6)

$$\lim_{x \to \infty} (\sqrt{x^2 + 1} - x)$$

$$= \lim_{x \to \infty} \frac{(\sqrt{x^2 + 1} - x)(\sqrt{x^2 + 1} + x)}{(\sqrt{x^2 + 1} + x)}$$

$$= \lim_{x \to \infty} \frac{1}{(\sqrt{x^2 + 1} + x)}$$

$$= 0$$

## 5

#### (1)

$$f(x) = x^{2}$$

$$f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$

$$= \lim_{h \to 0} \frac{x^{2} + 2xh + h^{2} - x^{2}}{h}$$

$$= \lim_{h \to 0} 2xh + h^{2}$$

$$= 2x$$

#### (2)

$$f(x) = \sqrt{x}$$

$$f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$

$$= \lim_{h \to 0} \frac{\sqrt{x+h} - \sqrt{x}}{h}$$

$$= \lim_{h \to 0} \frac{x+h-x}{h(\sqrt{x+h} + \sqrt{x})}$$

$$= \frac{1}{2\sqrt{x}}$$

$$f(x) = \frac{1}{x}$$

$$f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$

$$= \lim_{h \to 0} \frac{\frac{1}{x+h} - \frac{1}{x}}{h}$$

$$= \lim_{h \to 0} \frac{x - (x+h)}{hx(x+h)}$$

$$= \lim_{h \to 0} \frac{-h}{hx(x+h)}$$

$$= -\frac{1}{x^2}$$

## 6

(1)  

$$y = (5x+3)^{7}$$

$$y' = 35(5x+3)^{6}$$

(2)  

$$y = (x^{2} + 3)^{7}$$

$$y' = 14x(x^{2} + 3)^{6}$$

$$y = \sqrt{4x+3}$$
 
$$y' = \frac{2}{\sqrt{4x+3}}$$

$$(4)$$

$$y = \sqrt[3]{6x+1}$$

$$y' = \frac{2}{\sqrt[3]{6x+1}^2}$$

# (5) $y = \frac{4x - 3}{x + 1}$ $y' = \frac{4(x + 1) - (4x - 3)}{(x + 1)^2}$ $= \frac{7}{(x + 1)^2}$

(6) 
$$x = \frac{1}{2t^2 - 1}$$
 
$$x' = -\frac{4t}{(2t^2 - 1)^2}$$

(7)  

$$x = \frac{t}{(1-t)^2}$$

$$x' = \frac{(1-t)^2 - t(-2(1-t))}{(1-t)^4}$$

$$= \frac{(1-t) + 2t}{(1-t)^3}$$

$$= \frac{1+t}{(1-t)^3}$$

(8)

$$y = \cos\frac{t}{2}$$
$$y' = -\frac{1}{2}\sin\frac{t}{2}$$

(9)

$$y = \sin^4 x$$
$$y' = 4\sin^3 x \cos x$$

(10)

$$y = \cos^3 5x$$
$$y' = -15\cos^2 5x \sin 5x$$

## 7

(1)

$$y = e^{3x} \sin 2x$$
  
$$y' = 3e^{3x} \sin 2x + e^{3x} 2\cos 2x$$
  
$$= (3\sin 2x + 2\cos 2x)e^{3x}$$

(2)

$$y = e^{-x} \cos 4x$$
  

$$y' = -e^{-x} \cos 4x - 4e^{-x} \sin 4x$$
  

$$= (-\cos 4x - 4\sin 4x)e^{-x}$$

(3)

$$v = \frac{\log u}{u}$$

$$v' = \frac{\frac{1}{u} \cdot u - \log u}{u^2}$$

$$= \frac{1 - \log u}{u^2}$$

(4)

$$y = \log(x^2 + 3x + 1)$$
$$y' = \frac{2x + 3}{x^2 + 3x - 1}$$

(5)

$$y = \log \left| \frac{1+x}{1-x} \right|$$
$$y' = \frac{\frac{(1-x)+(1+x)}{(1-x)^2}}{\frac{1+x}{1-x}}$$
$$= \frac{2}{(1+x)(1-x)}$$

(6)

$$y = e^{\sin 2x}$$
$$y' = 2\cos 2x e^{\sin 2x}$$

(7)

$$y = (e^{2t} + e - 2t)^4$$
  

$$y' = 4(e^{2t} + e - 2t)^3 (2e^{2t} - 2e^{-2t})$$
  

$$= 8(e^{2t} + e - 2t)^3 (e^{2t} - e^{-2t})$$

(8)

$$y = \tan^{-1} 2x$$
$$y' = \frac{2}{1 + 4x^2}$$

(9)

$$y = \sin^{-1} \frac{3}{x}$$
$$y' = \frac{\frac{1}{3}}{\sqrt{1 - \frac{x^2}{9}}}$$
$$= \frac{1}{\sqrt{9 - x^2}}$$

(10)

$$x = \tan^{-1} \frac{2}{u}$$
$$x' = \frac{-\frac{2}{u^2}}{1 + \frac{4}{u^2}}$$
$$= \frac{-2}{u^2 + 4}$$

## 8

(1)

$$y = x^2 + 2x - 1$$
  
 $y' = 2x + 2$   
 $x = 1$  の時  $y = 2$  で傾き  $y' = 4$   
 $\therefore y - 2 = 4(x - 1)$   
 $y = 4x - 2$ 

(2)

$$y = \frac{1}{x}$$

$$y' = -\frac{1}{x^2}$$

$$x = 2 の時 y = \frac{1}{2}$$
で傾き  $y' = -\frac{1}{4}$ 

$$\therefore y - \frac{1}{2} = -\frac{1}{4}(x - 2)$$

$$y = -\frac{1}{4}x + 1$$

(3)

$$y=x^2$$
  $y'=2x$   $x=-1$  の時  $y=1,y'=-2$  なので傾き  $m=\frac{1}{2}$   $\therefore y-1=\frac{1}{2}(x+1)$   $y=\frac{1}{2}x+\frac{3}{2}$ 

9

(1)

$$\frac{dy}{dx} = \frac{\frac{dy}{dt}}{\frac{dx}{dt}} = -\frac{\cos t}{\sin t} = -\cot t$$

(2)

$$\frac{dy}{dx} = \frac{\frac{dy}{dt}}{\frac{dx}{dt}} = \frac{\sin t}{1 - \cos t}$$

(3)

$$\frac{dy}{dx} = \frac{\frac{dy}{dt}}{\frac{dx}{dt}} = \frac{3\sin^2 t \cos t}{-3\cos^2 t \sin t} = -\tan t$$

### 10

(1)

$$y = x^3 - 5x^2 + 3x$$

$$y' = 3x^2 - 10x + 3$$

$$= (3x - 1)(x - 3)$$

$$y' = 0 を解くと  $x = \frac{1}{3},3$ 

$$\hline x & \cdots & \frac{1}{3} & \cdots & 3 & \cdots \\ \hline y' & + & 0 & - & 0 & + \\ \hline y & \nearrow & \frac{13}{27} & \searrow & -9 & \nearrow \\ \hline \therefore x = \frac{1}{3} \text{ の時極大値 } y = \frac{13}{27}$$

$$x = 3 \text{ の時極小値 } y = -9$$$$

(2)

$$y = x \log x$$

$$y' = \log x + 1$$

$$y' = 0 を解くと x = \frac{1}{e}$$

$$x \mid 0 \mid \cdots \mid \frac{1}{e} \mid \cdots$$

$$y' \mid - 0 \mid +$$

$$y \mid \sqrt{-\frac{1}{e}} \mid \nearrow$$

$$\therefore x = \frac{1}{e}$$
の時極小値  $y = -\frac{1}{e}$ 

# 11

(1)

$$y = x^3 - 3x$$
  
 $y' = 3x^2 - 3$   
 $y' = 0$  を解くと  $x = \pm 1$   
 $x \mid -2 \mid \cdots \mid -1 \mid \cdots \mid 0$   
 $y' \mid 9 \mid + \mid 0 \mid - \mid -3$   
 $y \mid -2 \mid \nearrow \mid 2 \mid \searrow \mid 0$ 

$$x = -2$$
 の時最小値  $y = -2$  の時最大値  $y = 2$ 

(2)

$$y = xe^{-x}$$

$$y' = e^{-x} - xe^{-x}$$

$$y' = 0$$
を解くと  $x = 1$ 

$$x \mid 0 \mid \cdots \mid 1 \mid \cdots \mid 2$$

$$y' \mid 1 \mid + \mid 0 \mid - \mid -\frac{1}{e^2}$$

$$y \mid 0 \mid \nearrow \mid \frac{1}{e} \mid \searrow \mid \frac{2}{e^2}$$

$$x = 0$$
の時最大値  $y = 0$ 

$$x = 1$$

(3)

$$y = x - 2\sin x$$

$$y' = 1 - 2\cos x$$

$$y' = 0 \, \delta \mathcal{W} \leq x = \frac{\pi}{3}, \frac{5\pi}{3}$$

$$\hline{x \mid 0 \mid \cdots \mid \frac{\pi}{3} \mid \cdots \mid \frac{5\pi}{3} \mid \cdots \mid 2\pi}$$

$$\hline{y' \mid -1 \mid - \mid 0 \mid + \mid 0 \mid - \mid -1}$$

$$\hline{y \mid 0 \mid \searrow \mid \frac{\pi}{3} - \sqrt{3} \mid \nearrow \mid \frac{5\pi}{3} - \sqrt{3} \mid \searrow \mid 2\pi}$$

$$\therefore x = \frac{\pi}{3} \mathcal{O}$$
時最小値  $y = \frac{\pi}{3} - \sqrt{3}$ 

$$x = \frac{5\pi}{3} \mathcal{O}$$
時最大値  $y = \frac{5\pi}{3} - \sqrt{3}$ 

# 12

(1)

$$y = x^4 - 2x^3$$
  
 $y' = 4x^3 - 6x^2$   
 $= 2x^2(2x - 3)$   
 $y' = 0$  を解くと  $x = \frac{3}{2}, 0$   
 $y'' = 12x^2 - 12x$   
 $= 12x(x - 1)$   
 $y'' = 0$  を解くと  $x = 1, 0$   
 $x$  | ... | 0 | ... | 1 | ... |  $\frac{3}{2}$  | ... |  $y'$  | - 0 | - - | - 0 | + |  $y''$  | + 0 | - 0 | + | + | + |  $y''$  | - 0 | - 1 |  $\sqrt{\frac{27}{16}}$  |  $\sqrt{\frac{27}{16}}$ 

∴変曲点 (0,0),(1,-1)

∴変曲点  $(-\frac{1}{\sqrt{3}}, \frac{3}{4}), (\frac{1}{\sqrt{3}}, \frac{3}{4})$ 

(3) 
$$y = x^4 - 4x^3 + 6x^2$$

$$y' = 4x^3 - 12x^2 + 12x$$

$$y' = 0 を解くと x = 0$$

$$y'' = 12x^2 - 24x + 12$$

$$= 12(x - 1)^2$$

$$y'' = 0 を解くと x = 1$$

$$x | \cdots | 0 | \cdots | 1 | \cdots$$

$$y' | - 0 | + + + +$$

$$y'' | + + + 0 | +$$

::変曲点なし

## 13

(1) 
$$\int (3x+2)^4 dx = \frac{(3x+2)^5}{15}$$

(2) 
$$\int \frac{1}{\sqrt[3]{x}} dx$$
$$= \frac{3}{2} \sqrt[3]{x^2}$$

(3) 
$$\int \frac{1}{1-2x} dx$$
$$= -\frac{1}{2} \log|1-2x|$$

(4) 
$$\int (\cos 2x + \sin 3x) dx$$
$$= \frac{1}{2} \sin 2x - \frac{1}{3} \cos 3x$$

(5) 
$$\int \frac{e^{4x} + e^x}{e^{2x}} dx$$
$$= \int (e^{2x} + e^{-x}) dx$$
$$= \frac{1}{2}e^{2x} - e^{-x}$$

(6) 
$$\int \frac{1}{4+x^2} = \frac{1}{2} \tan^{-1} \frac{x}{2}$$

(7) 
$$\int \frac{dt}{\sqrt{9-t^2}} = \sin^{-1} \frac{t}{3}$$

(8) 
$$t = \sqrt{x+1}$$
$$dt = \frac{dx}{2\sqrt{x+1}} = \frac{dx}{2t}$$
$$\int x\sqrt{x+1}dx$$
$$= \int (t^2 - 1)t2tdt$$
$$= \int (2t^4 - 2t^2)dt$$
$$= \frac{2}{5}t^5 - \frac{2}{3}t^3$$
$$= \frac{2}{15}t^3(3t^2 - 5)$$
$$= \frac{2}{15}\sqrt{x+1}^3(3x-2)$$

(9) 
$$t = x^{2} + 3$$
$$dt = 2xdx$$
$$\int x\sqrt{x^{2} + 3}dx$$
$$= \int \sqrt{t}x\frac{dt}{2x}$$
$$= \frac{1}{2}\int \sqrt{t}dt$$
$$= \frac{1}{3}\sqrt{(x^{2} + 3)}^{3}$$

(10) 
$$\int \frac{x}{x^2 + 1} dx$$

$$= \frac{1}{2} \int \frac{(x^2 + 1)'}{x^2 + 1} dx$$

$$= \frac{1}{2} \log|x^2 + 1|$$

(11) 
$$t = \log x$$
$$dt = \frac{1}{x} dx$$
$$\int \frac{1}{x \log x} dx$$
$$= \int \frac{1}{xt} x dt$$
$$= \log t$$

(12) 
$$\int x \cos x dx$$
$$= x \sin x - \int \sin x dx$$

 $= \log |\log x|$ 

(13) 
$$\int x \sin x dx$$
$$= -x \cos x - \int -\cos x$$
$$= -x \cos x + \sin x$$

 $= x \sin x + \cos x$ 

(14) 
$$\int xe^x dx = xe^x - \int e^x dx$$
$$= xe^x - e^x$$
$$= (x - 1)e^x$$

(15) 
$$\int \log x dx$$
$$= x \log x - \int x \frac{1}{x} dx$$
$$= x \log x - x$$

(16) 
$$I = \int e^x \cos x dx$$

$$I = e^x \sin x - \int e^x \sin x dx$$

$$= e^x \sin x - (-e^x \cos x - \int e^x \cos x dx)$$

$$= e^x \sin x + e^x \cos x - \int e^x \cos x dx$$

$$2I = e^x \sin x + e^x \cos x$$

$$I = \frac{1}{2} e^x (\sin x + \cos x)$$