

Pizza Sales

KPI's

1. Total Revenue

```
SELECT COUNT(*) AS total_rows  
FROM pizza_sales;
```

	123 Total_Revenue ▼
1	817,860.0508384705

2. Average order

```
SELECT  
  
SUM(total_price) AS Total_Revenue,  
  
SUM(total_price)/ COUNT(DISTINCT(order_id )) AS Average_order_Value  
  
FROM pizza_sales
```

123 Total_Revenue ▼	123 Average_order_Value ▼
817,860.0508384705	38.3072623344

3. Total Pizza Sold

```
SELECT SUM(quantity) AS Total_Pizza_Sold  
  
FROM pizza_sales
```

	123 Total_Pizza_Sold ▼
1	49,574

4. Total orders

```
SELECT COUNT(DISTINCT(order_id)) AS Total_orders
FROM pizza_sales
```

	123 Total_orders
1	21,350

5. Average Pizza Per Order

```
SELECT
SUM(quantity) AS Total_Pizza_sold,
COUNT(DISTINCT(order_id)) AS Total_orders,
SUM(quantity) / COUNT(DISTINCT(order_id)) AS Average_Pizza_Order
FROM pizza_sales
```

123 Total_Pizza_sold	123 Total_orders	123 Average_Pizza_Order
49,574	21,350	2

Approximation value

```
SELECT
SUM(quantity) AS Total_Pizza_sold,
COUNT(DISTINCT(order_id)) AS Total_orders,
CAST(SUM(quantity) AS DECIMAL(10,2)) / CAST(COUNT(DISTINCT(order_id)) AS
DECIMAL(10,2)) AS Average_Pizza_Order
FROM pizza_sales
```

123 Total_Pizza_sold	123 Total_orders	123 Average_Pizza_Order
49,574	21,350	2.3219672131

CHART REQUIREMENT

1. Daily Trend for Total Orders

```
SELECT
DATENAME(DW,order_date) as order_day,
COUNT(DISTINCT(order_id)) AS Total_orders
```

```
FROM pizza_sales

GROUP BY DATENAME(DW,order_date)
```

A-Z order_day ▼	123 Total_orders ▼
Saturday	3,158
Wednesday	3,024
Monday	2,794
Sunday	2,624
Friday	3,538
Thursday	3,239
Tuesday	2,973

2. Hour Trend for Total order

```
SELECT

DATEPART(HH,order_time) AS order_hour,

COUNT(DISTINCT order_id) AS Total_orders

FROM pizza_sales

GROUP BY DATEPART(HH,order_time)

ORDER BY Total_orders DESC
```

	123 order_hour ▼	123 Total_orders ▼
1	12	2,520
2	13	2,455
3	18	2,399
4	17	2,336
5	19	2,009
6	16	1,920
7	20	1,642
8	14	1,472
9	15	1,468
10	11	1,231
11	21	1,198
12	22	663
13	23	28
14	10	8
15	9	1

Percentages of Sales by Pizza category

```

SELECT
  ps.pizza_category,
  CAST(SUM(ps.total_price) AS DECIMAL(10,2)) AS total_sales,
  CAST(
    SUM(ps.total_price) * 100.0 /
    (SELECT SUM(total_price) FROM pizza_sales)
    AS DECIMAL(10,2)
  ) AS sales_percentage
FROM pizza_sales AS ps
GROUP BY ps.pizza_category
ORDER BY sales_percentage DESC;

```

	A-Z pizza_category ▼	123 total_sales ▼	123 sales_percentage ▼
1	Classic	220,053.1	26.91
2	Supreme	208,197	25.46
3	Chicken	195,919.5	23.96
4	Veggie	193,690.45	23.68

if you want only by Month

--by Month , 1= jan . 2=feb etc..

```
SELECT
ps.pizza_category,
CAST(SUM(ps.total_price) AS DECIMAL(10,2)) AS total_sales,
CAST(
SUM(ps.total_price) * 100.0 /
(SELECT SUM(total_price) FROM pizza_sales WHERE MONTH(order_date)=1)
AS DECIMAL(10,2)
) AS sales_percentage
FROM pizza_sales AS ps
WHERE MONTH(order_date)=1
GROUP BY ps.pizza_category
ORDER BY sales_percentage DESC;
```

	A-Z pizza_category ▼	123 total_sales ▼	123 sales_percentage ▼
1	Classic	18,619.4	26.68
2	Supreme	17,929.75	25.69
3	Veggie	17,055.4	24.44
4	Chicken	16,188.75	23.2

By Quarter

```
SELECT
```

```

ps.pizza_category,

CAST(SUM(ps.total_price) AS DECIMAL(10,2)) AS total_sales,

CAST(

SUM(ps.total_price) * 100.0 /

(SELECT SUM(total_price) FROM pizza_sales WHERE
DATEPART(QUARTER,order_date)=1)

AS DECIMAL(10,2)

) AS sales_percentage

FROM pizza_sales AS ps

WHERE DATEPART(QUARTER,order_date)=1

GROUP BY ps.pizza_category

ORDER BY sales_percentage DESC;

```

	A-Z pizza_category ▼	123 total_sales ▼	123 sales_percentage ▼
1	Classic	54,072.1	26.33
2	Supreme	51,968.25	25.31
3	Veggie	50,027.15	24.36
4	Chicken	49,282.5	24

Percentage of Sales by Pizza size

```

SELECT

pizza_size,

CAST( SUM(total_price) AS DECIMAL (10,2)) AS Total_sales,

CAST(SUM(total_price)*100.0 /

(SELECT SUM(total_price) FROM pizza_sales) AS DECIMAL(10,2))AS

Sales_percentage

FROM pizza_sales

GROUP BY pizza_size

ORDER BY Sales_percentage

```

	A-Z pizza_size ▼	123 Total_sales ▼	123 Sales_percentage ▼	
1	XXL	1,006.6	0.12	
2	XL	14,076	1.72	
3	S	178,076.5	21.77	
4	M	249,382.25	30.49	
5	L	375,318.7	45.89	

each Month

```
SELECT
pizza_size,
CAST( SUM(total_price) AS DECIMAL (10,2)) AS Total_sales,
CAST(SUM(total_price)*100.0 /
(SELECT SUM(total_price) FROM pizza_sales WHERE MONTH(order_date)=1) AS
DECIMAL(10,2))AS Sales_percentage
FROM pizza_sales
WHERE MONTH(order_date)=1
GROUP BY pizza_size
ORDER BY Sales_percentage
```

	A-Z pizza_size ▼	123 Total_sales ▼	123 Sales_percentage ▼	
1	XXL	71.9	0.1	
2	XL	1,275	1.83	
3	S	15,103.5	21.64	
4	M	20,943.5	30.01	
5	L	32,399.4	46.42	

Each Quarter

```
SELECT
pizza_size,
CAST( SUM(total_price) AS DECIMAL (10,2)) AS Total_sales,
CAST(SUM(total_price)*100.0 /
(SELECT SUM(total_price) FROM pizza_sales WHERE
DATEPART(QUARTER,order_date)=1) AS DECIMAL(10,2))AS Sales_percentage
```

```
FROM pizza_sales

WHERE DATEPART(QUARTER,order_date)=1

GROUP BY pizza_size

ORDER BY Sales_percentage
```

	A-Z pizza_size ▼	123 Total_sales ▼	123 Sales_percentage ▼	
1	XXL	287.6	0.14	
2	XL	3,289.5	1.6	
3	S	45,384.25	22.1	
4	M	61,159	29.78	
5	L	95,229.65	46.37	

Total Pizza Sold by Pizza Category

```
SELECT

pizza_category,

SUM(quantity) AS Total_Pizza_sold

FROM pizza_sales

GROUP BY pizza_category
```

	A-Z pizza_category ▼	123 Total_Pizza_sold ▼
1	Classic	14,888
2	Chicken	11,050
3	Veggie	11,649
4	Supreme	11,987

Top 5 Best Sells by Total Pizza Sold

```
SELECT TOP 5

pizza_name,

SUM(quantity) AS Total_Pizza_sold
```



```
FROM pizza_sales

GROUP BY pizza_name

ORDER BY Total_Pizza_sold DESC
```

	A-Z pizza_name ▼	123 Total_Pizza_sold ▼
1	The Classic Deluxe Pizza	2,453
2	The Barbecue Chicken Pizza	2,432
3	The Hawaiian Pizza	2,422
4	The Pepperoni Pizza	2,418
5	The Thai Chicken Pizza	2,371

Bottom 5 Worst sellers by Total Pizzas Sold

```
SELECT TOP 5

pizza_name,

SUM(quantity) AS Total_Pizza_sold

FROM pizza_sales

GROUP BY pizza_name

ORDER BY Total_Pizza_sold
```

	A-Z pizza_name ▼	123 Total_Pizza_sold ▼
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Pizza	950
5	The Soppressata Pizza	961