

Cucumber Report

05-Oct-2023, 2:27:25 pm

Start : Oct 05, 2:24:55.422 pm

End : Oct 05, 2:27:24.439 pm

Duration : 2 m 29.017 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 5
FAILED - 1
SKIPPED - 0

PASSED - 20
FAILED - 1
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Admin Console Login</u>	2 m 29.017 s	6	5	1	0	24	20	1	3

#	Feature Name	Scenario Name
1	<u>Admin Console Login</u>	<u>Ensure Webconnect Bot Chat</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Admin Console Login</u>	6	5	1	0	2 m 29.017 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Admin Console Login</u>	<u>COnsole Page Validation for invalid login credentials</u>	4	4	0	0	6.179 s
2		<u>COnsole Page Validation for successful login</u>	3	3	0	0	8.673 s
3		<u>Ensure Jenie Bot Properties</u>	5	5	0	0	53.659 s
4		<u>Logging into Microsoft Teams with Different User Types</u>	4	4	0	0	34.872 s
5		<u>Ensure Webconnect Bot Chat</u>	4	0	1	3	22.045 s
6		<u>Ensure Webconnect InQueue</u>	4	4	0	0	23.479 s

Admin Console Login



FAILED	DURATION - 2 m 29.017 s	Scenarios Total - 6 Pass - 5 Fail - 1 Skip - 0		Steps Total - 24 Pass - 20 Fail - 1 Skip - 3	
/ 2:24:55.422 pm // 2:27:24.439 pm /					

COnsole Page Validation for invalid login credentials

PASSED	DURATION - 6.179 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:24:55.426 pm // 2:25:01.605 pm /				
Admin Console Login				



#	Step / Hook Details	Status	Duration
1	Given I am on the login page	PASSED	2.594 s
2	When I enter invalid credentials "admin@sens.com" and "Sensiple*203"	PASSED	0.790 s
3	And I click the login	PASSED	0.051 s
4	Then I should see an error message	PASSED	2.719 s

COnsole Page Validation for successful login

PASSED	DURATION - 8.673 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:25:01.622 pm // 2:25:10.295 pm /				
Admin Console Login				



#	Step / Hook Details	Status	Duration
1	When I enter my valid "admin@sensipleucx.com" and "Jan2023@"	PASSED	5.390 s
2	And I click the login button	PASSED	0.260 s
3	Then I should be redirected to the dashboard	PASSED	3.017 s

Ensure Jenie Bot Properties

PASSED		DURATION - 53.659 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 2:25:10.313 pm // 2:26:03.972 pm /						
Admin Console Login						

#	Step / Hook Details	Status	Duration
1	When User click on Bot Management	PASSED	0.213 s
2	And User click on action button	PASSED	2.936 s
3	And User click on user management	PASSED	9.947 s
4	And User click on Skill Group	PASSED	38.549 s
5	Then Bot properties ensured	PASSED	2.012 s



Logging into Microsoft Teams with Different User Types

PASSED	DURATION - 34.872 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 2:26:03.989 pm // 2:26:38.861 pm /				
Admin Console Login				

#	Step / Hook Details	Status	Duration
1	Given I am on the Microsoft Teams login page	PASSED	2.282 s
2	When I enter "AutomationTestAgent1@lab.ontryvium.com" into the username field	PASSED	3.755 s


#	Step / Hook Details	Status	Duration
3	And I enter "Gos85664" into the password field	PASSED	25.702 s
4	Then I should see Teams dashboard	PASSED	3.131 s

Ensure Webconnect Bot Chat

<div>FAILED</div> <div>DURATION - 22.045 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 2:26:38.868 pm // 2:27:00.913 pm /				
Admin Console Login				

#	Step / Hook Details	Status	Duration
1	<p>When User Open Url in New Tab</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[contains(text(), 'open tickets for your reference:')] (tried for 20 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at com.StepDefinition.StepDefinition.user_open_url_in_new_tab(StepDefinition.java:477)</p> <p>at ?.User Open Url in New Tab(file:///C:/Users/rajasekar.p/eclipse-workspace/TryviumProduct/src/test/java/com/Feature/Tryvium.feature:41)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:</p> <p>{"method":"xpath","selector":"//*[contains(text(), 'open tickets for your reference:')]"} (Session info: chrome=117.0.5938.134) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver</p> <p>Command: [40d274d0c54e8351b83d3f7cc9472b1f, findElement {using=xpath, value=//*[contains(text(), 'open tickets for your reference:')]}</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.134, chrome: {chromedriverVersion: 117.0.5938.92 (67649b10b92b..., userDataDir: C:\Users\RAJASE~1\AppData\Local\Temp\chrome-remote-debugging-profile-117.0.5938.92\Profile 117.0.5938.92}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57983/devtools, se.cdpVersion: 117.0.5938.134, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 40d274d0c54e8351b83d3f7cc9472b1f</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor14.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p>	FAILED	21.763 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy25.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at com.StepDefinition.StepDefinition.user_open_url_in_new_tab(StepDefinition.java:477) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$3.run(ParentRunner.java:238) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:63) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) at org.junit.runners.ParentRunner.access\$000(ParentRunner.java:53) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:229) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.internal.runners.statements.RunBefores.evaluate(RunBefores.java:26) at org.junit.runners.ParentRunner.run(ParentRunner.java:309) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	And User Passing Values	SKIPPED	0.002 s
3	And Initiating chat in Bot	SKIPPED	0.000 s
4	Then Closing the chat with Bot	SKIPPED	0.000 s
	AFTER - com.Hooks.HooksClass.tearDown(io.cucumber.java.Scenario)	PASSED	0.270 s
	Screenshot: screenshot_1696496220881.png		
			


Ensure Webconnect InQueue

PASSED

DURATION - 23.479 s

/ 2:27:00.960 pm // 2:27:24.439 pm /

Admin Console Login



Step	Duration (s)
1	1.310
2	11.065
3	11.102
4	0.000


Steps

Total - 4

Pass - 4

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	When Open Url in New Tab	PASSED	1.310 s
2	And User Passing Credentials	PASSED	11.065 s
3	And Initiating chat as new user Bot	PASSED	11.102 s
4	Then user close the chat	PASSED	0.000 s